X5030 7.72-a

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

OP LENGTH OF STAY BY OPERATION

CANADA



1984

Length of Stay by Operation, Canada, 1984

A Companion Volume To
Length of Stay
by Diagnosis,
Canada, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1984
. . . by Diagnosis, United States, North Central Region, 1984
. . . by Diagnosis, United States, Northeastern Region, 1984
. . . by Diagnosis, United States, Southern Region, 1984
. . . by Diagnosis, United States, Western Region, 1984
. . . by Diagnosis, Canada, 1984

. . . by Operation, United States, 1984
. . . by Operation, United States, North Central Region, 1984
. . . by Operation, United States, Northeastern Region, 1984
. . . by Operation, United States, Southern Region, 1984
. . . by Operation, United States, Western Region, 1984
. . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data 1
  Data Quality 2
  Coverage 3
  Organization of Length of Stay Tables 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients 16
  Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient separation records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain separation data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each separated patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data edits, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. separated to other short-term hospital
5. separated against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

The data chosen for inclusion in this book are from general, nonfederal, short-term hospitals in Canada. Short-term hospitals are defined as those in which the median stay is shorter than 45 days. Hospitals participating in PAS from the United States, United States Territories, and Puerto Rico were excluded from this book. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Bed Size and Province: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in Canada January-December 1984

Hospital Class (1)	Short-Term Nonfederal Hospitals: Canada Total[2] (2)	Short-Term Nonfederal Hospitals: Number in Books (3)	Short-Term Nonfederal Hospitals: Percent in Books (4)	Short-Term Nonfederal Hospital Beds: Canada Total[2] (5)	Short-Term Nonfederal Hospital Beds: Number in Books (6)	Short-Term Nonfederal Hospital Beds: Percent in Books (7)
Bed Size						
Less than 25 beds	242	21	8.7	3,434	371	10.8
25-49	194	68	35.1	6,680	2,313	34.6
50-99	174	44	25.3	12,300	2,962	24.1
100-199	120	20	16.7	16,507	2,663	16.1
200-299	74	11	14.9	17,869	2,657	14.9
300-399	58	6	10.3	20,119	2,114	10.5
400-499	20	2	10.0	8,981	967	10.8
500 or more	37	9	24.3	25,481	6,336	24.9
Total	919	181	19.7	111,371	20,383	18.3
Province or Territory						
Alberta	125	114	91.2	11,653	10,714	91.9
British Columbia	111	22	19.8	12,355	3,063	24.8
Manitoba	78	–	–	5,150	–	–
New Brunswick	33	32	97.0	3,924	3,584	91.3
Newfoundland	35	2	5.7	2,588	304	11.7
Nova Scotia	48	7	14.6	4,833	1,887	39.0
Ontario	207	–	–	37,688	–	–
Prince Edward Island	9	–	–	644	–	–
Quebec	138	1	0.7	26,125	534	2.0
Saskatchewan	132	1	0.8	6,260	196	3.1
Northwest Territories	3	2	66.7	151	101	66.9
Yukon	–	–	–	–	–	–
Total	919	181	19.7	111,371	20,383	18.3

---

[1] Hospitals with average stay less than 45 days, excluding psychiatric hospitals.

[2] *Canadian Hospital Directory, 1980,* Canadian Hospital Association, Ottawa, 1980.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. Generally "principal procedure" is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one Uniform Hospital Discharge Data Set (UHDDS)[2] Class 1 procedure. A Class 1 procedure is defined as a procedure with an operative anesthetic risk or one that requires highly trained personnel or special facilities or equipment. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are those patients whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* procedure codes included in that *List B* group.

Length of stay was calculated by the computer from admission and separation dates by counting the day of admission but not the day of separation. Patients who left the hospital on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) left the hospital on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Although utilization review in Canadian hospitals has not had the regulatory impetus of programs in the United States, Canadian hospitals have equal reason to be concerned about the wise use of resources. The instructions that follow are those found in the length of stay books for the United States. The techniques employed can be used by any Canadian hospital conducting a review of those cases whose stay exceeds the norms for matching cases listed in ***Length of Stay by Diagnosis, Canada, 1984*** or ***Length of Stay by Operation, Canada, 1984.***

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR], or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	**2**		**235**
for: Cystoscopy			636
TUR			**648**
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure INDEX TO PROCEDURES

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) *(see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** *(see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** (complete) (partial) NEC 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral 60.2**
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to th top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43528	3.6	15	<1	1	2	4	7	9	19
20-34	78670	4.1	13	<1	1	4	5	7	9	17
35-49	28700	5.0	23	<1	1	4	7	10	13	23
50-64	22626	6.2	37	1	1	4	8	13	17	30
65+	22214	7.8	64	1	2	5	10	16	22	43
2. MULTIPLE DX										
0-19 YRS	32925	6.1	65	1	1	4	7	12	19	46
20-34	65366	6.2	48	1	2	5	7	11	16	41
35-49	35680	7.8	68	1	2	6	9	15	22	48
50-64	42381	10.2	114	1	2	7	13	22	31	64
65+	67222	13.1	175	2	2	9	17	29	44	99+
TOT. SINGLE DX	195738	4.8	25	<1	1	4	6	9	13	25
" MULTIPLE DX	243574	9.0	108	1	2	6	11	20	29	68
TOTAL 0-19 YRS	76453	4.6	38	1	1	3	5	9	13	32
20-34	144036	5.0	30	<1	1	4	6	8	12	29
35-49	64380	6.6	50	1	1	5	8	13	18	38
50-64	65007	8.8	91	1	2	6	11	18	26	54
65+	89436	11.7	153	2	2	8	15	26	39	92
GRAND TOTAL	**439312**	**7.1**	**76**	**1**	**1**	**5**	**8**	**15**	**22**	**52**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	16.6	250	1	2	11	18	44	49	51
20-34	26	14.0	163	<1	2	11	18	28	36	62
35-49	57	17.5	176	5	6	14	21	35	53	98
50-64	43	17.2	207	3	6	13	19	36	48	74
65+	38	19.8	134	5	8	18	27	36	43	50
2. MULTIPLE DX										
0-19 YRS	53	19.9	319	2	3	16	27	40	65	99+
20-34	37	26.4	273	5	9	25	43	60	99+	99+
35-49	55	23.0	292	6	8	18	39	58	99+	99+
50-64	118	25.7	259	7	9	22	36	57	64	99+
65+	105	29.1	365	8	10	23	39	61	76	94
TOT. SINGLE DX	182	17.3	179	2	5	13	22	35	46	73
" MULTIPLE DX	368	25.5	311	5	8	22	36	57	75	99+
TOTAL 0-19 YRS	71	19.0	300	2	2	14	27	44	54	99
20-34	63	21.3	263	2	4	17	34	50	75	99+
35-49	112	20.2	239	6	7	15	27	54	73	99+
50-64	161	23.5	259	6	8	19	33	52	63	99+
65+	143	26.6	320	7	9	22	34	54	65	91
GRAND TOTAL	550	22.8	282	4	7	19	32	51	64	99+

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	8.4	9	3	4	9	10	12	13	14
20-34	11	9.8	26	4	5	8	10	19	20	20
35-49	8	11.6	7	8	8	11	14	15	15	15
50-64	5	14.0	25	9	9	13	18	21	21	21
65+	12	18.1	231	7	8	11	22	37	58	61
2. MULTIPLE DX										
0-19 YRS	10	17.6	28	9	12	16	24	56	96	99+
20-34	23	26.5	288	5	7	23	35	53	58	64
35-49	16	24.8	253	7	9	21	36	58	86	99+
50-64	23	16.3	109	7	8	11	22	34	42	42
65+	10	18.4	134	7	8	19	36	99+	99+	99+
TOT. SINGLE DX	50	12.1	77	4	6	10	14	21	23	61
" MULTIPLE DX	82	21.2	193	7	8	17	32	52	71	99+
TOTAL 0-19 YRS	24	12.2	38	4	5	11	16	26	45	99+
20-34	34	21.1	263	4	5	17	28	50	55	64
35-49	24	20.4	208	7	9	15	31	52	70	99+
50-64	28	15.9	94	7	8	12	21	29	42	42
65+	22	18.2	179	7	8	13	27	65	99+	99+
GRAND TOTAL	132	17.8	168	5	7	14	23	41	58	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	7.8	6	4	4	8	9	11	13	13
20-34	8	10.0	30	3	4	9	11	19	22	22
35-49	11	7.9	29	4	4	5	13	16	18	18
50-64	5	9.4	9	6	6	9	12	13	13	13
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	28	16.3	235	5	7	11	17	31	52	78
20-34	33	11.5	58	2	3	10	14	27	33	99+
35-49	13	14.7	58	5	8	12	19	27	30	31
50-64	6	9.0	8	6	6	8	10	14	14	14
65+	4	11.8	77	3	3	10	17	24	24	24
TOT. SINGLE DX	49	8.4	15	4	4	8	10	13	15	22
" MULTIPLE DX	84	13.4	117	3	5	10	14	27	32	92
TOTAL 0-19 YRS	52	12.4	146	4	5	9	13	21	31	77
20-34	41	11.2	53	2	3	10	13	24	32	99+
35-49	24	11.6	55	4	4	10	15	23	27	31
50-64	11	9.2	8	6	6	9	11	13	14	14
65+	5	11.4	59	3	3	10	14	24	24	24
GRAND TOTAL	133	11.6	85	3	4	9	13	22	31	81

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	10.2	6	5	6	11	12	13	14	14
20-34	6	12.3	28	7	7	11	16	20	21	21
35-49	6	16.2	202	7	7	11	16	41	44	44
50-64	5	13.0	26	8	8	10	18	19	19	19
65+	9	21.8	79	8	10	25	28	33	35	35
2. MULTIPLE DX										
0-19 YRS	37	19.3	315	5	6	15	22	45	82	99+
20-34	3	7.0	21	3	3	6	10	12	12	12
35-49	7	19.7	122	6	7	17	29	36	37	37
50-64	9	28.2	726	6	9	25	99+	99+	99+	99+
65+	26	36.7	562	5	9	35	63	85	99+	99+
TOT. SINGLE DX	36	14.8	76	7	7	12	17	28	33	44
" MULTIPLE DX	82	25.4	469	5	6	19	40	85	99+	99+
TOTAL 0-19 YRS	47	17.4	262	5	6	13	18	37	63	99+
20-34	9	10.6	30	3	4	10	13	19	21	21
35-49	13	18.1	149	6	7	15	24	38	43	44
50-64	14	22.8	512	6	8	19	80	99+	99+	99+
65+	35	32.8	476	6	9	28	49	75	96	99+
GRAND TOTAL	118	22.2	371	5	7	16	30	69	99+	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	7.4	19	2	3	7	9	14	16	17
20-34	15	24.3	674	2	4	13	32	67	81	86
35-49	8	15.4	219	4	4	9	23	40	46	46
50-64	3	24.3	177	13	13	21	34	39	39	39
65+	5	10.2	46	5	5	9	12	22	22	22
2. MULTIPLE DX										
0-19 YRS	94	11.3	98	3	3	8	15	24	31	49
20-34	36	20.9	378	3	3	14	27	46	53	96
35-49	12	15.8	556	3	4	12	19	99+	99+	99+
50-64	8	18.9	141	10	10	17	33	78	99+	99+
65+	12	19.2	326	5	5	11	29	52	53	53
TOT. SINGLE DX	48	15.4	309	3	4	8	20	37	57	86
" MULTIPLE DX	162	14.7	223	3	3	10	19	40	50	99+
TOTAL 0-19 YRS	111	10.7	88	3	3	7	13	23	29	48
20-34	51	21.9	456	3	4	13	28	51	66	96
35-49	20	15.7	403	3	4	11	19	92	99+	99+
50-64	11	20.4	141	10	10	17	34	61	94	99+
65+	17	16.5	254	5	5	9	19	49	52	53
GRAND TOTAL	210	14.9	241	3	3	9	19	40	51	99+

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	10.2	21	6	6	10	13	17	17	17
20-34	42	10.6	37	5	6	9	11	18	23	36
35-49	108	11.2	34	6	6	9	13	20	24	35
50-64	103	12.4	62	[illegible]	7	10	15	20	25	48
65+	57	12.3	32	[illegible]	7	11	15	22	25	27
2. MULTIPLE DX										
0-19 YRS	5	12.0	9	8	8	13	14	16	16	16
20-34	42	15.4	118	6	7	11	19	35	40	48
35-49	109	13.8	105	5	6	11	16	25	31	85
50-64	130	16.7	153	6	8	13	22	32	40	99+
65+	125	20.1	192	7	8	16	25	42	62	99+
TOT. SINGLE DX	315	11.7	44	6	6	10	14	20	24	35
" MULTIPLE DX	411	16.8	152	6	7	13	21	33	44	99+
TOTAL 0-19 YRS	10	11.1	15	6	6	11	13	16	17	17
20-34	84	13.0	83	6	6	10	15	25	37	46
35-49	217	12.5	71	6	6	10	14	24	27	63
50-64	233	14.8	117	6	7	11	18	27	35	95
65+	182	17.7	155	6	7	15	22	35	53	99+
GRAND TOTAL	726	14.6	111	6	7	11	17	27	36	95

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	11.2	30	4	4	10	15	18	21	21
20-34	65	6.2	26	2	2	5	7	13	16	31
35-49	84	7.4	35	2	2	6	9	14	22	31
50-64	42	6.7	18	2	2	6	10	13	14	18
65+	13	9.1	43	2	2	8	14	18	22	23
2. MULTIPLE DX										
0-19 YRS	14	23.1	277	4	5	18	38	46	48	49
20-34	43	16.0	249	2	3	12	26	63	99+	99+
35-49	52	12.0	120	3	3	10	15	22	25	63
50-64	54	16.3	167	2	3	13	21	34	42	62
65+	29	20.6	183	1	4	21	29	43	52	99+
TOT. SINGLE DX	214	7.2	30	2	2	6	10	14	17	27
" MULTIPLE DX	192	16.2	191	2	3	12	22	38	51	99+
TOTAL 0-19 YRS	24	18.1	204	4	5	12	29	40	47	49
20-34	108	10.1	137	2	2	6	13	30	53	99+
35-49	136	9.2	72	2	3	7	12	18	23	51
50-64	96	12.1	124	2	2	9	15	25	35	57
65+	42	17.0	168	1	2	14	25	37	49	99+
GRAND TOTAL	406	11.5	126	2	3	8	14	26	38	78

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	6.0	32	<1	<1	3	12	15	16	16
20-34	64	3.6	10	<1	1	3	4	9	11	15
35-49	55	3.3	7	<1	1	3	4	5	7	18
50-64	67	6.7	212	<1	1	3	5	11	18	92
65+	36	5.6	55	1	1	3	5	18	22	35
2. MULTIPLE DX										
0-19 YRS	11	7.7	170	1	1	3	7	25	44	46
20-34	32	7.5	47	<1	1	4	13	20	22	23
35-49	43	6.7	21	1	2	5	10	13	16	20
50-64	56	10.6	193	2	2	6	14	21	27	91
65+	35	8.6	88	1	2	6	11	29	82	99+
TOT. SINGLE DX	233	4.9	77	<1	1	3	4	10	14	42
" MULTIPLE DX	177	8.5	103	1	2	5	12	19	27	98
TOTAL 0-19 YRS	22	6.9	98	<1	1	3	8	15	28	46
20-34	96	4.9	26	<1	1	3	5	14	15	23
35-49	98	4.8	16	1	2	3	5	11	14	19
50-64	123	8.5	206	1	2	4	7	19	25	95
65+	71	7.1	73	1	1	4	9	20	34	99+
GRAND TOTAL	410	6.4	91	1	1	3	7	14	20	84

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	2.4	4	1	1	2	3	4	7	11
20-34	196	2.7	12	<1	<1	2	3	4	7	18
35-49	228	2.6	8	<1	<1	2	3	4	6	14
50-64	245	2.5	7	<1	<1	2	3	4	7	12
65+	166	3.2	19	<1	1	2	3	5	8	31
2. MULTIPLE DX										
0-19 YRS	32	3.3	9	1	1	3	3	5	11	16
20-34	122	3.5	14	<1	1	2	4	7	11	20
35-49	109	4.2	22	<1	1	3	4	11	20	99+
50-64	195	5.6	84	<1	1	2	5	12	20	58
65+	167	5.4	35	1	1	3	6	15	19	36
TOT. SINGLE DX	867	2.7	11	<1	<1	2	3	4	7	16
" MULTIPLE DX	625	4.8	44	<1	1	3	5	11	17	39
TOTAL 0-19 YRS	64	2.9	7	1	1	2	3	5	8	15
20-34	318	3.0	13	<1	<1	2	3	6	9	19
35-49	337	3.1	14	<1	<1	2	3	6	11	27
50-64	440	3.9	44	<1	<1	2	3	8	12	32
65+	333	4.3	29	1	1	3	4	10	16	34
GRAND TOTAL	1492	3.6	26	<1	<1	2	3	7	12	30

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	10.0	17	5	5	9	14	16	16	16
20-34	11	5.8	7	<1	2	6	7	9	11	11
35-49	10	8.4	39	3	3	5	17	18	18	18
50-64	11	10.4	19	2	3	11	14	15	15	15
65+	15	11.1	24	3	3	12	14	18	18	18
2. MULTIPLE DX										
0-19 YRS	5	10.0	31	5	5	7	15	17	17	17
20-34	10	10.5	39	5	5	8	12	21	24	24
35-49	24	17.6	396	5	6	11	17	32	69	94
50-64	40	14.7	163	5	6	11	19	25	30	81
65+	69	14.4	75	6	7	13	17	23	43	89
TOT. SINGLE DX	53	9.2	24	3	3	8	14	17	18	18
" MULTIPLE DX	148	14.6	147	5	6	11	17	25	42	94
TOTAL 0-19 YRS	11	10.0	21	5	5	8	15	16	17	17
20-34	21	8.0	27	2	4	7	9	15	21	24
35-49	34	14.9	305	4	4	10	17	27	53	94
50-64	51	13.7	135	5	6	11	16	23	27	80
65+	84	13.9	67	6	7	12	17	20	42	80
GRAND TOTAL	201	13.2	120	4	5	11	16	21	29	87

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	11.0	200	1	1	11	21	21	21	21
20-34	6	8.0	94	<1	<1	5	8	25	27	27
35-49	13	8.8	53	<1	1	7	11	18	26	28
50-64	11	6.3	61	<1	<1	2	9	17	26	27
65+	10	8.4	153	<1	1	5	8	26	43	43
2. MULTIPLE DX										
0-19 YRS	2	27.5	313	15	15	27	40	40	40	40
20-34	8	14.0	179	<1	1	10	19	37	41	41
35-49	13	14.2	253	1	2	9	14	40	55	58
50-64	18	10.6	68	2	2	9	18	24	27	27
65+	30	15.9	424	1	2	9	19	30	83	86
TOT. SINGLE DX	42	8.0	82	<1	<1	6	10	23	28	43
" MULTIPLE DX	71	14.4	268	1	2	10	17	30	41	85
TOTAL 0-19 YRS	4	19.3	262	1	1	18	30	40	40	40
20-34	14	11.4	142	<1	<1	8	11	29	38	41
35-49	26	11.5	155	1	2	9	14	27	40	58
50-64	29	9.0	68	<1	1	8	12	24	27	27
65+	40	14.1	362	1	2	7	15	30	63	86
GRAND TOTAL	113	12.0	207	<1	1	8	14	27	39	84

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	4.8	4	2	2	5	6	7	8	12
20-34	175	5.1	4	3	4	5	6	7	8	13
35-49	190	5.2	3	3	4	5	6	7	8	12
50-64	144	5.2	2	3	4	5	6	8	9	11
65+	58	8.3	52	4	4	6	8	14	21	49
2. MULTIPL[illegible]										
0-[illegible] YRS	16	8.2	67	4	4	5	8	21	30	34
20-34	60	6.6	30	3	3	5	6	10	17	33
35-49	114	6.2	15	4	4	5	7	8	13	25
50-64	130	7.2	27	4	4	6	7	11	22	28
65+	77	9.7	79	3	4	7	10	17	29	53
TOT. SINGLE DX	599	5.4	9	3	4	5	6	8	9	17
" MULTIPLE DX	397	7.4	37	3	4	6	7	12	19	37
TOTAL 0-19 YRS	48	5.9	27	2	3	5	6	9	13	34
20-34	235	5.5	11	3	4	5	6	7	10	22
35-49	304	5.5	8	3	4	5	6	7	9	15
50-64	274	6.2	16	3	4	5	7	9	12	25
65+	135	9.1	68	4	4	7	9	15	23	52
GRAND TOTAL	996	6.2	21	3	4	5	7	9	13	27

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	3.4	7	1	1	3	4	5	8	16
20-34	41	3.8	3	1	2	3	4	6	7	12
35-49	26	4.3	3	2	3	4	6	7	8	8
50-64	20	5.4	15	2	2	4	7	9	14	19
65+	7	5.1	11	2	2	5	6	11	12	12
2. MULTIPLE DX										
0-19 YRS	9	4.2	6	1	1	4	6	8	9	9
20-34	18	8.6	48	3	3	7	11	26	68	99+
35-49	24	8.9	40	3	4	6	13	16	20	30
50-64	33	9.6	34	4	5	7	11	19	23	26
65+	31	22.8	397	3	5	15	33	56	68	75
TOT. SINGLE DX	142	4.0	7	1	2	3	5	7	9	16
" MULTIPLE DX	115	12.4	172	3	3	8	15	28	43	83
TOTAL 0-19 YRS	57	3.5	7	1	1	3	4	6	9	16
20-34	59	5.2	22	2	2	4	6	10	18	93
35-49	50	6.5	26	2	3	5	7	14	16	30
50-64	53	8.0	31	2	3	6	9	18	22	26
65+	38	19.6	372	2	3	11	27	50	65	75
GRAND TOTAL	257	7.8	98	2	2	5	8	16	27	67

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	10.0	61	5	5	6	16	19	19	19
20-34	12	13.5	53	1	4	13	18	25	25	25
35-49	7	11.3	14	7	7	10	14	16	17	17
50-64	4	14.3	41	7	7	14	19	21	21	21
65+	3	9.7	21	7	7	7	13	15	15	15
2. MULTIPLE DX										
0-19 YRS	4	20.3	111	10	10	18	27	35	35	35
20-34	21	13.7	73	5	6	11	16	25	32	40
35-49	24	20.8	498	6	7	14	19	48	86	94
50-64	33	23.2	400	3	7	16	29	51	75	81
65+	5	31.6	398	16	16	25	42	65	65	65
TOT. SINGLE DX	29	12.3	37	5	6	11	16	21	25	25
" MULTIPLE DX	87	20.6	343	5	7	15	23	44	67	90
TOTAL 0-19 YRS	7	15.9	106	5	5	18	19	32	35	35
20-34	33	13.6	64	5	6	11	17	25	26	40
35-49	31	18.6	401	6	7	13	18	34	80	94
50-64	37	22.2	367	4	7	16	28	50	70	81
65+	8	23.4	363	7	7	17	29	56	65	65
GRAND TOTAL	116	18.5	279	5	7	14	21	39	52	86

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	1.5	1	<1	<1	<1	2	3	3	7
20-34	16	1.8	1	<1	<1	1	2	4	5	6
35-49	20	1.9	1	<1	<1	1	2	4	5	6
50-64	17	2.2	3	<1	<1	1	3	5	7	8
65+	21	4.0	35	<1	<1	2	3	10	19	26
2. MULTIPLE DX										
0-19 YRS	11	2.3	5	<1	<1	1	2	6	8	8
20-34	10	7.2	116	<1	<1	2	6	27	28	28
35-49	10	4.2	28	<1	<1	2	6	12	18	18
50-64	26	6.3	104	<1	<1	3	5	16	25	51
65+	56	6.8	45	1	2	4	9	17	21	31
TOT. SINGLE DX	131	2.1	8	<1	<1	1	2	4	6	16
" MULTIPLE DX	113	6.1	60	<1	<1	3	7	16	21	38
TOTAL 0-19 YRS	68	1.6	2	<1	<1	1	2	3	5	8
20-34	26	3.8	51	<1	<1	1	2	6	27	28
35-49	30	2.7	11	<1	<1	2	2	6	7	18
50-64	43	4.7	68	<1	<1	2	4	10	17	51
65+	77	6.1	44	<1	1	3	8	16	21	30
GRAND TOTAL	**244**	**3.9**	**36**	**<1**	**<1**	**2**	**3**	**9**	**17**	**28**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	67	2.0	3	<1	1	2	2	3	4	12
20-34	38	2.2	4	<1	<1	2	3	3	6	13
35-49	55	2.3	1	<1	<1	2	3	4	5	7
50-64	90	2.2	1	<1	<1	2	3	4	4	9
65+	111	2.7	3	<1	1	2	3	4	7	12
2. MULTIPLE DX										
0-19 YRS	78	3.8	22	<1	1	2	4	7	11	30
20-34	87	3.5	12	<1	<1	2	5	7	11	19
35-49	69	3.9	129	<1	<1	2	3	7	9	79
50-64	111	5.3	115	<1	<1	2	4	9	26	66
65+	152	6.8	117	<1	1	3	7	16	27	74
TOT. SINGLE DX	361	2.3	3	<1	<1	2	3	4	5	12
" MULTIPLE DX	497	5.0	87	<1	<1	2	5	10	18	65
TOTAL 0-19 YRS	145	2.9	15	<1	1	2	3	6	8	17
20-34	125	3.1	10	<1	<1	2	4	6	9	17
35-49	124	3.2	73	<1	<1	2	3	5	8	34
50-64	201	3.9	67	<1	<1	2	3	5	11	55
65+	263	5.0	73	<1	1	3	4	10	18	64
GRAND TOTAL	**858**	**3.9**	**53**	**<1**	**<1**	**2**	**3**	**7**	**11**	**46**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	2.4	3	<1	<1	2	3	5	8	8
20-34	13	4.5	31	2	2	2	4	12	20	22
35-49	30	2.8	1	2	2	3	3	4	5	6
50-64	35	3.3	2	2	2	3	4	5	7	10
65+	41	4.6	56	1	2	3	5	6	9	50
2. MULTIPLE DX										
0-19 YRS	11	7.4	97	1	1	3	6	27	28	28
20-34	12	3.1	1	2	2	3	4	4	4	4
35-49	8	5.9	36	2	2	3	10	16	16	16
50-64	21	4.7	36	1	2	3	4	7	18	30
65+	47	4.4	5	2	3	3	6	7	9	14
TOT. SINGLE DX	131	3.6	22	1	2	3	4	5	7	27
" MULTIPLE DX	99	4.7	24	1	2	3	5	8	15	29
TOTAL 0-19 YRS	23	4.8	53	<1	1	2	4	12	27	28
20-34	25	3.8	17	2	2	2	4	5	12	22
35-49	38	3.4	9	2	2	3	4	5	11	16
50-64	56	3.8	15	2	2	3	4	5	8	29
65+	88	4.5	29	2	2	3	5	7	9	36
GRAND TOTAL	**230**	**4.1**	**23**	**1**	**2**	**3**	**4**	**6**	**9**	**28**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	1.8	2	<1	<1	1	2	5	5	5
20-34	11	2.2	3	<1	<1	1	3	5	6	6
35-49	5	3.2	8	1	1	2	5	8	8	8
50-64	4	1.8	1	<1	<1	1	2	3	3	3
65+	3	1.7	1	<1	<1	<1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	7	6.1	41	<1	<1	4	7	17	20	20
20-34	4	9.5	245	<1	<1	2	18	33	33	33
35-49	5	3.0	2	1	1	3	4	5	5	5
50-64	5	2.0	1	<1	<1	2	3	3	3	3
65+	9	8.0	91	<1	1	3	21	63	99+	99+
TOT. SINGLE DX	29	2.2	3	<1	<1	1	3	5	6	8
" MULTIPLE DX	30	5.9	67	<1	<1	3	6	23	33	99+
TOTAL 0-19 YRS	13	4.2	27	<1	<1	2	5	10	18	20
20-34	15	4.1	66	<1	<1	2	3	6	26	33
35-49	10	3.1	5	1	1	3	4	6	8	8
50-64	9	1.9	1	<1	<1	2	3	3	3	3
65+	12	6.4	75	<1	<1	3	13	42	89	99+
GRAND TOTAL	**59**	**4.1**	**39**	**<1**	**<1**	**2**	**4**	**9**	**24**	**93**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	6.5	10	3	3	5	9	11	12	12
20-34	45	5.1	2	3	3	5	6	7	8	11
35-49	36	4.9	4	2	3	4	6	7	7	15
50-64	23	5.0	5	2	3	5	6	7	10	13
65+	59	5.1	4	2	2	5	6	7	9	11
2. MULTIPLE DX										
0-19 YRS	6	5.5	4	3	3	6	7	8	8	8
20-34	18	7.5	36	1	2	6	8	16	22	25
35-49	19	8.0	122	3	4	5	6	13	36	52
50-64	23	5.2	6	2	3	5	6	9	10	11
65+	81	6.1	10	2	3	5	7	12	13	16
TOT. SINGLE DX	174	5.1	4	2	3	5	6	7	10	13
" MULTIPLE DX	147	6.4	27	2	3	5	7	12	14	26
TOTAL 0-19 YRS	17	6.1	8	3	3	6	7	11	12	12
20-34	63	5.8	13	3	3	5	6	8	12	24
35-49	55	6.0	46	2	3	5	6	7	13	50
50-64	46	5.1	6	2	3	5	6	9	10	13
65+	140	5.7	8	2	3	5	7	10	12	15
GRAND TOTAL	321	5.7	15	2	3	5	6	9	12	17

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	3.7	20	<1	<1	2	5	7	12	22
20-34	48	2.6	7	<1	<1	1	3	5	10	13
35-49	58	2.7	4	<1	<1	2	3	6	7	10
50-64	43	2.4	7	<1	<1	2	2	6	8	16
65+	54	3.0	6	<1	<1	2	4	5	8	15
2. MULTIPLE DX										
0-19 YRS	24	5.5	9	<1	1	6	8	9	11	12
20-34	16	6.4	9	2	2	6	8	9	13	15
35-49	17	3.9	10	<1	1	3	6	7	12	14
50-64	26	7.5	81	<1	<1	5	8	20	30	40
65+	28	9.1	118	2	2	5	11	19	31	54
TOT. SINGLE DX	226	2.8	8	<1	<1	2	3	6	8	15
" MULTIPLE DX	111	6.8	56	<1	1	5	8	13	21	45
TOTAL 0-19 YRS	47	4.6	15	<1	<1	4	7	9	10	22
20-34	64	3.6	11	<1	<1	2	5	8	11	15
35-49	75	3.0	6	<1	<1	2	4	6	8	13
50-64	69	4.4	41	<1	<1	2	5	9	16	38
65+	82	5.1	52	<1	1	3	5	11	16	46
GRAND TOTAL	337	4.1	27	<1	<1	3	5	8	12	27

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	4.1	6	<1	<1	4	7	7	7	7
20-34	10	5.9	18	1	1	6	9	11	13	13
35-49	15	6.9	22	1	1	6	9	12	18	20
50-64	37	5.7	10	2	2	5	7	10	12	16
65+	64	5.9	13	2	2	5	8	11	13	16
2. MULTIPLE DX										
0-19 YRS	6	14.8	447	1	1	5	19	52	56	56
20-34	14	10.1	121	2	2	7	9	27	38	41
35-49	7	7.1	11	4	4	7	8	13	14	14
50-64	26	14.1	321	2	2	8	14	41	65	71
65+	93	9.0	57	1	2	6	12	20	26	34
TOT. SINGLE DX	133	5.9	14	1	2	5	8	11	13	17
" MULTIPLE DX	146	10.1	124	2	2	6	13	22	29	63
TOTAL 0-19 YRS	13	9.1	220	<1	1	4	7	26	50	56
20-34	24	8.3	80	1	2	7	9	19	30	41
35-49	22	7.0	18	1	2	6	8	13	16	20
50-64	63	9.2	153	2	2	6	9	15	29	70
65+	157	7.7	42	2	2	6	10	16	23	31
GRAND TOTAL	279	8.1	75	1	2	6	9	16	23	52

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	5.9	21	1	2	5	6	12	17	19
20-34	23	3.9	6	1	1	4	5	6	9	12
35-49	14	7.1	18	2	2	6	11	13	15	15
50-64	36	4.9	10	2	2	4	6	9	11	17
65+	60	5.5	20	1	2	5	7	12	13	24
2. MULTIPLE DX										
0-19 YRS	8	5.8	22	2	2	4	9	13	14	14
20-34	20	7.3	26	1	2	5	10	16	18	19
35-49	15	5.3	28	1	1	4	5	8	19	23
50-64	26	6.9	39	1	2	5	9	14	22	29
65+	55	6.3	31	1	2	5	7	12	18	30
TOT. SINGLE DX	151	5.3	16	1	2	4	6	11	13	20
" MULTIPLE DX	124	6.4	31	1	2	5	8	13	19	29
TOTAL 0-19 YRS	26	5.9	21	1	2	5	6	13	15	19
20-34	43	5.5	18	1	1	4	7	11	16	19
35-49	29	6.2	24	1	2	5	8	13	15	23
50-64	62	5.7	24	1	2	4	7	11	15	28
65+	115	5.9	26	1	2	5	7	12	14	26
GRAND TOTAL	275	5.8	23	1	2	5	7	12	15	24

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	86	3.8	1	2	2	4	5	5	6	7
50-64	444	4.0	2	2	2	4	5	6	7	11
65+	1731	4.1	4	2	2	4	5	6	7	11
2. MULTIPLE DX										
0-19 YRS	5	4.4	4	2	2	5	6	7	7	7
20-34	11	4.1	2	2	2	4	5	6	6	6
35-49	52	5.4	7	2	3	5	7	9	10	17
50-64	304	5.0	14	2	2	4	5	7	10	21
65+	1470	5.7	30	2	2	5	6	9	13	30
TOT. SINGLE DX	2265	4.1	4	2	2	4	5	6	7	11
" MULTIPLE DX	1842	5.6	27	2	2	5	6	9	12	28
TOTAL 0-19 YRS	7	3.9	3	2	2	3	5	7	7	7
20-34	13	4.2	2	2	2	4	5	6	6	6
35-49	138	4.4	4	2	2	4	5	7	8	13
50-64	748	4.4	8	2	2	4	5	6	8	13
65+	3201	4.9	17	2	2	4	6	7	10	19
GRAND TOTAL	4107	4.8	15	2	2	4	5	7	10	18

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	4.0	17	1	2	3	4	8	12	22
20-34	22	3.6	2	2	2	3	4	6	7	8
35-49	76	3.1	2	<1	2	3	4	5	5	10
50-64	302	3.0	3	1	2	2	3	5	7	11
65+	1085	3.3	4	2	2	3	4	6	8	11
2. MULTIPLE DX										
0-19 YRS	16	4.3	7	2	2	3	6	9	10	11
20-34	19	7.3	108	2	2	4	7	11	32	49
35-49	64	4.3	13	2	2	3	5	7	11	24
50-64	395	3.8	22	2	2	3	4	6	9	23
65+	1859	4.0	22	2	2	3	4	7	10	23
TOT. SINGLE DX	1510	3.3	5	2	2	3	4	5	7	11
" MULTIPLE DX	2353	4.0	23	2	2	3	4	7	10	23
TOTAL 0-19 YRS	41	4.1	13	2	2	3	4	8	10	22
20-34	41	5.3	54	2	2	4	5	8	10	49
35-49	140	3.7	8	2	2	3	4	6	7	16
50-64	697	3.5	14	2	2	2	4	5	8	17
65+	2944	3.7	16	2	2	3	4	6	10	19
GRAND TOTAL	3863	3.7	16	2	2	3	4	6	9	19

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	5	4.6	10	2	2	4	6	10	10	10
35-49	15	3.2	2	1	2	3	4	6	7	7
50-64	102	3.2	2	1	2	3	4	5	6	10
65+	267	3.8	6	1	2	3	5	7	8	14
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	13	3.9	6	1	2	3	5	7	10	11
50-64	52	3.8	5	2	2	3	5	6	8	14
65+	278	5.5	30	2	2	4	6	10	13	19
TOT. SINGLE DX	389	3.6	5	1	2	3	4	6	7	12
" MULTIPLE DX	346	5.2	26	2	2	4	6	10	13	19
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	7	4.0	8	2	2	3	4	9	10	10
35-49	28	3.5	4	1	2	3	4	6	7	11
50-64	154	3.4	4	1	2	3	4	6	7	11
65+	545	4.7	20	1	2	4	5	8	11	19
GRAND TOTAL	735	4.4	16	1	2	3	5	8	11	17

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	5.4	4	3	3	5	7	9	10	10
20-34	73	5.8	6	2	3	6	8	9	10	11
35-49	64	6.4	10	2	3	6	8	10	13	16
50-64	113	6.2	11	2	2	5	8	10	12	18
65+	104	7.0	10	2	3	7	9	11	12	16
2. MULTIPLE DX										
0-19 YRS	15	6.7	8	3	3	6	8	11	12	13
20-34	45	6.6	32	2	3	5	8	10	11	40
35-49	54	5.9	7	2	3	6	7	10	12	13
50-64	112	7.0	14	3	3	6	9	11	13	24
65+	143	7.3	15	3	3	7	9	12	14	19
TOT. SINGLE DX	372	6.4	10	2	3	6	8	10	12	16
" MULTIPLE DX	369	6.9	16	3	3	6	8	11	13	23
TOTAL 0-19 YRS	33	6.0	7	3	3	5	8	10	11	13
20-34	118	6.1	16	2	3	5	8	9	10	22
35-49	118	6.2	9	2	3	6	8	10	13	16
50-64	225	6.6	13	2	3	6	9	11	12	21
65+	247	7.2	13	2	3	7	9	12	13	16
GRAND TOTAL	741	6.6	13	2	3	6	8	11	13	17

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	3.1	11	<1	<1	1	5	9	10	10
20-34	13	4.9	31	<1	<1	3	6	10	20	22
35-49	11	6.4	20	1	2	5	8	14	16	16
50-64	17	5.1	10	1	1	5	7	10	11	12
65+	34	4.4	6	2	2	4	6	8	8	12
2. MULTIPLE DX										
0-19 YRS	8	15.3	846	2	2	6	8	63	87	87
20-34	38	6.9	12	3	3	6	9	12	14	16
35-49	41	6.1	5	3	3	6	7	9	10	14
50-64	55	6.3	23	2	2	5	8	12	15	28
65+	85	6.4	35	2	3	5	7	12	17	37
TOT. SINGLE DX	83	4.8	13	<1	1	4	7	8	12	20
" MULTIPLE DX	227	6.7	50	2	3	5	7	11	15	32
TOTAL 0-19 YRS	16	9.2	440	<1	<1	3	7	10	64	87
20-34	51	6.4	17	<1	2	6	8	12	15	22
35-49	52	6.2	9	3	3	6	7	9	13	16
50-64	72	6.0	20	2	2	5	8	11	15	26
65+	119	5.8	27	2	2	4	7	10	15	29
GRAND TOTAL	310	6.2	41	2	2	5	7	11	14	24

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	429	1.6		<1	<1	2	2	2	2	3
20-34	177	2.1		<1	2	2	2	3	3	5
35-49	84	1.9		<1	1	2	2	2	3	4
50-64	37	2.4	2	2	2	2	2	3	4	11
65+	17	2.1		1	2	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	88	2.8	22	<1	1	2	2	4	6	32
20-34	62	2.2		<1	1	2	2	3	3	5
35-49	21	2.0		<1	1	2	2	3	3	3
50-64	25	2.6		2	2	2	3	3	4	5
65+	19	2.8	2	2	2	2	3	5	7	8
TOT. SINGLE DX	744	1.8	1	<1	<1	2	2	2	3	4
" MULTIPLE DX	215	2.5	10	<1	1	2	3	3	5	10
TOTAL 0-19 YRS	517	1.8	4	<1	<1	2	2	2	3	6
20-34	239	2.1		<1	1	2	2	3	3	5
35-49	105	2.0		<1	1	2	2	3	3	4
50-64	62	2.5	2	2	2	2	3	3	4	10
65+	36	2.5	2	2	2	2	3	4	5	8
GRAND TOTAL	959	2.0	3	<1	<1	2	2	3	3	5

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34										
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	3.0		3	3	3	3	3	3	3
TOT. SINGLE DX	3	2.3	2	<1	<1	2	3	4	4	4
" MULTIPLE DX	4	3.8	5	<1	<1	4	5	6	6	6
TOTAL 0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	3.5	1	3	3	3	4	4	4	4
GRAND TOTAL	7	3.1	4	<1	<1	3	5	6	6	6

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	4.2	11	<1	1	3	6	8	12	14
20-34	26	4.3	10	1	1	4	4	10	12	14
35-49	17	3.8	6	2	2	3	5	8	10	11
50-64	15	5.1	14	1	2	4	7	7	15	17
65+	13	9.6	177	2	2	4	9	28	46	50
2. MULTIPLE DX										
0-19 YRS	4	4.3	1	3	3	4	5	6	6	6
20-34	20	7.7	36	2	2	6	10	18	21	22
35-49	20	6.9	29	2	2	5	8	14	20	24
50-64	23	10.7	173	2	2	6	14	21	39	63
65+	40	11.7	222	1	2	7	13	30	40	79
TOT. SINGLE DX	89	5.1	36	1	2	4	6	10	14	39
" MULTIPLE DX	107	9.6	135	2	2	6	12	20	28	70
TOTAL 0-19 YRS	22	4.2	9	<1	1	4	6	8	11	14
20-34	46	5.8	24	1	2	4	7	13	16	22
35-49	37	5.5	21	2	2	4	7	11	15	24
50-64	38	8.5	116	1	2	5	7	17	24	63
65+	53	11.2	209	1	2	6	12	28	41	78
GRAND TOTAL	196	7.5	95	1	2	4	8	16	22	57

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	223	2.1	3	<1	<1	2	2	3	5	11
20-34	57	2.6	2	<1	<1	2	3	5	6	7
35-49	26	3.2	6	<1	<1	3	3	8	10	11
50-64	15	3.1	10	<1	1	2	3	5	12	14
65+	18	2.8	3	1	1	2	4	6	7	8
2. MULTIPLE DX										
0-19 YRS	102	3.8	6	<1	1	3	5	7	8	13
20-34	58	4.6	63	<1	<1	2	3	11	15	51
35-49	32	7.0	85	<1	<1	3	9	21	30	39
50-64	23	8.2	175	1	1	3	7	20	46	56
65+	51	9.5	95	1	2	7	13	30	40	99+
TOT. SINGLE DX	339	2.4	4	<1	<1	2	3	4	6	11
" MULTIPLE DX	266	5.8	64	<1	<1	3	7	12	23	55
TOTAL 0-19 YRS	325	2.6	5	<1	<1	2	3	5	7	11
20-34	115	3.6	34	<1	<1	2	3	6	11	36
35-49	58	5.3	53	<1	<1	3	5	12	23	38
50-64	38	6.2	115	<1	1	3	5	14	30	56
65+	69	7.8	80	1	1	5	10	22	39	99+
GRAND TOTAL	**605**	**3.9**	**33**	**<1**	**<1**	**2**	**4**	**8**	**12**	**39**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	2.0	1	1	1	2	2	4	4	4
20-34	87	2.9		2	2	3	3	4	4	5
35-49	101	2.8		2	2	3	3	4	4	6
50-64	70	3.1	1	2	2	3	3	4	6	8
65+	13	3.1	1	1	2	3	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	8	2.9		2	2	3	3	3	3	3
20-34	38	3.6	2	2	2	3	4	6	7	8
35-49	60	2.8	1	1	2	3	3	3	5	8
50-64	35	2.8		1	2	3	3	4	4	6
65+	7	2.9	1	1	1	3	4	4	4	4
TOT. SINGLE DX	281	2.9	1	2	2	3	3	4	4	7
" MULTIPLE DX	148	3.0	1	1	2	3	3	4	5	8
TOTAL 0-19 YRS	18	2.4	1	1	1	2	3	4	4	4
20-34	125	3.1	1	2	2	3	3	4	5	8
35-49	161	2.8	1	2	2	3	3	4	4	6
50-64	105	3.0	1	1	2	3	3	4	5	8
65+	20	3.0	1	1	1	3	4	4	5	6
GRAND TOTAL	**429**	**2.9**	**1**	**2**	**2**	**3**	**3**	**4**	**5**	**8**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	136	2.6	2	1	2	2	3	4	6	8
20-34	212	2.5	1	1	2	2	3	4	5	7
35-49	142	2.6	1	1	2	2	3	4	5	7
50-64	99	2.6	1	1	2	2	3	3	5	7
65+	18	3.0	6	1	2	2	3	4	9	13
2. MULTIPLE DX										
0-19 YRS	108	2.7	4	1	1	2	3	4	7	13
20-34	153	2.5	2	1	2	2	3	3	4	9
35-49	110	2.5		<1	2	2	3	3	4	6
50-64	85	2.5		1	2	2	3	4	4	7
65+	29	2.4	2	1	1	2	3	3	4	9
TOT. SINGLE DX	607	2.6	2	1	2	2	3	4	5	7
" MULTIPLE DX	485	2.6	2	1	2	2	3	3	4	10
TOTAL 0-19 YRS	244	2.6	3	1	1	2	3	4	6	11
20-34	365	2.5	2	1	2	2	3	3	5	8
35-49	252	2.6	1	1	2	2	3	3	4	6
50-64	184	2.6	1	1	2	2	3	3	4	7
65+	47	2.6	4	1	1	2	3	3	5	13
GRAND TOTAL	**1092**	**2.6**	**2**	**1**	**2**	**2**	**3**	**3**	**5**	**8**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	795	1.3	2	<1	<1	1	1	1	2	7
20-34	36	1.7		<1	<1	1	2	3	3	4
35-49	17	1.8	1	<1	<1	2	2	2	5	6
50-64	15	1.9	1	<1	<1	2	2	3	4	5
65+	11	2.5	1	1	1	2	3	4	6	6
2. MULTIPLE DX										
0-19 YRS	666	2.5	12	<1	<1	2	2	4	8	17
20-34	26	3.0	5	<1	<1	2	4	7	8	10
35-49	14	2.3	4	<1	<1	2	2	4	8	9
50-64	12	5.2	79	<1	<1	1	2	23	26	27
65+	9	4.2	9	1	1	3	7	8	8	8
TOT. SINGLE DX	874	1.3	2	<1	<1	1	1	2	2	7
" MULTIPLE DX	727	2.5	13	<1	<1	2	2	5	8	17
TOTAL 0-19 YRS	1461	1.8	7	<1	<1	1	2	2	5	12
20-34	62	2.2	3	<1	<1	2	2	4	6	10
35-49	31	2.0	3	<1	<1	2	2	3	6	9
50-64	27	3.3	37	<1	<1	2	2	5	22	27
65+	20	3.3	5	1	1	2	5	7	8	8
GRAND TOTAL	**1601**	**1.9**	**8**	**<1**	**<1**	**1**	**2**	**2**	**6**	**12**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	4.0	5	2	2	3	5	6	9	13
20-34	52	4.0	2	2	2	3	5	6	7	9
35-49	49	4.8	11	2	2	4	6	8	12	20
50-64	26	4.4	11	2	2	3	5	7	10	19
65+	8	4.8	7	2	2	5	7	8	9	9
2. MULTIPLE DX										
0-19 YRS	53	4.8	11	2	2	3	6	9	12	16
20-34	85	4.2	10	2	2	3	5	7	8	23
35-49	55	4.0	3	2	2	3	5	7	8	11
50-64	44	5.6	57	2	2	4	6	9	11	52
65+	19	4.8	12	2	2	4	6	8	13	17
TOT. SINGLE DX	169	4.4	7	2	2	3	5	7	9	18
" MULTIPLE DX	256	4.6	17	2	2	3	5	8	9	17
TOTAL 0-19 YRS	87	4.5	9	2	2	3	5	9	11	16
20-34	137	4.1	8	2	2	3	5	7	7	14
35-49	104	4.4	8	2	2	4	5	7	10	17
50-64	70	5.1	40	2	2	4	6	8	11	45
65+	27	4.8	10	2	2	4	6	8	10	17
GRAND TOTAL	**425**	**4.5**	**13**	**2**	**2**	**3**	**5**	**7**	**9**	**17**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	2.9	9	<1	<1	2	3	7	9	14
20-34	15	3.5	5	<1	2	3	4	6	10	11
35-49	24	3.4	3	1	2	3	4	5	8	9
50-64	30	3.7	6	1	2	3	4	7	10	12
65+	9	3.6	1	2	2	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	33	2.5	8	<1	<1	2	3	6	9	15
20-34	28	3.3	3	2	2	3	4	5	7	10
35-49	21	3.1	1	1	2	3	4	5	5	5
50-64	17	4.9	17	1	2	4	5	10	16	18
65+	9	6.4	67	1	1	3	6	21	27	27
TOT. SINGLE DX	102	3.4	6	<1	1	3	4	6	8	13
" MULTIPLE DX	108	3.5	12	<1	1	3	4	6	10	22
TOTAL 0-19 YRS	57	2.7	9	<1	<1	2	3	6	8	15
20-34	43	3.3	4	2	2	3	4	5	8	11
35-49	45	3.2	2	1	2	3	4	5	6	9
50-64	47	4.1	10	1	2	3	5	8	11	18
65+	18	5.0	35	1	2	3	5	9	21	27
GRAND TOTAL	**210**	**3.5**	**9**	**<1**	**1**	**3**	**4**	**6**	**9**	**16**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	90	2.8		2	2	3	3	4	4	6
20-34	321	2.8	1	2	2	3	3	4	4	5
35-49	112	2.7		2	2	3	3	4	4	5
50-64	66	2.8	1	1	2	3	3	5	5	7
65+	12	3.4	2	2	2	3	4	6	7	7
2. MULTIPLE DX										
0-19 YRS	174	2.8	6	1	2	3	3	3	4	6
20-34	631	2.7		<1	2	3	3	3	4	5
35-49	296	2.9	1	1	2	3	3	4	5	7
50-64	143	3.3	5	2	2	3	3	5	7	15
65+	31	4.1	22	2	2	3	4	6	9	28
TOT. SINGLE DX	601	2.8	1	2	2	3	3	4	4	6
" MULTIPLE DX	1275	2.8	3	1	2	3	3	4	4	8
TOTAL 0-19 YRS	264	2.8	4	2	2	3	3	4	4	6
20-34	952	2.7	1	<1	2	3	3	4	4	5
35-49	408	2.9	1	1	2	3	3	4	5	7
50-64	209	3.2	4	1	2	3	3	5	6	15
65+	43	3.9	17	2	2	3	4	6	8	28
GRAND TOTAL	1876	2.8	2	1	2	3	3	4	4	7

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	173	2.8	1	<1	1	3	3	4	5	8
20-34	606	2.6	1	<1	<1	3	3	4	5	6
35-49	196	2.7	1	1	1	3	3	4	5	8
50-64	79	2.7	1	1	2	2	3	4	5	7
65+	14	4.1	17	2	2	3	4	7	16	18
2. MULTIPLE DX										
0-19 YRS	209	3.1	7	<1	1	3	3	4	7	19
20-34	651	2.6	2	<1	<1	3	3	4	5	8
35-49	264	2.7	2	<1	<1	3	3	4	5	10
50-64	115	3.2	6	<1	2	3	3	5	6	17
65+	42	7.0	152	1	1	3	7	15	21	78
TOT. SINGLE DX	1068	2.7	2	<1	1	3	3	4	5	7
" MULTIPLE DX	1281	2.9	9	<1	<1	3	3	4	5	14
TOTAL 0-19 YRS	382	2.9	5	<1	1	3	3	4	5	15
20-34	1257	2.6	2	<1	<1	3	3	4	5	7
35-49	460	2.7	2	<1	1	3	3	4	5	9
50-64	194	3.0	4	<1	2	3	3	4	5	14
65+	56	6.3	120	1	2	3	5	14	19	75
GRAND TOTAL	2349	2.8	6	<1	<1	3	3	4	5	11

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	2.7	4	<1	<1	2	3	5	9	10
20-34	43	2.4		<1	1	2	3	4	4	5
35-49	47	2.9	5	<1	1	2	3	4	7	14
50-64	76	2.5	1	<1	<1	2	3	4	5	8
65+	53	3.3	3	1	1	3	4	6	7	8
2. MULTIPLE DX										
0-19 YRS	43	3.5	13	<1	1	2	4	6	11	19
20-34	78	3.2	3	1	2	3	4	5	6	14
35-49	101	3.1	5	<1	1	3	3	5	8	14
50-64	155	4.2	18	2	2	3	4	8	12	24
65+	122	6.4	64	2	2	3	7	15	25	41
TOT. SINGLE DX	247	2.7	3	<1	1	2	3	4	6	10
" MULTIPLE DX	499	4.3	26	1	2	3	4	9	13	27
TOTAL 0-19 YRS	71	3.2	10	<1	1	2	3	6	9	19
20-34	121	2.9	3	1	2	3	3	5	6	10
35-49	148	3.0	5	<1	1	2	3	5	8	14
50-64	231	3.6	14	1	2	2	4	7	9	24
65+	175	5.4	48	1	2	3	5	11	20	34
GRAND TOTAL	746	3.8	19	1	2	3	4	7	10	24

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	134	1.6		<1	<1	1	2	2	3	6
20-34	130	2.1	3	<1	<1	2	2	4	5	9
35-49	37	3.7	16	<1	1	3	4	7	8	25
50-64	25	3.4	4	<1	1	3	5	7	7	7
65+	20	2.5	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
0-19 YRS	49	3.8	40	<1	<1	2	4	9	13	38
20-34	87	3.8	17	1	1	2	4	8	11	25
35-49	46	4.7	10	1	1	4	7	9	11	15
50-64	38	4.6	10	1	1	4	6	9	11	15
65+	95	7.5	149	1	2	5	8	14	18	97
TOT. SINGLE DX	346	2.2	1	<1	<1	2	3	4	5	8
" MULTIPLE DX	315	5.1	61	1	1	3	6	10	14	51
TOTAL 0-19 YRS	183	2.2	12	<1	<1	1	2	3	5	19
20-34	217	2.8	9	<1	<1	2	3	5	8	15
35-49	83	4.2	13	<1	1	3	6	8	10	22
50-64	63	4.1	8	<1	1	3	6	7	9	15
65+	115	6.6	127	1	1	4	7	13	18	96
GRAND TOTAL	661	3.6	33	<1	1	2	4	7	10	25

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	22	3.1	4	1	2	3	3	5	8	11
35-49	25	3.8	2	2	2	3	4	6	7	7
50-64	25	3.5	5	1	2	3	4	5	8	13
65+	7	3.7	1	2	2	4	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	5	2.6		2	2	3	3	3	3	3
20-34	33	3.5	1	2	2	3	4	5	6	7
35-49	42	4.2	7	2	2	3	5	8	11	14
50-64	47	5.6	36	2	2	3	5	13	22	31
65+	12	3.8	15	1	1	3	4	9	14	15
TOT. SINGLE DX	82	3.5	3	2	2	3	4	5	7	12
" MULTIPLE DX	139	4.4	17	2	2	3	5	7	13	24
TOTAL 0-19 YRS	8	2.8	1	2	2	3	3	4	4	4
20-34	55	3.4	3	2	2	3	4	5	6	11
35-49	67	4.0	5	2	2	3	5	7	9	14
50-64	72	4.9	27	2	2	3	4	10	17	29
65+	19	3.7	10	1	1	3	4	6	11	15
GRAND TOTAL	**221**	**4.1**	**12**	**2**	**2**	**3**	**4**	**6**	**10**	**22**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	2.1	1	<1	1	2	2	5	5	6
20-34	56	3.8	22	<1	1	2	4	8	12	29
35-49	48	2.6	4	<1	1	2	3	5	7	13
50-64	37	2.7	7	<1	<1	2	3	5	6	17
65+	20	5.5	41	1	2	3	6	12	22	29
2. MULTIPLE DX										
0-19 YRS	40	2.8	11	<1	1	2	3	6	10	18
20-34	61	4.0	20	1	1	3	3	11	16	21
35-49	59	4.5	16	1	2	3	5	11	13	21
50-64	68	6.8	99	1	2	3	6	16	30	51
65+	43	7.8	195	1	2	3	8	15	33	80
TOT. SINGLE DX	185	3.2	15	<1	1	2	3	6	9	25
" MULTIPLE DX	271	5.2	68	1	1	3	4	12	17	50
TOTAL 0-19 YRS	64	2.5	8	<1	1	2	2	5	7	17
20-34	117	3.9	21	<1	1	2	3	9	15	24
35-49	107	3.6	12	1	1	3	3	8	12	17
50-64	105	5.3	71	1	1	2	4	14	21	50
65+	63	7.1	146	1	2	3	7	14	26	76
GRAND TOTAL	**456**	**4.4**	**47**	**1**	**1**	**2**	**3**	**10**	**15**	**30**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	418	1.2		<1	<1	1	1	2	2	5
20-34	558	1.4		<1	<1	1	2	2	2	4
35-49	247	1.5		<1	<1	1	2	2	2	4
50-64	128	1.6		<1	<1	1	2	3	3	5
65+	44	2.7	12	1	1	2	3	5	5	24
2. MULTIPLE DX										
0-19 YRS	179	2.9	12	<1	1	2	3	7	9	23
20-34	273	4.0	89	<1	<1	2	3	7	17	87
35-49	178	3.5	29	<1	<1	2	3	8	15	83
50-64	202	4.2	69	<1	1	2	3	7	17	49
65+	153	6.9	168	1	1	3	7	16	26	91
TOT. SINGLE DX	1395	1.4	1	<1	<1	1	2	2	2	5
" MULTIPLE DX	985	4.2	74	<1	<1	2	3	9	17	72
TOTAL 0-19 YRS	597	1.7	5	<1	<1	1	2	3	5	11
20-34	831	2.3	31	<1	<1	1	2	3	5	25
35-49	425	2.3	14	<1	<1	1	2	4	7	30
50-64	330	3.2	44	<1	1	2	2	4	9	39
65+	197	6.0	137	1	1	2	5	14	20	90
GRAND TOTAL	**2380**	**2.6**	**33**	**<1**	**<1**	**1**	**2**	**4**	**7**	**29**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	158	1.3	1	<1	<1	1	1	2	2	5
20-34	31	1.2		<1	<1	1	1	2	2	3
35-49	13	1.4		<1	<1	1	2	2	2	2
50-64	2	2.0	2	1	1	2	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	70	1.8	1	<1	<1	1	2	3	3	8
20-34	35	2.2	11	<1	<1	1	2	4	6	21
35-49	8	3.5	18	<1	<1	2	3	11	14	14
50-64	4	2.5	3	1	1	2	4	5	5	5
65+	2	10.0	162	<1	<1	9	19	19	19	19
TOT. SINGLE DX	204	1.3	1	<1	<1	1	1	2	2	4
" MULTIPLE DX	119	2.2	8	<1	<1	2	2	3	5	20
TOTAL 0-19 YRS	228	1.4	2	<1	<1	1	2	2	2	6
20-34	66	1.8	7	<1	<1	1	2	2	4	19
35-49	21	2.2	8	<1	<1	2	2	3	8	14
50-64	6	2.3	2	1	1	2	3	5	5	5
65+	2	10.0	162	<1	<1	9	19	19	19	19
GRAND TOTAL	**323**	**1.6**	**4**	**<1**	**<1**	**1**	**2**	**2**	**3**	**15**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	1.9	2	<1	<1	1	2	4	6	8
20-34	32	3.0	2	<1	1	3	4	5	5	5
35-49	35	3.7	3	1	1	4	5	6	6	8
50-64	36	5.4	40	1	2	4	6	10	21	33
65+	15	6.8	106	1	2	4	6	11	35	43
2. MULTIPLE DX										
0-19 YRS	22	3.4	9	<1	<1	2	4	7	10	13
20-34	20	4.1	41	<1	<1	2	3	9	21	29
35-49	25	6.8	109	1	2	4	7	22	62	99+
50-64	31	5.8	89	1	1	3	5	13	32	43
65+	24	7.3	102	1	1	4	7	19	33	46
TOT. SINGLE DX	140	4.0	25	<1	1	3	5	6	8	34
" MULTIPLE DX	122	5.6	73	<1	1	3	5	11	28	65
TOTAL 0-19 YRS	44	2.6	6	<1	<1	2	3	7	8	13
20-34	52	3.4	17	<1	<1	3	4	5	5	29
35-49	60	5.0	49	1	1	4	5	8	16	95
50-64	67	5.6	62	1	1	3	5	10	25	41
65+	39	7.1	101	1	1	4	6	15	36	46
GRAND TOTAL	**262**	**4.8**	**48**	**<1**	**1**	**3**	**5**	**8**	**16**	**46**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	3.3	4	<1	<1	3	4	6	7	11
20-34	117	3.6	3	1	2	3	4	5	7	11
35-49	101	5.3	12	2	3	4	6	9	10	23
50-64	76	4.6	8	2	2	4	5	7	8	19
65+	50	5.5	38	1	2	4	6	9	13	42
2. MULTIPLE DX										
0-19 YRS	13	5.5	20	2	3	5	5	9	18	20
20-34	48	6.7	64	2	2	4	7	11	33	40
35-49	52	6.4	34	2	3	4	8	13	15	38
50-64	74	7.0	46	2	3	5	7	12	19	44
65+	83	9.0	75	2	3	6	10	22	26	46
TOT. SINGLE DX	374	4.5	12	1	2	4	5	7	9	21
" MULTIPLE DX	270	7.4	56	2	3	5	8	15	22	40
TOTAL 0-19 YRS	43	4.0	10	<1	1	3	5	6	8	20
20-34	165	4.5	23	1	2	3	5	7	9	34
35-49	153	5.7	20	2	3	4	7	10	14	25
50-64	150	5.7	29	2	2	4	6	9	15	31
65+	133	7.7	65	2	3	5	8	18	25	43
GRAND TOTAL	**644**	**5.7**	**32**	**2**	**2**	**4**	**6**	**10**	**16**	**34**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	66	5.5	6	1	1	6	6	8	10	14
20-34	7	4.4	3	1	2	5	6	6	6	6
35-49	3	4.0	4	2	2	4	5	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	84	7.5	34	2	3	6	8	13	18	37
20-34	5	5.4	8	3	3	4	8	9	9	9
35-49										
50-64	2	6.5	25	3	3	6	10	10	10	10
65+										
TOT. SINGLE DX	77	5.3	6	1	1	6	6	8	9	13
" MULTIPLE DX	91	7.4	33	2	3	6	8	13	17	36
TOTAL 0-19 YRS	150	6.6	23	1	3	6	7	10	14	30
20-34	12	4.8	5	1	2	5	6	8	9	9
35-49	3	4.0	4	2	2	4	5	6	6	6
50-64	3	4.7	22	1	1	3	8	10	10	10
65+										
GRAND TOTAL	**168**	**6.4**	**21**	**1**	**2**	**6**	**7**	**10**	**14**	**29**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	180	3.6	8	<1	<1	3	6	7	9	12
20-34	59	3.9	17	<1	1	3	4	7	10	25
35-49	27	4.0	9	<1	1	3	5	9	10	12
50-64	53	5.5	33	<1	1	3	8	12	14	32
65+	55	6.6	39	1	2	3	9	17	21	24
2. MULTIPLE DX										
0-19 YRS	141	4.9	16	1	1	4	6	10	12	23
20-34	78	4.9	35	<1	1	3	6	8	12	39
35-49	55	8.0	98	1	2	5	9	19	31	48
50-64	116	11.3	180	1	2	6	13	31	44	63
65+	111	10.1	126	1	2	7	13	27	35	99+
TOT. SINGLE DX	374	4.4	19	<1	1	3	6	9	12	24
" MULTIPLE DX	501	7.9	98	1	1	5	9	18	30	57
TOTAL 0-19 YRS	321	4.2	12	<1	1	3	6	8	10	18
20-34	137	4.5	28	<1	1	3	6	8	11	29
35-49	82	6.7	73	1	1	4	8	13	29	45
50-64	169	9.5	141	1	2	5	12	23	34	57
65+	166	8.9	100	1	2	6	11	24	30	93
GRAND TOTAL	**875**	**6.4**	**67**	**<1**	**1**	**4**	**7**	**13**	**23**	**51**

53: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
SINGLE DX										
0-19 YRS	2203	2.3	2	1	1	2	3	3	4	5
20-34	1156	2.7	1	1	2	3	3	4	4	6
35-49	113	2.7		2	2	3	3	4	4	6
50-64	20	3.3	4	2	2	3	3	5	8	11
65+	5	3.2	2	1	1	3	4	5	5	5
MULTIPLE DX										
0-19 YRS	386	2.7	4	1	1	2	3	4	5	12
20-34	196	3.2	2	2	2	3	4	5	6	9
35-49	33	3.2	5	1	2	2	3	7	10	11
50-64	11	5.5	45	1	1	3	5	16	23	24
65+	2	6.5	41	2	2	6	11	11	11	11
OT. SINGLE DX	3497	2.4	2	1	2	2	3	3	4	5
" MULTIPLE DX	628	2.9	5	1	1	2	3	4	6	12
OTAL 0-19 YRS	2589	2.3	3	1	1	2	3	3	4	6
20-34	1352	2.7	1	1	2	3	3	4	4	6
35-49	146	2.8	2	2	2	3	3	4	5	10
50-64	31	4.0	19	1	2	3	4	8	11	24
65+	7	4.1	11	1	1	3	5	10	11	11
RAND TOTAL	**4125**	**2.5**	**2**	**1**	**2**	**2**	**3**	**3**	**4**	**6**

54: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
. SINGLE DX										
0-19 YRS	4115	1.9		1	1	2	2	2	3	4
20-34	39	3.0		2	2	3	3	4	5	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	5	2.2		2	2	2	3	3	3	3
. MULTIPLE DX										
0-19 YRS	1921	2.1	2	1	1	2	2	3	3	7
20-34	10	2.8	1	1	1	3	4	5	5	5
35-49	2	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+										
OT. SINGLE DX	4160	2.0		1	1	2	2	2	3	4
" MULTIPLE DX	1934	2.1	2	1	1	2	2	3	3	7
OTAL 0-19 YRS	6036	2.0	1	1	1	2	2	3	3	4
20-34	49	2.9	1	1	2	3	3	4	5	6
35-49	3	1.7		1	1	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+	5	2.2		2	2	2	3	3	3	3
RAND TOTAL	**6094**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	386	1.6		<1	1	2	2	2	2	3
20-34	4	2.0		1	1	2	3	3	3	3
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	483	1.7	3	<1	1	2	2	2	2	8
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX	391	1.6		<1	1	2	2	2	2	3
" MULTIPLE DX	483	1.7	3	<1	1	2	2	2	2	8
TOTAL 0-19 YRS	869	1.7	2	<1	1	2	2	2	2	5
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	**874**	**1.7**	**2**	**<1**	**1**	**2**	**2**	**2**	**2**	**5**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	123	2.9	4	1	1	2	3	5	7	11
20-34	98	3.1	3	1	1	3	4	5	7	10
35-49	38	3.7	11	1	2	3	4	7	9	20
50-64	28	3.8	14	1	2	2	4	8	14	18
65+	22	4.9	19	1	1	3	5	14	15	16
2. MULTIPLE DX										
0-19 YRS	23	4.3	7	1	1	3	6	9	10	11
20-34	40	4.4	10	1	2	3	6	10	14	99+
35-49	32	10.9	345	1	2	5	10	22	43	99
50-64	43	9.1	122	1	2	5	12	20	31	60
65+	42	14.8	353	1	2	8	15	41	64	79
TOT. SINGLE DX	309	3.3	7	1	1	3	4	6	8	17
" MULTIPLE DX	180	9.1	189	1	2	5	10	20	40	93
TOTAL 0-19 YRS	146	3.1	6	1	1	3	4	6	7	11
20-34	138	3.4	6	1	1	3	4	6	8	26
35-49	70	7.0	174	1	2	3	6	16	20	88
50-64	71	7.0	86	1	2	3	9	17	26	54
65+	64	11.4	259	1	2	5	12	26	47	78
GRAND TOTAL	**489**	**5.4**	**82**	**1**	**1**	**3**	**5**	**10**	**18**	**60**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	1.6	3	<1	<1	1	1	3	6	11
20-34	16	2.3	2	<1	<1	2	3	3	6	7
35-49	16	3.1	4	<1	<1	3	4	6	7	8
50-64	22	3.2	1	<1	1	3	4	5	6	6
65+	29	3.0	3	<1	1	2	5	6	6	7
2. MULTIPLE DX										
0-19 YRS	66	4.9	7	2	2	5	6	8	8	18
20-34	18	3.3	2	1	1	3	4	6	6	6
35-49	17	5.2	27	1	1	4	6	13	19	22
50-64	33	4.3	10	1	2	3	5	9	11	16
65+	82	5.0	47	1	1	3	5	8	15	46
TOT. SINGLE DX	129	2.5	3	<1	<1	2	3	5	6	9
" MULTIPLE DX	216	4.7	24	1	2	4	5	8	11	25
TOTAL 0-19 YRS	112	3.6	8	<1	<1	3	5	7	8	14
20-34	34	2.8	3	<1	1	3	3	6	6	7
35-49	33	4.2	17	<1	1	3	5	7	13	22
50-64	55	3.9	7	1	1	3	4	7	10	16
65+	111	4.5	37	1	1	3	5	7	13	39
GRAND TOTAL	**345**	**3.9**	**18**	**<1**	**1**	**3**	**5**	**7**	**9**	**20**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	2.1		<1	1	2	2	3	3	3
20-34	42	2.0		<1	1	2	2	3	3	4
35-49	46	3.3	34	<1	1	2	2	4	10	36
50-64	125	2.5	6	<1	1	2	2	4	6	15
65+	82	4.1	50	1	2	2	3	8	12	48
2. MULTIPLE DX										
0-19 YRS	9	5.7	34	1	1	3	9	16	17	17
20-34	11	1.7		<1	<1	2	2	3	3	3
35-49	33	2.6	5	<1	<1	2	2	5	6	13
50-64	106	4.8	85	1	1	2	4	10	17	58
65+	82	5.2	80	1	1	2	3	13	25	45
TOT. SINGLE DX	315	3.0	21	<1	1	2	2	4	7	25
" MULTIPLE DX	241	4.5	68	<1	1	2	3	9	18	44
TOTAL 0-19 YRS	29	3.2	13	1	1	2	3	6	14	17
20-34	53	1.9		<1	<1	2	2	3	3	4
35-49	79	3.0	23	<1	<1	2	2	5	6	32
50-64	231	3.6	44	<1	1	2	3	6	10	33
65+	164	4.7	65	1	1	2	3	10	19	45
GRAND TOTAL	**556**	**3.6**	**42**	**<1**	**1**	**2**	**3**	**6**	**11**	**41**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	2.3		2	2	2	3	3	3	3
50-64	11	12.6	127	1	2	12	17	30	39	40
65+	4	10.8	43	1	1	13	14	15	15	15
2. MULTIPLE DX										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	3.0		3	3	3	3	3	3	3
50-64	12	19.8	156	1	2	19	30	36	36	36
65+	10	9.0	55	2	2	6	14	21	25	25
TOT. SINGLE DX	20	9.9	91	1	1	8	13	20	31	40
" MULTIPLE DX	26	13.5	125	2	2	9	22	31	36	36
TOTAL 0-19 YRS	3	6.3	6	4	4	6	8	9	9	9
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	4	2.5		2	2	2	3	3	3	3
50-64	23	16.3	149	1	2	12	26	36	38	40
65+	14	9.5	49	1	2	7	14	18	23	25
GRAND TOTAL	**46**	**12.0**	**111**	**1**	**2**	**9**	**17**	**30**	**36**	**40**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	21.0		21	21	21	21	21	21	21
50-64	3	31.7	226	22	22	24	43	49	49	49
65+	6	41.5	742	21	21	33	48	88	93	93
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	4	27.8	269	11	11	28	62	99+	99+	99+
50-64	25	28.7	282	16	16	24	30	63	93	99+
65+	22	26.3	240	13	14	23	26	46	67	79
TOT. SINGLE DX	10	36.5	514	21	21	26	48	71	93	93
" MULTIPLE DX	51	27.6	254	13	16	24	29	60	89	99+
TOTAL 0-19 YRS										
20-34										
35-49	5	26.4	211	11	12	25	50	95	99+	99+
50-64	28	29.0	268	16	17	24	31	59	91	99+
65+	28	29.6	364	13	15	24	29	56	80	93
GRAND TOTAL	**61**	**29.0**	**300**	**14**	**16**	**24**	**30**	**60**	**92**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+	3	16.7	96	11	11	11	24	28	28	28
2. MULTIPLE DX										
0-19 YRS	1	57.0		57	57	57	57	57	57	57
20-34	2	4.5	25	1	1	8	77	99+	99+	99+
35-49	4	44.3	1635	6	6	43	79	84	84	84
50-64	4	30.5	629	8	8	25	49	64	64	64
65+	1	56.0		56	56	56	56	56	56	56
TOT. SINGLE DX	3	16.7	96	11	11	11	24	28	28	28
" MULTIPLE DX	12	35.1	912	2	5	35	66	87	98	99+
TOTAL 0-19 YRS	1	57.0		57	57	57	57	57	57	57
20-34	2	4.5	25	1	1	8	77	99+	99+	99+
35-49	4	44.3	1635	6	6	43	79	84	84	84
50-64	4	30.5	630	8	8	25	49	64	64	64
65+	4	26.5	451	11	11	20	42	56	56	56
GRAND TOTAL	**15**	**31.4**	**788**	**2**	**6**	**21**	**60**	**83**	**95**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	15.4	595	<1	1	5	11	56	80	80
20-34	5	3.8	5	1	1	4	6	6	6	6
35-49	8	5.4	83	2	2	2	3	20	28	28
50-64	7	4.7	7	1	1	5	7	8	8	8
65+	3	5.3	33	2	2	2	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	14	19.9	363	3	3	15	18	59	63	64
20-34	12	39.6	935	4	9	43	77	99+	99+	99+
35-49	13	17.7	356	2	2	10	35	66	92	99+
50-64	33	32.3	920	2	2	31	73	99+	99+	99+
65+	46	37.1	925	2	3	38	77	96	99+	99+
TOT. SINGLE DX	33	8.0	215	1	1	3	7	15	31	80
" MULTIPLE DX	118	31.8	829	2	3	26	66	96	99+	99+
TOTAL 0-19 YRS	24	18.0	444	2	3	10	17	59	69	80
20-34	17	29.1	927	1	2	19	70	95	99+	99+
35-49	21	13.0	281	2	2	5	28	47	77	99+
50-64	40	27.5	869	2	2	22	66	99+	99+	99+
65+	49	35.2	929	2	2	33	73	94	99+	99+
GRAND TOTAL	**151**	**26.6**	**790**	**2**	**2**	**18**	**61**	**90**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	8.0	18	5	5	8	11	11	11	11
20-34	30	7.4	23	2	3	6	9	14	17	23
35-49	30	7.0	16	2	3	6	9	12	16	19
50-64	93	9.7	44	2	3	9	13	16	23	36
65+	91	9.4	71	1	2	7	12	20	28	44
2. MULTIPLE DX										
0-19 YRS	7	21.0	380	3	3	14	36	50	53	53
20-34	24	14.0	240	2	3	10	15	39	49	66
35-49	57	14.4	121	2	3	10	24	32	34	43
50-64	237	14.5	112	2	4	12	19	29	38	55
65+	308	17.9	220	3	4	14	23	35	46	80
TOT. SINGLE DX	246	9.0	49	1	2	7	12	17	22	38
" MULTIPLE DX	633	16.2	175	3	4	13	22	32	41	71
TOTAL 0-19 YRS	9	18.1	320	3	4	11	31	47	53	53
20-34	54	10.3	128	2	3	7	11	23	36	65
35-49	87	11.8	97	2	3	8	15	29	32	41
50-64	330	13.2	98	2	3	11	17	26	36	51
65+	399	16.0	199	2	3	12	21	32	45	74
GRAND TOTAL	**879**	**14.2**	**150**	**2**	**3**	**11**	**18**	**29**	**39**	**65**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	6.0		6	6	6	6	6	6	6
TOT. SINGLE DX	1	5.0		5	5	5	5	5	5	5
" MULTIPLE DX	1	6.0		6	6	6	6	6	6	6
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64										
65+	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**2**	**5.5**	**1**	**5**	**5**	**5**	**6**	**6**	**6**	**6**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	11.6	31	6	6	10	13	21	21	21
20-34	37	11.3	87	2	4	9	12	18	29	54
35-49	40	12.2	43	5	7	10	15	22	24	34
50-64	81	12.8	68	2	3	11	17	24	32	80
65+	76	17.9	251	2	5	14	22	35	43	95
2. MULTIPLE DX										
0-19 YRS	13	11.2	59	4	5	9	16	20	30	32
20-34	52	13.0	167	5	6	10	13	22	25	94
35-49	72	14.2	110	3	5	13	16	23	26	67
50-64	215	18.0	148	4	6	15	24	33	42	64
65+	235	20.8	211	5	9	17	24	44	53	83
TOT. SINGLE DX	239	14.1	130	2	4	11	17	26	35	85
" MULTIPLE DX	587	18.1	176	4	6	15	22	34	45	78
TOTAL 0-19 YRS	18	11.3	49	4	5	10	16	20	28	32
20-34	89	12.3	134	4	5	10	13	22	28	79
35-49	112	13.5	87	3	6	11	16	23	26	55
50-64	296	16.6	132	2	5	14	22	31	40	66
65+	311	20.1	222	4	8	16	24	41	51	90
GRAND TOTAL	**826**	**16.9**	**166**	**3**	**6**	**14**	**21**	**32**	**43**	**78**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	2	15.0	72	9	9	15	21	21	21	21
35-49	7	26.1	227	9	10	23	39	47	49	49
50-64	40	19.4	53	10	11	19	24	30	33	33
65+	15	21.8	94	9	11	20	29	35	40	42
2. MULTIPLE DX										
0-19 YRS	5	18.0	20	15	15	15	21	25	25	25
20-34	4	18.5	49	11	11	17	23	28	28	28
35-49	19	18.3	78	8	9	17	21	34	39	39
50-64	131	23.2	219	10	11	18	29	43	47	78
65+	111	23.2	122	11	13	21	29	38	49	99+
TOT. SINGLE DX	65	20.4	82	9	10	19	26	33	36	48
" MULTIPLE DX	270	22.7	164	10	11	19	28	40	47	88
TOTAL 0-19 YRS	6	17.3	19	14	14	15	20	24	25	25
20-34	6	17.3	47	9	9	17	21	27	28	28
35-49	26	20.4	124	9	9	18	23	39	43	49
50-64	171	22.3	183	10	11	18	27	41	45	74
65+	126	23.0	118	11	12	21	29	37	45	99+
GRAND TOTAL	**335**	**22.3**	**149**	**9**	**11**	**19**	**27**	**39**	**45**	**77**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	4.8	61	1	1	2	4	10	14	45
20-34	39	9.0	95	1	1	6	12	16	28	52
35-49	59	8.2	153	<1	1	5	9	20	26	82
50-64	106	8.3	54	1	2	7	11	17	21	36
65+	126	9.7	112	1	2	7	11	23	29	77
2. MULTIPLE DX										
0-19 YRS	67	11.3	99	2	2	9	16	25	36	91
20-34	64	10.6	87	1	2	8	15	29	35	91
35-49	100	12.3	125	1	2	9	16	27	35	57
50-64	274	12.9	132	2	3	10	15	24	32	65
65+	357	16.3	195	2	3	13	22	36	46	99+
TOT. SINGLE DX	405	8.2	94	1	1	5	10	18	26	55
" MULTIPLE DX	862	13.9	156	2	3	11	18	31	40	88
TOTAL 0-19 YRS	142	7.9	90	1	1	4	10	20	33	53
20-34	103	10.0	90	1	2	8	13	20	35	74
35-49	159	10.8	139	1	1	7	14	25	32	62
50-64	380	11.6	115	2	2	9	15	22	31	57
65+	483	14.6	182	2	2	11	20	34	43	99+
GRAND TOTAL	**1267**	**12.1**	**143**	**1**	**2**	**9**	**16**	**27**	**37**	**79**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49										
50-64	1	17.0		17	17	17	17	17	17	17
65+										
2. MULTIPLE DX										
0-19 YRS	3	5.3	20	<1	<1	5	9	10	10	10
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49	3	15.3	41	8	8	18	19	20	20	20
50-64	7	30.0	512	4	5	29	51	55	56	56
65+	11	19.4	436	3	5	13	18	48	76	79
TOT. SINGLE DX	4	8.3	35	4	4	6	12	17	17	17
" MULTIPLE DX	27	18.4	372	2	3	11	20	51	59	79
TOTAL 0-19 YRS	4	5.5	14	<1	<1	5	8	10	10	10
20-34	5	4.4	1	3	3	4	5	6	6	6
35-49	3	15.3	41	8	8	18	19	20	20	20
50-64	8	28.4	461	4	5	23	51	55	56	56
65+	11	19.4	436	3	5	13	18	48	76	79
GRAND TOTAL	**31**	**17.1**	**338**	**3**	**3**	**10**	**19**	**51**	**56**	**79**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	5.4	7	2	3	5	6	8	12	14
20-34	128	5.9	26	2	2	4	7	11	13	34
35-49	31	6.5	9	2	3	6	9	11	12	14
50-64	30	9.3	59	2	3	6	11	20	26	37
65+	16	10.0	96	2	2	7	12	19	35	42
2. MULTIPLE DX										
0-19 YRS	63	24.8	730	4	5	12	55	93	99+	99+
20-34	96	11.1	125	2	3	7	13	22	33	65
35-49	87	13.2	172	3	4	9	15	27	42	73
50-64	122	14.3	166	3	4	10	17	28	37	69
65+	132	16.0	240	3	4	12	20	33	42	99
TOT. SINGLE DX	231	6.6	33	2	2	5	8	12	15	37
" MULTIPLE DX	500	15.3	264	3	4	10	18	34	55	99+
TOTAL 0-19 YRS	89	19.1	596	3	4	9	22	87	99+	99+
20-34	224	8.1	75	2	3	6	9	16	22	50
35-49	118	11.5	138	3	4	8	13	25	35	62
50-64	152	13.3	149	3	4	10	17	27	37	59
65+	148	15.4	228	3	4	12	19	33	42	99
GRAND TOTAL	**731**	**12.5**	**207**	**2**	**3**	**8**	**14**	**28**	**43**	**99**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	7.4	9	1	3	8	9	11	12	12
20-34	44	7.8	35	1	2	7	11	15	16	34
35-49	37	8.6	60	<1	1	7	11	21	26	31
50-64	35	7.7	40	1	2	5	12	16	19	27
65+	28	14.8	163	3	3	11	20	28	46	53
2. MULTIPLE DX										
0-19 YRS	20	11.8	56	2	3	9	18	21	25	30
20-34	35	17.5	280	2	3	11	26	41	72	99+
35-49	40	17.8	276	2	3	13	22	43	61	65
50-64	136	15.6	140	2	3	13	21	31	37	62
65+	146	17.5	186	3	5	14	24	38	54	99+
TOT. SINGLE DX	167	9.1	65	1	2	8	11	17	27	43
" MULTIPLE DX	377	16.5	181	2	4	13	22	34	47	94
TOTAL 0-19 YRS	43	9.4	35	2	3	8	11	19	21	30
20-34	79	12.1	165	2	2	9	15	29	40	93
35-49	77	13.4	192	1	2	9	18	29	44	65
50-64	171	14.0	130	2	2	12	19	28	34	60
65+	174	17.1	183	3	4	13	24	37	52	99+
GRAND TOTAL	**544**	**14.3**	**157**	**2**	**3**	**11**	**19**	**30**	**39**	**77**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	8.7	4	6	7	9	9	12	12	12
20-34	25	10.7	12	7	7	10	12	17	18	19
35-49	23	13.0	20	9	9	12	14	20	24	26
50-64	23	13.3	23	9	10	12	14	20	26	28
65+	18	14.7	48	10	10	13	15	20	32	40
2. MULTIPLE DX										
0-19 YRS	39	14.9	108	8	8	10	18	31	42	47
20-34	34	13.0	59	7	8	11	13	18	31	47
35-49	56	15.1	48	9	10	12	17	24	30	43
50-64	122	20.2	219	9	9	15	23	45	58	99+
65+	84	19.7	172	10	10	15	24	38	51	99+
TOT. SINGLE DX	115	11.8	24	7	8	11	13	17	21	32
" MULTIPLE DX	335	17.9	156	8	9	13	21	34	47	99+
TOTAL 0-19 YRS	65	12.4	75	7	8	9	12	22	35	46
20-34	59	12.0	40	7	8	11	13	17	21	46
35-49	79	14.5	41	9	9	12	16	23	28	40
50-64	145	19.1	194	9	9	14	22	41	54	99+
65+	102	18.8	153	10	10	14	22	34	47	99+
GRAND TOTAL	**450**	**16.3**	**129**	**8**	**9**	**12**	**18**	**31**	**44**	**88**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	35	11.4	15	8	8	10	13	18	19	26
50-64	82	12.3	17	9	9	11	14	17	21	28
65+	43	12.8	32	9	9	11	13	19	28	33
2. MULTIPLE DX										
0-19 YRS										
20-34	4	9.8	3	8	8	9	11	12	12	12
35-49	137	13.0	44	9	9	11	14	20	24	40
50-64	432	14.0	68	9	9	11	15	22	28	45
65+	228	17.1	108	9	10	13	19	28	42	68
TOT. SINGLE DX	161	12.3	21	8	9	11	13	18	21	32
" MULTIPLE DX	801	14.7	78	9	9	12	16	24	30	57
TOTAL 0-19 YRS										
20-34	5	9.8	2	8	8	10	11	12	12	12
35-49	172	12.6	39	8	9	11	13	19	24	36
50-64	514	13.7	61	9	9	11	14	21	27	43
65+	271	16.4	99	9	10	13	18	27	33	65
GRAND TOTAL	**962**	**14.3**	**69**	**9**	**9**	**11**	**15**	**23**	**28**	**55**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	2.3	1	2	2	2	2	3	4	10
20-34	59	2.3	2	<1	<1	2	3	4	7	9
35-49	257	2.9	7	<1	<1	2	3	7	10	14
50-64	511	2.5	10	<1	<1	1	3	5	8	19
65+	198	2.4	7	<1	<1	1	3	4	8	14
2. MULTIPLE DX										
0-19 YRS	114	4.6	68	1	2	2	3	9	19	50
20-34	125	5.4	27	<1	<1	3	8	12	17	23
35-49	797	4.3	30	<1	<1	3	4	10	14	27
50-64	1889	4.5	37	<1	<1	2	4	11	16	30
65+	850	6.1	65	<1	1	3	8	16	21	42
TOT. SINGLE DX	1104	2.6	8	<1	<1	2	3	5	8	15
" MULTIPLE DX	3775	4.8	43	<1	<1	3	5	12	17	33
TOTAL 0-19 YRS	193	3.6	42	1	2	2	2	5	11	43
20-34	184	4.4	22	<1	<1	3	5	11	14	23
35-49	1054	4.0	26	<1	<1	3	4	9	13	24
50-64	2400	4.1	32	<1	<1	2	4	10	15	27
65+	1048	5.4	57	<1	<1	2	6	15	20	39
GRAND TOTAL	**4879**	**4.3**	**36**	**<1**	**<1**	**2**	**4**	**11**	**15**	**31**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	6.7	16	1	1	7	9	12	12	12
20-34	17	6.5	17	2	3	4	9	12	16	18
35-49	15	6.6	14	1	2	6	10	12	13	13
50-64	85	5.7	13	1	2	5	8	11	12	18
65+	250	6.2	23	2	2	5	7	13	17	25
2. MULTIPLE DX										
0-19 YRS	11	6.5	20	3	3	4	10	42	92	99+
20-34	23	9.0	74	2	3	6	11	16	30	42
35-49	52	11.2	48	3	4	11	15	19	24	33
50-64	233	12.7	94	3	3	11	17	22	30	56
65+	851	12.2	104	3	3	9	16	25	33	65
TOT. SINGLE DX	373	6.1	21	2	2	5	8	12	16	24
" MULTIPLE DX	1170	12.1	99	3	3	10	16	24	32	62
TOTAL 0-19 YRS	17	6.5	18	2	3	5	9	16	67	99+
20-34	40	8.0	51	2	3	6	10	13	20	42
35-49	67	10.1	44	2	3	9	14	17	23	33
50-64	318	10.8	83	2	3	8	14	21	26	53
65+	1101	10.8	92	2	3	8	14	23	29	60
GRAND TOTAL	**1543**	**10.7**	**87**	**2**	**3**	**8**	**14**	**22**	**28**	**58**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	5.0	12	2	2	5	8	8	8	8
20-34	6	9.7	13	3	4	10	12	13	13	13
35-49	40	4.0	15	1	2	2	4	10	13	17
50-64	77	4.8	35	2	2	3	4	10	18	33
65+	36	3.5	11	2	2	2	3	6	12	18
2. MULTIPLE DX										
0-19 YRS	6	12.3	246	2	2	3	26	37	38	38
20-34	13	12.5	157	3	3	8	16	31	42	44
35-49	65	9.7	143	2	2	6	12	22	25	75
50-64	163	8.2	56	2	2	5	12	16	22	39
65+	62	12.6	198	2	2	8	17	29	42	66
TOT. SINGLE DX	163	4.5	25	2	2	2	4	11	15	29
" MULTIPLE DX	309	9.6	112	2	2	6	13	21	28	53
TOTAL 0-19 YRS	10	9.4	155	2	2	3	8	32	38	38
20-34	19	11.6	111	3	3	9	12	27	37	44
35-49	105	7.5	101	2	2	4	10	17	24	61
50-64	240	7.1	52	2	2	4	10	16	20	35
65+	98	9.2	[illegible]	2	2	3	12	20	38	65
GRAND TOTAL	**472**	**7.9**	[illegible]	**2**	**2**	**4**	**11**	**17**	**26**	**44**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	4.7	67	<1	1	2	5	8	17	48
20-34	32	4.0	29	<1	<1	2	3	13	17	23
35-49	38	3.1	11	<1	<1	2	3	7	11	16
50-64	48	3.3	24	<1	<1	2	3	8	12	30
65+	50	4.3	17	1	1	3	5	9	14	22
2. MULTIPLE DX										
0-19 YRS	60	8.6	138	1	2	6	8	17	29	76
20-34	35	8.3	74	1	1	5	12	22	25	36
35-49	39	12.4	95	1	2	12	19	29	34	99+
50-64	135	11.1	152	1	2	8	15	25	33	71
65+	253	16.8	237	2	3	13	22	36	49	89
TOT. SINGLE DX	206	3.9	29	<1	<1	2	4	9	14	26
" MULTIPLE DX	522	13.5	193	1	2	9	18	30	40	83
TOTAL 0-19 YRS	98	7.1	114	1	1	4	7	13	23	65
20-34	67	6.3	57	<1	1	2	9	18	23	34
35-49	77	7.8	75	<1	1	3	14	21	30	82
50-64	183	9.1	130	1	1	5	13	22	29	59
65+	303	14.7	223	1	2	10	21	34	47	81
GRAND TOTAL	**728**	**10.8**	**165**	**1**	**1**	**6**	**14**	**26**	**36**	**70**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	3.6	2	2	2	4	5	5	5	5
20-34	360	3.9	3	2	2	4	5	6	7	10
35-49	573	4.3	17	2	2	4	5	7	8	11
50-64	383	4.9	14	2	2	4	5	8	11	20
65+	104	5.2	18	1	2	4	6	8	12	27
2. MULTIPLE DX										
0-19 YRS	5	5.0	5	3	3	4	7	8	8	8
20-34	59	5.7	19	2	3	5	6	10	14	93
35-49	178	5.6	13	2	3	5	6	9	14	20
50-64	223	7.4	70	2	2	5	8	12	21	53
65+	75	7.9	42	2	3	6	10	19	25	84
TOT. SINGLE DX	1425	4.4	13	2	2	4	5	7	9	16
" MULTIPLE DX	540	6.6	43	2	3	5	7	12	18	49
TOTAL 0-19 YRS	10	4.3	4	2	2	4	5	7	8	8
20-34	419	4.1	6	2	2	4	5	6	8	14
35-49	751	4.6	17	2	2	4	5	7	9	17
50-64	606	5.8	36	2	2	4	6	9	14	35
65+	179	6.4	30	2	2	5	7	13	19	35
GRAND TOTAL	**1965**	**5.1**	**22**	**2**	**2**	**4**	**5**	**8**	**11**	**25**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	8	9.1	53	1	2	8	14	20	22	22
35-49	33	10.6	17	3	5	11	13	16	19	21
50-64	109	13.4	42	6	8	12	15	23	25	40
65+	108	13.4	29	6	8	12	16	20	24	33
2. MULTIPLE DX										
0-19 YRS	11	12.6	51	2	2	12	16	23	26	26
20-34	33	21.5	338	3	3	18	27	56	59	63
35-49	136	16.9	229	4	6	12	18	32	57	93
50-64	487	17.4	134	7	9	14	20	30	40	71
65+	605	19.7	168	8	10	16	24	37	63	99+
TOT. SINGLE DX	260	12.9	35	5	7	12	15	20	24	35
" MULTIPLE DX	1272	18.5	167	7	9	15	22	35	51	99+
TOTAL 0-19 YRS	13	11.9	46	2	2	12	15	22	25	26
20-34	41	19.1	305	3	3	16	23	54	58	63
35-49	169	15.7	194	4	6	12	17	26	53	89
50-64	596	16.7	120	7	9	13	19	26	39	69
65+	713	18.8	152	7	9	15	23	35	53	99+
GRAND TOTAL	**1532**	**17.6**	**149**	**6**	**8**	**14**	**20**	**33**	**47**	**99+**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64	2	17.0	72	11	11	17	23	23	23	23
65+										
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34										
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+	4	12.8	17	8	8	12	15	18	18	18
TOT. SINGLE DX	2	17.0	72	11	11	17	23	23	23	23
" MULTIPLE DX	6	12.3	11	8	8	12	13	17	18	18
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34										
35-49										
50-64	3	15.3	44	11	11	12	20	23	23	23
65+	4	12.8	17	8	8	12	15	18	18	18
GRAND TOTAL	**8**	**13.5**	**23**	**8**	**9**	**12**	**15**	**21**	**23**	**23**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	5	5.2	13	1	1	4	8	10	10	10
50-64	2	5.0		5	5	5	5	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	5	10.2	43	1	1	10	16	17	17	17
20-34	30	6.3	34	1	1	5	8	14	16	29
35-49	58	7.3	36	1	2	5	11	18	21	24
50-64	88	9.4	86	1	1	7	12	20	31	45
65+	46	11.0	99	1	2	7	15	27	35	39
TOT. SINGLE DX	8	4.6	10	1	1	4	7	9	10	10
" MULTIPLE DX	227	8.8	70	1	2	6	12	20	25	40
TOTAL 0-19 YRS	5	10.2	44	1	1	10	16	17	17	17
20-34	30	6.3	34	1	1	5	8	14	16	29
35-49	63	7.1	35	1	2	5	10	17	21	24
50-64	90	9.3	85	1	1	7	12	20	30	45
65+	47	10.7	100	1	2	7	15	26	35	39
GRAND TOTAL	**235**	**8.6**	**69**	**1**	**2**	**6**	**11**	**19**	**24**	**40**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	46	7.9	28	1	1	8	10	15	20	22
20-34	62	10.4	86	<1	1	7	17	26	30	32
35-49	83	7.3	53	1	1	5	10	17	24	33
50-64	183	7.8	35	1	2	7	10	14	18	30
65+	226	10.3	44	2	3	9	14	19	25	30
2. MULTIPLE DX										
0-19 YRS	300	21.7	506	3	5	14	34	83	99+	99+
20-34	135	11.6	146	1	2	8	17	26	35	61
35-49	187	12.5	167	2	2	9	15	28	37	82
50-64	739	15.2	190	2	3	12	18	30	47	84
65+	1054	17.0	180	4	6	14	21	34	49	99+
TOT. SINGLE DX	600	8.9	47	1	2	8	12	18	24	31
" MULTIPLE DX	2415	16.4	227	2	4	12	20	36	56	99+
TOTAL 0-19 YRS	346	19.9	465	2	4	12	29	81	99+	99+
20-34	197	11.2	128	1	1	8	17	26	32	59
35-49	270	10.9	137	1	2	8	14	26	34	76
50-64	922	13.7	169	2	3	11	16	27	42	78
65+	1280	15.8	163	3	5	13	20	32	46	99+
GRAND TOTAL	**3015**	**14.9**	**200**	**2**	**3**	**11**	**18**	**32**	**49**	**99+**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	91	4.2	18	<1	1	3	5	11	12	22
20-34	146	4.5	22	<1	<1	3	5	10	14	23
35-49	64	5.6	26	<1	1	3	7	13	17	24
50-64	73	8.1	88	<1	1	5	8	22	30	43
65+	62	8.5	60	2	2	5	11	23	26	30
2. MULTIPLE DX										
0-19 YRS	45	8.5	88	1	1	6	10	14	28	48
20-34	73	8.5	53	1	2	7	12	20	24	29
35-49	100	9.3	89	<1	1	6	13	22	31	45
50-64	169	13.2	138	2	2	10	17	28	34	61
65+	200	15.2	156	2	3	13	22	31	42	99+
TOT. SINGLE DX	436	5.8	41	<1	1	3	7	13	21	30
" MULTIPLE DX	587	12.3	128	1	2	9	17	27	34	66
TOTAL 0-19 YRS	136	5.6	45	<1	1	3	7	12	14	45
20-34	219	5.9	36	<1	1	3	8	14	21	28
35-49	164	7.9	68	<1	1	5	10	18	25	40
50-64	242	11.7	128	1	2	8	16	26	34	58
65+	262	13.6	141	2	2	11	20	28	38	97
GRAND TOTAL	**1023**	**9.5**	**101**	**1**	**2**	**6**	**13**	**23**	**29**	**52**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	2	16.0	2	15	15	16	17	17	17	17
20-34	14	9.2	69	1	1	7	14	19	28	31
35-49	7	6.4	19	1	1	6	10	12	13	13
50-64	12	7.7	22	2	2	7	12	13	16	16
65+	7	18.4	159	4	5	18	21	39	43	43
2. MULTIPLE DX										
0-19 YRS	3	10.7	22	7	7	9	14	16	16	16
20-34	27	11.4	37	4	5	10	12	20	24	30
35-49	25	16.8	207	3	5	11	20	41	52	56
50-64	75	14.0	81	5	6	11	19	27	32	46
65+	75	16.6	112	4	6	15	20	29	42	49
TOT. SINGLE DX	42	10.2	72	1	2	9	15	19	25	43
" MULTIPLE DX	205	14.9	104	4	6	12	18	28	37	51
TOTAL 0-19 YRS	5	12.8	20	7	7	15	16	17	17	17
20-34	41	10.6	48	2	3	10	13	19	26	31
35-49	32	14.5	183	3	3	10	16	34	50	56
50-64	87	13.2	78	3	5	11	17	26	32	44
65+	82	16.8	115	4	6	15	20	31	43	49
GRAND TOTAL	**247**	**14.1**	**101**	**3**	**4**	**11**	**18**	**27**	**34**	**51**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+										
TOT. SINGLE DX										
" MULTIPLE DX	1	7.0		7	7	7	7	7	7	7
TOTAL 0-19 YRS										
20-34										
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+										
GRAND TOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	4	45.5	43	39	39	49	65	99+	99+	99+
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX	4	45.5	44	39	39	49	65	99+	99+	99+
TOTAL 0-19 YRS										
20-34	4	45.5	44	39	39	49	65	99+	99+	99+
35-49										
50-64										
65+										
GRAND TOTAL	**4**	**45.5**	**44**	**39**	**39**	**49**	**65**	**99+**	**99+**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	8.4	43	2	3	7	10	16	25	34
20-34	74	9.7	109	1	2	7	10	16	27	66
35-49	53	9.5	105	1	2	7	9	20	34	57
50-64	82	12.0	83	2	3	9	16	22	31	46
65+	108	12.4	73	3	4	11	15	22	30	46
2. MULTIPLE DX										
0-19 YRS	106	13.5	238	2	3	9	15	27	50	96
20-34	152	13.1	104	3	4	11	16	22	32	56
35-49	169	14.2	120	4	4	11	18	29	40	55
50-64	325	19.4	253	4	5	15	24	40	52	85
65+	701	19.3	203	4	6	16	25	39	56	99+
TOT. SINGLE DX	411	10.5	81	2	3	8	13	21	28	51
" MULTIPLE DX	1453	17.7	204	4	5	14	22	37	50	93
TOTAL 0-19 YRS	200	11.1	153	2	3	8	13	23	31	92
20-34	226	12.0	108	2	4	9	14	22	30	58
35-49	222	13.1	121	3	4	9	18	27	39	57
50-64	407	17.9	228	4	5	14	22	37	48	83
65+	809	18.4	192	4	5	15	23	38	54	99+
GRAND TOTAL	**1864**	**16.1**	**185**	**3**	**4**	**12**	**20**	**34**	**45**	**86**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	10.4	126	1	1	4	20	24	34	40
20-34	8	9.3	97	2	2	5	15	25	27	27
35-49	4	2.5	1	2	2	2	3	4	4	4
50-64	3	7.7	44	2	2	6	13	15	15	15
65+	2	17.5	181	8	8	17	27	27	27	27
2. MULTIPLE DX										
0-19 YRS	28	24.1	553	2	3	21	33	55	86	91
20-34	50	19.3	219	2	3	21	27	45	52	99+
35-49	48	15.9	190	2	3	12	24	38	66	99+
50-64	53	22.8	359	3	4	16	33	57	79	99+
65+	33	28.2	600	1	3	26	47	82	97	99+
TOT. SINGLE DX	34	9.4	101	1	2	4	15	24	27	40
" MULTIPLE DX	212	21.4	361	2	3	17	32	54	82	99+
TOTAL 0-19 YRS	45	18.9	431	2	2	10	29	39	68	91
20-34	58	17.9	213	2	2	17	27	44	51	96
35-49	52	14.8	188	2	2	12	24	35	63	99+
50-64	56	21.9	353	2	3	16	31	56	78	99+
65+	35	27.6	577	1	3	26	44	81	96	99+
GRAND TOTAL	**246**	**19.7**	**341**	**2**	**2**	**15**	**29**	**51**	**78**	**99+**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	4.1	13	1	1	2	6	10	11	11
20-34	12	3.9	8	<1	1	3	6	8	10	10
35-49	23	6.4	27	2	2	5	9	13	19	22
50-64	37	7.1	49	2	2	5	8	15	22	36
65+	70	7.4	82	1	1	5	8	15	28	48
2. MULTIPLE DX										
0-19 YRS	34	7.9	151	1	1	4	9	18	19	72
20-34	29	15.1	208	1	2	11	21	38	43	63
35-49	81	10.6	117	1	2	8	15	23	39	87
50-64	165	13.0	169	2	2	9	17	30	44	71
65+	297	14.9	242	1	2	10	19	38	52	99+
TOT. SINGLE DX	151	6.7	56	1	2	4	8	13	21	48
" MULTIPLE DX	606	13.4	202	1	2	9	17	33	47	99+
TOTAL 0-19 YRS	43	7.1	124	1	1	4	8	12	19	72
20-34	41	11.8	175	1	1	9	14	29	40	63
35-49	104	9.7	100	1	2	6	13	22	34	77
50-64	202	12.0	152	2	2	8	16	28	40	67
65+	367	13.5	220	1	2	9	17	34	48	99+
GRAND TOTAL	**757**	**12.1**	**180**	**1**	**2**	**8**	**16**	**29**	**45**	**95**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	83	5.5	13	3	3	5	6	8	11	26
20-34	2	29.5	1013	7	7	29	52	52	52	52
35-49	4	8.3	6	7	7	7	10	12	12	12
50-64	1	21.0		21	21	21	21	21	21	21
65+										
2. MULTIPLE DX										
0-19 YRS	27	10.4	86	3	4	6	12	26	32	38
20-34	4	13.0	104	6	6	9	19	28	28	28
35-49	3	14.0	52	8	8	12	19	22	22	22
50-64	4	11.3	22	7	7	10	14	18	18	18
65+	4	25.3	3	23	23	25	26	27	27	27
TOT. SINGLE DX	90	6.3	40	3	3	5	7	9	12	44
" MULTIPLE DX	42	12.4	86	3	4	8	20	27	29	38
TOTAL 0-19 YRS	110	6.7	36	3	3	5	7	11	20	35
20-34	6	18.5	338	6	6	9	28	50	52	52
35-49	7	10.7	30	7	7	8	12	20	22	22
50-64	5	13.2	36	7	7	10	19	21	21	21
65+	4	25.3	3	23	23	25	26	27	27	27
GRAND TOTAL	132	8.3	62	3	3	6	8	20	27	41

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	8	4.1	78	<1	<1	<1	<1	18	26	26
35-49	9	9.0	205	<1	<1	5	9	31	46	46
50-64	9	13.6	935	<1	<1	<1	6	65	93	93
65+	12	16.9	381	<1	<1	9	20	56	57	57
2. MULTIPLE DX										
0-19 YRS	5	18.8	208	6	6	11	34	35	35	35
20-34	4	24.0	940	8	8	9	40	70	70	70
35-49	5	21.2	184	9	9	22	42	94	99+	99+
50-64	10	22.5	443	3	3	14	37	57	68	68
65+	22	29.3	809	5	6	19	67	99+	99+	99+
TOT. SINGLE DX	40	11.0	384	<1	<1	<1	10	36	56	93
" MULTIPLE DX	46	25.3	580	4	6	15	42	92	99+	99+
TOTAL 0-19 YRS	7	13.7	215	<1	<1	8	28	35	35	35
20-34	12	10.8	402	<1	<1	<1	9	39	66	70
35-49	14	13.4	220	<1	<1	9	24	46	86	99+
50-64	19	18.3	659	<1	<1	9	20	59	82	93
65+	34	24.9	678	<1	4	16	55	93	99+	99+
GRAND TOTAL	86	18.7	535	<1	<1	10	27	69	94	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	9.8	56	<1	1	9	13	21	24	24
20-34	26	6.2	12	2	3	5	8	13	14	14
35-49	38	9.6	76	1	2	8	12	17	30	43
50-64	61	9.3	80	1	2	7	11	21	24	52
65+	60	11.0	131	1	2	8	13	23	28	73
2. MULTIPLE DX										
0-19 YRS	16	8.4	28	2	3	8	11	15	21	23
20-34	67	11.0	102	3	3	8	12	24	37	51
35-49	146	9.8	69	3	3	8	11	21	26	50
50-64	242	12.9	138	2	4	9	16	28	34	77
65+	572	15.9	204	3	4	12	19	30	44	88
TOT. SINGLE DX	193	9.5	86	1	2	7	12	19	25	49
" MULTIPLE DX	1043	13.9	167	3	4	10	17	28	38	82
TOTAL 0-19 YRS	24	8.9	36	1	3	8	11	16	23	24
20-34	93	9.6	82	3	3	7	11	17	29	49
35-49	184	9.8	70	2	3	8	12	20	28	48
50-64	303	12.2	129	2	3	9	16	26	33	72
65+	632	15.4	200	3	4	12	19	30	42	86
GRAND TOTAL	1236	13.2	156	2	4	9	16	27	35	79

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	17	13.9	49	8	9	11	15	26	31	33
35-49	38	12.5	41	7	8	10	13	23	28	34
50-64	27	14.8	28	9	9	14	18	23	25	29
65+	26	17.0	31	10	10	16	21	25	27	31
2. MULTIPLE DX										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	21	14.5	71	8	9	12	15	23	37	45
35-49	55	17.1	109	8	9	15	19	25	38	69
50-64	114	20.3	180	8	10	16	25	39	54	99+
65+	146	26.0	259	11	12	21	32	50	67	99+
TOT. SINGLE DX	108	14.4	39	8	9	12	18	24	28	33
" MULTIPLE DX	337	21.9	210	9	10	17	26	43	57	99+
TOTAL 0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	38	14.2	60	8	9	11	15	26	32	45
35-49	93	15.2	86	8	8	12	19	24	30	60
50-64	141	19.3	156	8	10	15	24	36	52	99+
65+	172	24.7	236	11	12	19	29	47	64	99
GRAND TOTAL	**445**	**20.1**	**179**	**9**	**10**	**16**	**24**	**38**	**51**	**95**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	5	13.6	10	9	9	14	16	17	17	17
50-64	8	26.8	185	16	17	21	30	51	57	57
65+	6	16.0	16	12	12	14	20	22	22	22
2. MULTIPLE DX										
0-19 YRS										
20-34	1	32.0		32	32	32	32	32	32	32
35-49	7	24.7	175	14	15	21	26	48	53	53
50-64	25	24.4	57	14	16	23	31	33	40	42
65+	30	28.2	329	9	14	24	29	52	75	89
TOT. SINGLE DX	19	19.9	116	10	12	17	22	31	48	57
" MULTIPLE DX	63	26.4	197	13	15	23	30	42	55	87
TOTAL 0-19 YRS										
20-34	1	32.0		32	32	32	32	32	32	32
35-49	12	20.1	132	9	11	17	21	35	50	53
50-64	33	25.0	84	14	16	22	31	37	42	57
65+	36	26.2	297	10	13	22	28	45	70	89
GRAND TOTAL	**82**	**24.9**	**184**	**12**	**14**	**21**	**28**	**41**	**55**	**85**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	12.1	37	6	6	9	16	22	23	23
20-34	36	10.3	20	6	7	9	11	14	19	31
35-49	42	10.8	37	6	7	9	11	16	21	41
50-64	28	10.5	10	7	8	10	12	14	18	21
65+	9	13.0	30	9	9	11	14	22	26	26
2. MULTIPLE DX										
0-19 YRS	2	15.5	5	14	14	15	17	17	17	17
20-34	38	13.6	76	7	7	11	15	22	30	52
35-49	66	13.9	52	8	8	12	15	21	33	43
50-64	61	14.3	46	7	8	12	17	26	29	35
65+	43	23.1	226	10	11	17	31	48	62	99+
TOT. SINGLE DX	122	10.8	25	6	7	9	12	15	21	34
" MULTIPLE DX	210	15.8	103	7	8	12	18	29	40	63
TOTAL 0-19 YRS	9	12.9	31	6	7	14	16	21	23	23
20-34	74	11.9	51	7	7	10	12	21	24	47
35-49	108	12.7	49	7	7	11	14	20	27	42
50-64	89	13.1	38	7	8	11	15	23	27	33
65+	52	21.3	206	9	10	16	26	45	57	99
GRAND TOTAL	**332**	**14.0**	**80**	**7**	**7**	**11**	**15**	**25**	**33**	**55**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	9.0	24	3	4	8	10	18	20	21
20-34	146	8.5	12	6	6	8	9	11	14	28
35-49	143	9.1	7	6	7	8	10	13	15	19
50-64	55	11.2	25	7	7	9	12	20	22	28
65+	44	14.7	106	7	7	11	17	29	34	60
2. MULTIPLE DX										
0-19 YRS	27	16.3	229	4	5	10	22	44	55	55
20-34	159	11.8	88	6	7	9	12	17	31	52
35-49	253	12.9	100	6	7	10	14	25	36	99
50-64	197	17.2	155	7	7	12	21	35	44	64
65+	178	21.6	220	8	9	17	26	46	67	99+
TOT. SINGLE DX	404	9.8	27	6	6	8	10	15	19	30
" MULTIPLE DX	814	15.8	155	6	7	11	19	32	45	87
TOTAL 0-19 YRS	43	13.6	164	4	4	9	14	31	50	55
20-34	305	10.2	55	6	6	8	11	15	20	38
35-49	396	11.6	71	6	7	9	12	19	30	73
50-64	252	15.9	133	7	7	11	19	30	41	61
65+	222	20.3	205	8	9	16	25	44	60	99+
GRAND TOTAL	**1218**	**13.8**	**120**	**6**	**7**	**10**	**15**	**27**	**39**	**70**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	8.4	29	2	3	8	11	14	17	31
20-34	124	8.8	38	2	3	7	11	17	22	29
35-49	53	8.4	15	2	3	8	11	14	16	16
50-64	52	7.9	45	1	1	6	12	17	24	27
65+	67	9.7	93	1	2	7	13	19	22	52
2. MULTIPLE DX										
0-19 YRS	64	10.9	132	3	3	8	13	22	32	97
20-34	157	11.4	108	3	3	8	14	24	35	53
35-49	134	10.8	67	3	3	9	14	23	27	99+
50-64	217	13.1	115	2	4	11	16	27	35	63
65+	349	14.6	178	2	3	12	18	30	41	76
TOT. SINGLE DX	343	8.7	46	1	2	8	11	16	21	31
" MULTIPLE DX	921	12.9	134	2	3	10	16	27	36	77
TOTAL 0-19 YRS	111	9.8	90	2	3	8	12	18	28	88
20-34	281	10.2	79	2	3	8	12	22	27	47
35-49	187	10.1	54	2	3	8	13	20	26	80
50-64	269	12.1	106	2	2	10	15	26	34	49
65+	416	13.8	168	2	2	11	17	29	40	73
GRAND TOTAL	**1264**	**11.8**	**114**	**2**	**3**	**9**	**15**	**24**	**33**	**61**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	11.5	34	5	6	10	14	21	23	23
20-34	16	14.3	76	8	8	11	15	23	37	43
35-49	16	15.9	152	7	7	12	19	23	47	58
50-64	12	21.5	109	9	10	19	27	37	42	43
65+	18	14.5	11	9	10	14	16	20	21	21
2. MULTIPLE DX										
0-19 YRS	22	17.1	97	7	8	16	36	99+	99+	99+
20-34	45	21.4	183	8	9	17	25	47	53	99+
35-49	72	21.4	308	8	9	17	22	42	67	84
50-64	71	21.9	297	9	9	15	27	43	70	99
65+	103	25.8	285	8	9	22	36	50	79	99+
TOT. SINGLE DX	70	15.6	82	7	8	13	18	23	35	55
" MULTIPLE DX	313	22.6	269	8	9	17	31	50	76	99+
TOTAL 0-19 YRS	30	15.6	85	6	7	14	23	99+	99+	99+
20-34	61	19.5	163	8	9	16	23	46	49	95
35-49	88	20.4	283	7	8	16	21	38	64	83
50-64	83	21.8	268	9	9	16	27	42	61	98
65+	121	24.1	261	8	10	19	32	50	67	99+
GRAND TOTAL	**383**	**21.4**	**242**	**8**	**9**	**16**	**27**	**47**	**64**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	13.6	13	8	10	13	14	19	21	22
20-34	66	17.0	130	8	9	13	21	27	40	67
35-49	63	13.1	13	8	9	13	15	17	20	24
50-64	113	14.3	32	8	9	13	17	22	24	34
65+	129	16.6	56	9	10	15	19	27	32	64
2. MULTIPLE DX										
0-19 YRS	31	19.8	221	7	7	15	26	47	69	99+
20-34	117	22.0	237	8	9	17	29	48	53	99+
35-49	146	18.7	173	8	9	15	22	32	35	89
50-64	353	18.6	110	9	10	16	21	33	46	99+
65+	711	22.6	210	10	11	18	28	43	57	99+
TOT. SINGLE DX	385	15.3	55	8	9	13	18	24	27	52
" MULTIPLE DX	1358	21.0	186	9	10	17	26	41	53	99+
TOTAL 0-19 YRS	45	17.9	163	7	7	14	21	35	57	99+
20-34	183	20.2	204	8	9	14	26	46	52	99+
35-49	209	17.0	131	8	9	14	19	28	34	88
50-64	466	17.5	95	9	9	15	20	30	42	94
65+	840	21.6	191	9	11	18	26	41	55	99+
GRAND TOTAL	**1743**	**19.7**	**163**	**9**	**10**	**16**	**23**	**36**	**48**	**99+**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	8.2	33	3	3	7	10	18	18	18
20-34	7	8.0	14	2	3	9	11	13	13	13
35-49	7	12.6	54	4	4	12	15	24	26	26
50-64	9	11.8	37	2	4	11	15	20	24	24
65+	4	31.0	150	13	13	35	38	40	40	40
2. MULTIPLE DX										
0-19 YRS	6	22.7	352	6	6	17	32	53	55	55
20-34	15	12.5	35	6	6	12	15	19	26	29
35-49	10	19.9	236	9	9	14	20	45	60	60
50-64	30	27.7	359	9	10	24	42	67	99	99+
65+	63	25.1	304	8	9	19	32	52	63	99+
TOT. SINGLE DX	32	13.0	94	2	4	11	15	28	37	40
" MULTIPLE DX	124	23.7	295	8	9	18	31	54	62	99+
TOTAL 0-19 YRS	11	16.1	247	3	4	8	22	41	54	55
20-34	22	11.1	33	4	5	10	13	18	23	29
35-49	17	16.9	167	4	6	13	18	29	49	60
50-64	39	24.0	328	8	9	18	34	56	94	99+
65+	67	25.5	295	8	9	20	34	51	62	99+
GRAND TOTAL	**156**	**21.5**	**272**	**6**	**8**	**17**	**30**	**51**	**59**	**99+**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	6.0	10	1	2	5	8	10	12	13
20-34	25	9.9	20	4	4	9	13	16	17	18
35-49	31	10.7	38	5	5	10	13	18	24	33
50-64	27	11.4	32	4	5	10	14	20	24	29
65+	41	16.6	229	3	6	12	19	33	49	83
2. MULTIPLE DX										
0-19 YRS	42	15.0	140	4	6	12	16	26	41	60
20-34	77	13.7	76	5	6	10	17	25	35	46
35-49	80	16.9	192	5	7	13	19	30	58	95
50-64	124	16.8	157	8	9	12	18	29	54	81
65+	189	17.8	147	7	8	14	22	36	49	99+
TOT. SINGLE DX	148	11.6	94	3	4	10	13	20	26	57
" MULTIPLE DX	512	16.6	147	6	7	13	19	31	47	99+
TOTAL 0-19 YRS	66	11.7	111	3	3	9	13	24	28	59
20-34	102	12.8	65	5	6	10	16	21	31	44
35-49	111	15.1	156	5	5	12	17	28	37	91
50-64	151	15.9	139	7	8	12	17	27	47	75
65+	230	17.6	162	6	8	14	21	36	48	99+
GRAND TOTAL	660	15.5	139	5	6	12	18	28	42	85

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	14.8	67	6	6	14	21	25	25	25
20-34	3	11.3	65	2	2	16	16	16	16	16
35-49	1	25.0		25	25	25	25	25	25	25
50-64	11	15.9	21	9	10	16	19	22	23	23
65+	14	26.4	205	10	12	22	31	50	53	54
2. MULTIPLE DX										
0-19 YRS	9	21.0	71	9	9	22	26	32	34	34
20-34	9	23.4	171	9	11	18	32	44	51	51
35-49	19	26.2	247	9	11	20	35	54	59	61
50-64	46	21.8	82	10	10	21	27	35	38	41
65+	72	30.2	297	11	13	25	36	56	76	96
TOT. SINGLE DX	33	20.1	136	6	9	17	23	35	49	54
" MULTIPLE DX	155	26.3	218	10	11	23	33	51	59	81
TOTAL 0-19 YRS	13	19.1	74	6	8	21	25	29	33	34
20-34	12	20.4	167	3	7	17	25	39	49	51
35-49	20	26.1	235	9	11	21	34	53	58	61
50-64	57	20.6	75	10	10	19	26	34	38	41
65+	86	29.6	282	11	12	24	36	54	69	93
GRAND TOTAL	188	25.2	208	9	11	22	31	49	54	80

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2123	4.4	4	2	3	4	5	7	8	13
20-34	1529	4.5	4	2	3	4	5	7	8	12
35-49	408	5.2	5	3	3	5	6	8	9	13
50-64	168	6.4	12	3	3	6	8	10	12	21
65+	50	8.0	8	4	4	8	10	12	14	14
2. MULTIPLE DX										
0-19 YRS	589	6.4	26	3	3	5	8	11	13	22
20-34	536	6.8	19	3	3	6	8	11	14	23
35-49	176	9.0	49	4	4	7	10	15	20	65
50-64	119	9.7	36	4	4	8	12	17	22	35
65+	100	17.2	205	5	6	12	21	39	48	73
TOT. SINGLE DX	4278	4.7	5	2	3	4	5	7	9	13
" MULTIPLE DX	1520	7.8	47	3	3	6	9	13	18	39
TOTAL 0-19 YRS	2712	4.8	10	2	3	4	6	8	10	16
20-34	2065	5.1	10	2	3	4	6	9	10	17
35-49	584	6.4	22	3	3	5	8	10	14	22
50-64	287	7.8	25	3	3	7	9	14	18	27
65+	150	14.2	159	4	5	10	16	26	42	64
GRAND TOTAL	5798	5.5	18	2	3	4	6	9	12	21

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	5.3	9	2	2	5	6	8	12	16
20-34	11	5.9	9	3	3	5	7	11	13	13
35-49	4	5.0	2	3	3	5	6	6	6	6
50-64										
65+	2	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	13	5.1	5	3	3	5	6	9	10	10
20-34	13	4.8	3	3	3	4	5	7	9	10
35-49	5	15.2	227	6	6	9	19	42	42	42
50-64	2	11.5	85	5	5	11	18	18	18	18
65+	1	13.0		13	13	13	13	13	13	13
TOT. SINGLE DX	42	5.6	9	2	3	5	7	9	12	16
" MULTIPLE DX	34	7.1	49	3	3	5	8	11	17	42
TOTAL 0-19 YRS	38	5.2	8	2	3	5	6	9	11	16
20-34	24	5.3	6	3	3	5	6	9	11	13
35-49	9	10.7	144	3	4	6	9	30	42	42
50-64	2	11.5	85	5	5	11	18	18	18	18
65+	3	10.3	5	9	9	9	12	13	13	13
GRAND TOTAL	76	6.3	27	3	3	5	7	10	13	36

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	7.0	54	1	2	4	9	20	23	23
20-34	6	9.5	56	5	5	6	11	23	24	24
35-49	5	10.8	10	7	7	10	13	15	15	15
50-64	2	8.5	61	3	3	8	14	14	14	14
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	2	11.5	25	8	8	11	15	15	15	15
20-34	9	11.2	10	7	7	11	13	16	17	17
35-49	1	29.0		29	29	29	29	29	29	29
50-64	3	15.0	21	11	11	14	18	20	20	20
65+	3	34.0	1099	11	11	19	59	72	72	72
TOT. SINGLE DX	22	8.8	39	2	3	7	13	17	23	24
" MULTIPLE DX	18	16.7	219	7	7	12	17	26	55	72
TOTAL 0-19 YRS	10	7.9	49	1	2	4	13	19	23	23
20-34	15	10.5	27	5	5	10	13	17	22	24
35-49	6	13.8	63	7	7	11	15	28	29	29
50-64	5	12.4	38	3	3	14	16	20	20	20
65+	4	28.0	877	10	10	15	45	72	72	72
GRAND TOTAL	40	12.4	132	3	4	10	14	21	26	72

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	60	4.4	15	<1	<1	3	6	11	12	15
20-34	58	7.1	34	<1	1	6	9	13	22	28
35-49	44	5.9	12	1	2	5	8	11	12	15
50-64	54	5.6	39	<1	1	3	7	11	16	40
65+	90	5.2	22	1	1	4	6	11	14	24
2. MULTIPLE DX										
0-19 YRS	37	8.1	137	1	1	5	8	12	25	70
20-34	63	8.7	50	2	2	7	10	18	25	34
35-49	56	10.4	63	1	2	8	16	20	22	40
50-64	112	11.5	160	2	3	8	16	23	37	99+
65+	217	11.1	124	1	2	8	15	27	34	96
TOT. SINGLE DX	306	5.6	25	<1	1	4	7	11	14	25
" MULTIPLE DX	485	10.6	117	1	2	8	14	23	31	98
TOTAL 0-19 YRS	97	5.8	64	<1	<1	4	8	11	13	52
20-34	121	7.9	43	1	2	7	10	17	23	32
35-49	100	8.4	46	1	2	7	11	18	20	35
50-64	166	9.5	128	1	2	6	12	21	29	99+
65+	307	9.4	102	1	2	6	12	23	29	67
GRAND TOTAL	791	8.6	88	1	2	6	11	19	27	78

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	12	4.4	47	<1	1	2	4	11	24	26
35-49	9	3.8	3	2	2	3	5	7	7	7
50-64	9	5.2	19	1	1	5	7	12	15	15
65+	3	5.0	1	4	4	5	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	9	8.2	196	1	1	3	7	30	45	45
35-49	6	9.7	38	2	2	9	14	18	18	18
50-64	2	2.0		2	2	2	2	2	2	2
65+	2	13.0	98	6	6	13	20	20	20	20
TOT. SINGLE DX	35	4.5	21	1	1	4	5	7	13	26
" MULTIPLE DX	20	8.6	105	1	2	5	11	19	32	45
TOTAL 0-19 YRS	3	6.0	12	4	4	4	9	10	10	10
20-34	21	6.0	108	<1	1	2	4	15	35	45
35-49	15	6.1	24	2	2	4	7	14	17	18
50-64	11	4.6	17	1	1	3	7	11	15	15
65+	5	8.2	44	4	4	6	10	20	20	20
GRAND TOTAL	55	6.0	54	1	2	4	6	14	19	44

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	11.0	29	2	2	12	14	16	16	16
20-34	17	15.8	54	7	8	13	22	26	30	32
35-49	24	14.5	22	8	10	13	16	21	24	27
50-64	69	15.5	30	10	10	14	18	24	27	35
65+	66	18.7	77	9	10	17	21	30	35	54
2. MULTIPLE DX										
0-19 YRS	17	14.8	63	6	8	12	20	34	75	99+
20-34	39	20.6	119	7	9	20	27	33	42	52
35-49	52	20.3	134	10	11	17	27	41	47	99
50-64	200	20.5	158	10	11	17	23	33	46	87
65+	290	25.8	275	11	12	20	31	48	65	87
TOT. SINGLE DX	181	16.4	52	9	10	14	19	26	29	45
" MULTIPLE DX	598	22.9	216	10	11	18	27	40	57	88
TOTAL 0-19 YRS	22	13.9	57	4	7	12	17	29	59	99+
20-34	56	19.1	104	7	9	16	25	33	37	52
35-49	76	18.5	106	9	11	15	22	34	44	90
50-64	269	19.2	131	10	10	16	22	31	38	79
65+	356	24.5	246	11	12	19	29	44	60	85
GRAND TOTAL	779	21.4	185	10	11	17	25	37	52	84

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	5.8	27	<1	<1	5	6	11	20	22
20-34	109	5.9	24	<1	<1	5	8	12	13	26
35-49	80	5.8	20	<1	1	5	8	12	16	21
50-64	59	7.9	49	1	2	6	11	15	20	37
65+	69	8.4	80	1	2	6	9	17	20	59
2. MULTIPLE DX										
0-19 YRS	24	10.9	119	1	1	7	16	21	40	41
20-34	165	7.6	78	1	2	5	9	14	21	61
35-49	215	7.9	32	2	2	6	11	15	18	28
50-64	318	10.1	85	2	3	7	13	20	25	57
65+	498	12.4	109	2	4	10	15	24	33	72
TOT. SINGLE DX	330	6.7	41	<1	1	5	8	13	18	32
" MULTIPLE DX	1220	10.3	89	2	3	8	13	20	27	56
TOTAL 0-19 YRS	37	9.1	92	<1	1	5	15	19	34	41
20-34	274	6.9	58	<1	1	5	8	13	17	35
35-49	295	7.4	30	1	2	6	10	15	18	26
50-64	377	9.7	80	2	3	7	13	19	25	53
65+	567	11.9	108	2	3	9	15	23	31	64
GRAND TOTAL	**1550**	**9.6**	**81**	**1**	**2**	**7**	**12**	**19**	**25**	**54**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	3.2	5	<1	<1	3	4	7	8	9
20-34	100	4.2	5	2	2	4	5	7	9	13
35-49	132	4.1	6	1	2	3	5	7	9	15
50-64	77	4.5	6	2	2	4	5	8	9	16
65+	13	5.8	12	3	3	5	7	10	15	16
2. MULTIPLE DX										
0-19 YRS	7	4.1	6	2	2	3	5	8	9	9
20-34	84	5.7	54	1	1	3	6	9	26	40
35-49	79	5.6	59	1	2	4	6	8	11	55
50-64	57	5.4	10	1	2	4	8	10	11	15
65+	25	8.6	72	2	3	6	9	19	30	40
TOT. SINGLE DX	343	4.2	7	1	2	4	5	7	9	14
" MULTIPLE DX	252	5.9	47	1	2	4	6	10	12	40
TOTAL 0-19 YRS	28	3.5	6	<1	1	3	5	8	9	9
20-34	184	4.9	28	1	2	4	5	9	11	36
35-49	211	4.7	27	1	2	4	5	8	10	22
50-64	134	4.9	9	2	2	4	6	9	11	16
65+	38	7.7	53	3	3	5	9	14	24	40
GRAND TOTAL	**595**	**4.9**	**24**	**1**	**2**	**4**	**6**	**9**	**10**	**27**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	3.3	20	<1	<1	2	4	5	6	26
20-34	99	2.7	2	<1	<1	2	4	5	6	9
35-49	75	3.1	3	<1	<1	3	4	5	6	9
50-64	35	4.2	13	<1	1	3	5	8	9	21
65+	15	4.9	7	2	3	4	6	10	10	10
2. MULTIPLE DX										
0-19 YRS	10	3.7	8	1	1	3	5	8	10	10
20-34	68	4.3	10	<1	1	3	5	6	11	18
35-49	76	5.1	15	1	3	4	5	9	11	27
50-64	60	5.7	29	1	2	4	6	12	20	27
65+	33	10.5	152	2	2	5	10	30	43	46
TOT. SINGLE DX	254	3.2	7	<1	<1	3	4	6	7	10
" MULTIPLE DX	247	5.7	39	1	2	4	6	10	18	33
TOTAL 0-19 YRS	40	3.4	17	<1	<1	2	4	6	8	26
20-34	167	3.4	6	<1	<1	3	4	6	7	17
35-49	151	4.1	10	<1	1	4	5	7	9	15
50-64	95	5.2	24	1	1	4	6	10	18	26
65+	48	8.7	113	2	2	4	9	24	34	46
GRAND TOTAL	**501**	**4.4**	**24**	**<1**	**1**	**3**	**5**	**8**	**11**	**28**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	4.0	1	2	2	4	5	5	5	5
20-34	296	5.0	3	2	3	5	6	8	8	10
35-49	451	5.3	11	3	3	5	6	8	9	11
50-64	246	5.5	4	3	3	5	6	8	9	12
65+	80	6.0	8	2	3	6	7	9	11	18
2. MULTIPLE DX										
0-19 YRS	3	10.3	46	5	5	8	15	18	18	18
20-34	307	5.5	5	3	3	5	7	9	9	12
35-49	480	5.7	15	3	3	5	6	9	10	19
50-64	371	6.8	18	3	3	6	8	11	14	24
65+	179	8.2	56	2	3	6	9	15	22	42
TOT. SINGLE DX	1079	5.3	8	3	3	5	6	8	9	12
" MULTIPLE DX	1340	6.3	20	3	3	5	7	10	13	23
TOTAL 0-19 YRS	9	6.1	23	2	2	5	6	14	18	18
20-34	603	5.2	5	2	3	5	6	8	9	11
35-49	931	5.5	14	3	3	5	6	8	9	14
50-64	617	6.3	13	3	3	5	7	10	12	22
65+	259	7.5	43	2	3	6	8	13	18	37
GRAND TOTAL	**2419**	**5.8**	**15**	**3**	**3**	**5**	**7**	**9**	**10**	**21**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	3.4	4	<1	1	3	5	6	7	11
20-34	224	3.6	6	1	1	3	4	7	9	13
35-49	201	3.6	7	1	1	3	4	6	10	15
50-64	82	4.1	8	1	1	3	5	8	9	15
65+	36	4.6	10	1	1	4	6	10	11	12
2. MULTIPLE DX										
0-19 YRS	35	8.1	145	<1	1	5	9	16	19	71
20-34	133	4.7	19	1	1	4	5	8	17	22
35-49	114	5.4	26	1	2	4	6	12	14	28
50-64	96	6.4	68	1	2	4	7	13	19	54
65+	62	8.4	73	1	2	6	11	19	40	99+
TOT. SINGLE DX	583	3.7	7	1	1	3	5	7	9	14
" MULTIPLE DX	440	6.0	51	1	2	4	7	13	18	51
TOTAL 0-19 YRS	75	5.6	75	<1	1	4	6	11	16	58
20-34	357	4.0	12	1	1	3	5	8	10	19
35-49	315	4.2	15	1	1	3	5	9	12	16
50-64	178	5.4	42	1	1	4	6	9	14	43
65+	98	7.0	53	1	1	5	10	16	23	99+
GRAND TOTAL	**1023**	**4.7**	**27**	**1**	**1**	**3**	**5**	**9**	**13**	**25**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	9.5	61	4	4	9	15	15	15	15
35-49	2	9.0	50	4	4	9	14	14	14	14
50-64	2	8.0	72	2	2	8	14	14	14	14
65+	4	9.3	251	1	1	2	17	33	33	33
2. MULTIPLE DX										
0-19 YRS										
20-34	1	24.0		24	24	24	24	24	24	24
35-49	7	26.7	312	3	5	25	39	53	55	55
50-64	4	24.5	95	15	15	23	32	36	36	36
65+	7	24.3	96	10	11	28	30	36	37	37
TOT. SINGLE DX	10	9.0	104	1	1	4	14	24	33	33
" MULTIPLE DX	19	25.2	153	6	11	25	31	41	50	55
TOTAL 0-19 YRS										
20-34	3	14.3	100	4	4	15	22	24	24	24
35-49	9	22.8	301	3	3	20	30	51	55	55
50-64	6	19.0	144	2	3	16	29	35	36	36
65+	11	18.8	191	1	1	22	30	35	37	37
GRAND TOTAL	**29**	**19.6**	**194**	**1**	**2**	**18**	**29**	**37**	**45**	**55**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	6.6	28	1	1	6	11	13	13	13
20-34	61	4.5	20	1	1	2	7	11	14	18
35-49	46	5.8	79	<1	1	2	5	15	28	39
50-64	47	4.6	21	1	1	3	6	12	15	18
65+	31	8.1	116	1	1	3	10	19	37	48
2. MULTIPLE DX										
0-19 YRS	25	16.5	448	1	2	12	20	42	60	98
20-34	90	13.0	203	1	1	10	17	27	40	79
35-49	134	11.8	146	1	1	9	16	27	34	80
50-64	181	15.5	205	1	2	12	21	33	39	81
65+	159	16.2	150	2	3	14	22	30	38	70
TOT. SINGLE DX	190	5.5	52	1	1	2	8	13	18	39
" MULTIPLE DX	589	14.5	189	1	2	11	20	30	40	79
TOTAL 0-19 YRS	30	14.9	389	1	1	11	18	36	48	98
20-34	151	9.6	147	1	1	7	12	21	27	78
35-49	180	10.3	136	1	1	7	14	25	33	73
50-64	228	13.2	187	1	1	10	18	30	36	69
65+	190	14.9	153	1	2	12	21	30	38	69
GRAND TOTAL	**779**	**12.3**	**170**	**1**	**1**	**9**	**17**	**28**	**35**	**75**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	122	7.1	5	4	5	7	8	10	12	14
20-34	1300	7.1	6	4	5	7	8	9	11	17
35-49	1143	7.3	6	5	5	7	8	10	12	16
50-64	939	8.3	9	5	5	8	9	12	14	21
65+	455	10.4	40	6	6	9	12	15	19	34
2. MULTIPLE DX										
0-19 YRS	74	10.1	24	5	5	8	12	18	21	25
20-34	961	8.9	22	5	5	8	10	14	17	24
35-49	1151	9.7	39	5	6	8	10	15	20	33
50-64	1504	11.5	62	5	6	9	13	19	25	46
65+	1328	16.2	122	6	7	13	20	30	40	77
TOT. SINGLE DX	3959	7.8	12	5	5	7	9	11	14	20
" MULTIPLE DX	5018	11.8	73	5	6	9	13	21	28	51
TOTAL 0-19 YRS	196	8.2	15	4	5	7	9	13	16	24
20-34	2261	7.8	14	4	5	7	9	11	14	22
35-49	2294	8.5	25	5	5	7	9	13	16	27
50-64	2443	10.2	45	5	6	8	11	16	22	39
65+	1783	14.7	108	6	7	11	17	27	36	67
GRAND TOTAL	**8977**	**10.0**	**50**	**5**	**5**	**8**	**11**	**17**	**23**	**42**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	5.0	11	1	1	4	8	9	9	9
20-34	20	8.8	20	2	3	9	12	15	17	18
35-49	16	9.9	64	<1	1	9	11	21	30	33
50-64	29	14.2	78	2	2	14	20	27	31	33
65+	43	13.5	57	3	4	14	19	23	26	34
2. MULTIPLE DX										
0-19 YRS	3	8.0	19	5	5	6	11	13	13	13
20-34	25	13.9	51	3	5	13	19	22	26	31
35-49	30	18.0	155	1	8	15	21	30	39	67
50-64	77	21.7	141	6	9	20	27	40	46	56
65+	181	22.7	211	7	10	19	29	41	52	87
TOT. SINGLE DX	113	12.0	60	2	3	11	16	22	27	34
" MULTIPLE DX	316	21.2	181	5	9	18	27	39	50	72
TOTAL 0-19 YRS	8	6.1	14	1	2	5	8	12	13	13
20-34	45	11.6	43	3	4	11	16	21	23	31
35-49	46	15.2	137	1	2	13	20	27	35	67
50-64	106	19.7	135	3	7	18	25	34	43	55
65+	224	21.0	194	4	8	17	27	39	51	81
GRAND TOTAL	**429**	**18.8**	**166**	**3**	**5**	**16**	**24**	**34**	**45**	**68**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	4.2	24	1	1	3	3	13	14	14
20-34	26	12.0	106	1	1	9	18	24	35	43
35-49	35	10.6	194	1	1	9	11	21	28	81
50-64	24	10.5	73	1	1	9	15	23	28	32
65+	18	15.8	260	1	2	11	24	52	81	99+
2. MULTIPLE DX										
0-19 YRS	8	20.3	226	1	3	16	33	42	44	44
20-34	43	15.4	232	1	2	9	20	35	47	71
35-49	79	15.9	142	2	3	14	20	41	52	99+
50-64	92	17.7	275	1	2	12	22	36	47	85
65+	100	22.2	347	3	5	17	33	46	91	99+
TOT. SINGLE DX	109	11.4	150	1	1	9	14	25	41	89
" MULTIPLE DX	322	18.4	263	2	3	14	25	44	54	99+
TOTAL 0-19 YRS	14	13.4	199	1	1	9	18	38	43	44
20-34	69	14.1	185	1	2	9	18	33	40	69
35-49	114	14.2	163	1	3	11	19	36	50	99+
50-64	116	16.2	241	1	2	12	21	34	45	80
65+	118	21.3	337	2	4	16	33	47	91	99+
GRAND TOTAL	**431**	**16.6**	**243**	**1**	**2**	**12**	**22**	**41**	**50**	**99+**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	6.3	50	1	1	4	7	12	24	39
20-34	222	5.4	15	1	1	5	7	10	12	20
35-49	193	6.5	40	1	1	4	8	14	19	31
50-64	212	6.7	39	<1	1	5	8	15	19	29
65+	241	7.3	34	1	2	6	9	14	19	28
2. MULTIPLE DX										
0-19 YRS	46	5.9	18	1	1	5	8	9	14	24
20-34	236	8.8	68	1	2	6	10	21	28	49
35-49	255	8.2	61	1	2	7	10	15	19	43
50-64	427	9.9	75	1	2	8	12	20	28	54
65+	1021	12.2	117	2	3	9	16	24	32	69
TOT. SINGLE DX	936	6.5	34	1	1	5	8	13	18	29
" MULTIPLE DX	1985	10.7	96	2	2	8	13	22	30	62
TOTAL 0-19 YRS	114	6.1	37	1	1	4	8	12	19	33
20-34	458	7.1	46	1	2	5	8	14	22	34
35-49	448	7.5	53	1	2	6	10	15	19	39
50-64	639	8.8	66	1	2	7	11	18	25	49
65+	1262	11.3	105	2	2	8	15	23	30	66
GRAND TOTAL	**2921**	**9.3**	**80**	**1**	**2**	**7**	**11**	**20**	**26**	**52**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	771	2.5	2	<1	1	2	3	4	5	8
20-34	908	3.6	2	1	2	4	4	5	6	8
35-49	858	3.8	2	1	2	4	5	6	6	8
50-64	1038	4.3	3	2	2	4	5	7	8	11
65+	767	5.0	7	2	2	5	6	8	10	15
2. MULTIPLE DX										
0-19 YRS	419	3.1	8	<1	1	2	3	6	8	15
20-34	240	4.5	6	1	2	4	5	8	9	14
35-49	364	4.8	14	2	3	4	5	7	9	19
50-64	752	5.7	15	2	3	5	7	10	13	20
65+	997	7.8	46	2	3	6	9	15	20	37
TOT. SINGLE DX	4342	3.9	4	1	2	4	5	6	7	11
" MULTIPLE DX	2772	5.8	27	1	2	4	7	11	15	27
TOTAL 0-19 YRS	1190	2.7	5	<1	1	2	3	5	6	11
20-34	1148	3.8	3	1	2	4	4	6	7	9
35-49	1222	4.1	6	1	2	4	5	6	7	11
50-64	1790	4.9	9	2	2	4	6	8	10	15
65+	1764	6.6	31	2	3	5	8	12	16	28
GRAND TOTAL	**7114**	**4.6**	**14**	**1**	**2**	**4**	**5**	**8**	**10**	**19**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	74	2.4	1	1	1	2	3	4	5	8
20-34	52	4.2	2	2	3	4	5	6	7	9
35-49	69	4.2	3	2	2	4	5	6	7	12
50-64	117	4.8	3	2	3	5	6	7	8	10
65+	59	5.3	4	2	3	5	7	8	9	11
2. MULTIPLE DX										
0-19 YRS	78	6.5	220	1	1	2	4	14	48	96
20-34	21	4.8	4	3	3	4	5	7	9	12
35-49	43	4.7	2	3	3	4	6	7	7	8
50-64	100	6.1	13	3	3	5	7	9	12	24
65+	104	8.5	49	3	4	7	10	14	20	46
TOT. SINGLE DX	371	4.2	4	1	2	4	5	7	8	9
" MULTIPLE DX	346	6.7	70	1	2	5	7	11	15	67
TOTAL 0-19 YRS	152	4.5	117	1	1	2	3	6	14	85
20-34	73	4.4	3	2	3	4	5	6	7	11
35-49	112	4.4	3	2	3	4	5	7	7	10
50-64	217	5.4	9	2	3	5	6	8	9	18
65+	163	7.4	36	3	3	6	9	12	16	39
GRAND TOTAL	**717**	**5.4**	**37**	**1**	**2**	**4**	**6**	**9**	**11**	**27**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	3.2	3	1	1	3	5	6	6	6
20-34	21	3.9	3	2	2	3	4	7	8	9
35-49	43	3.8	2	1	2	4	5	6	6	7
50-64	39	4.3	2	2	3	4	5	7	8	9
65+	54	6.3	12	3	3	5	7	12	14	19
2. MULTIPLE DX										
0-19 YRS										
20-34	14	4.4	5	1	2	4	5	9	9	9
35-49	19	5.4	12	1	2	5	7	10	14	16
50-64	29	6.7	19	2	3	5	8	15	15	18
65+	64	10.9	77	3	4	8	13	19	28	52
TOT. SINGLE DX	170	4.7	7	2	2	4	6	8	9	16
" MULTIPLE DX	126	8.4	53	2	3	6	10	17	19	43
TOTAL 0-19 YRS	13	3.2	4	1	1	3	5	6	6	6
20-34	35	4.1	4	2	3	3	5	8	9	9
35-49	62	4.3	6	1	2	4	5	7	8	15
50-64	68	5.4	11	2	3	4	6	10	14	18
65+	118	8.8	53	3	3	7	10	17	20	44
GRAND TOTAL	**296**	**6.3**	**30**	**2**	**3**	**5**	**7**	**12**	**16**	**28**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	109	2.3	2	<1	<1	2	3	4	6	8
20-34	62	3.4	4	1	2	3	4	6	8	12
35-49	101	3.7	3	1	2	3	4	6	8	10
50-64	67	4.0	5	1	1	3	5	7	8	12
65+	32	4.8	5	1	2	5	6	8	8	11
2. MULTIPLE DX										
0-19 YRS	21	3.8	10	<1	1	2	4	9	12	13
20-34	25	4.4	10	1	2	4	5	8	11	16
35-49	66	5.3	16	1	2	4	6	11	12	26
50-64	78	6.1	18	1	2	5	8	10	15	24
65+	65	10.6	58	3	3	9	14	20	24	40
TOT. SINGLE DX	371	3.4	4	<1	1	3	4	6	8	11
" MULTIPLE DX	255	6.7	32	1	2	5	8	13	17	28
TOTAL 0-19 YRS	130	2.6	4	<1	<1	2	3	5	7	11
20-34	87	3.7	6	1	2	3	4	7	8	15
35-49	167	4.3	9	1	2	4	5	7	10	15
50-64	145	5.1	13	1	2	4	7	8	11	18
65+	97	8.6	48	2	3	7	11	17	22	39
GRAND TOTAL	**626**	**4.7**	**18**	**1**	**1**	**3**	**6**	**9**	**12**	**23**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	2.6	2	<1	1	2	4	5	5	7
20-34	150	4.2	5	2	2	4	5	7	9	13
35-49	210	4.9	4	2	2	5	6	8	9	10
50-64	209	6.3	7	3	3	6	8	10	12	14
65+	133	7.5	13	3	3	7	9	11	15	17
2. MULTIPLE DX										
0-19 YRS	12	3.6	15	<1	<1	2	4	10	13	14
20-34	75	6.1	14	2	2	5	8	10	13	23
35-49	169	7.6	21	2	3	7	9	14	18	29
50-64	272	9.3	53	3	4	8	11	16	19	46
65+	264	11.5	84	4	4	9	13	22	28	50
TOT. SINGLE DX	748	5.5	9	2	2	5	7	9	11	15
" MULTIPLE DX	792	9.3	56	3	3	8	11	17	22	48
TOTAL 0-19 YRS	58	2.8	5	<1	1	2	4	5	7	14
20-34	225	4.8	9	2	2	4	6	9	10	15
35-49	379	6.1	14	2	3	5	8	10	13	22
50-64	481	8.0	36	3	3	7	10	13	16	33
65+	397	10.1	64	3	4	8	12	17	24	49
GRAND TOTAL	**1540**	**7.4**	**37**	**2**	**3**	**6**	**9**	**13**	**17**	**34**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	4.0	7	1	1	4	6	8	8	8
20-34	7	7.3	11	1	2	8	10	11	11	11
35-49	15	8.0	13	1	3	8	11	12	14	14
50-64	11	8.6	8	4	4	10	11	12	12	12
65+	4	8.5	21	3	3	8	12	14	14	14
2. MULTIPLE DX										
0-19 YRS	7	20.0	219	4	4	19	29	41	44	44
20-34	16	10.4	19	6	7	9	13	17	20	22
35-49	60	11.6	71	6	7	9	11	16	32	50
50-64	54	12.1	36	6	8	10	13	19	32	97
65+	39	16.3	83	7	9	14	18	26	40	46
TOT. SINGLE DX	42	7.6	13	1	3	8	10	12	13	14
" MULTIPLE DX	176	13.0	68	6	7	10	14	22	36	50
TOTAL 0-19 YRS	12	13.3	190	1	2	7	23	34	43	44
20-34	23	9.5	18	4	6	9	12	14	19	22
35-49	75	10.9	62	5	6	9	11	15	28	48
50-64	65	11.5	33	6	7	10	13	18	26	90
65+	43	15.6	82	5	8	13	18	25	39	46
GRAND TOTAL	218	12.0	62	4	6	10	13	21	29	48

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	4.8	13	1	1	3	6	10	12	16
20-34	73	5.6	29	1	1	4	6	13	17	30
35-49	70	7.0	21	2	2	6	9	14	17	21
50-64	57	11.4	179	1	1	7	13	29	44	65
65+	40	11.9	70	2	3	10	17	21	32	37
2. MULTIPLE DX										
0-19 YRS	32	10.5	153	1	3	6	12	22	39	62
20-34	69	13.8	236	2	3	8	16	36	43	75
35-49	103	12.6	109	2	3	10	17	29	32	79
50-64	180	13.6	118	2	3	11	19	28	34	92
65+	207	19.0	283	3	4	14	25	40	56	93
TOT. SINGLE DX	288	7.8	67	1	2	5	10	17	21	44
" MULTIPLE DX	591	15.2	197	2	3	11	20	32	43	84
TOTAL 0-19 YRS	80	7.1	76	1	2	5	9	14	20	56
20-34	142	9.6	146	1	2	6	11	21	35	75
35-49	173	10.4	81	2	2	8	13	21	30	60
50-64	237	13.1	133	1	2	10	18	28	38	79
65+	247	17.8	256	3	4	13	23	37	51	88
GRAND TOTAL	879	12.8	166	1	2	9	17	29	38	76

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	7.0	117	2	3	5	7	11	14	79
20-34	160	6.5	19	2	3	5	7	11	15	27
35-49	48	10.3	60	2	3	8	11	20	25	44
50-64	29	8.7	30	1	3	8	11	18	20	23
65+	30	16.0	83	5	7	13	16	32	38	41
2. MULTIPLE DX										
0-19 YRS	55	8.7	57	3	3	6	9	16	30	37
20-34	194	10.6	141	3	4	7	11	23	36	98
35-49	97	12.2	113	4	5	9	14	24	34	99+
50-64	95	18.3	210	5	7	14	23	35	42	89
65+	120	21.3	223	6	8	17	29	33	63	99+
TOT. SINGLE DX	330	8.2	58	2	3	6	9	15	20	39
" MULTIPLE DX	561	14.3	178	4	4	10	18	32	41	99
TOTAL 0-19 YRS	118	7.8	90	2	3	5	8	13	21	53
20-34	354	8.7	91	2	3	6	9	16	27	82
35-49	145	11.6	96	3	5	9	13	22	32	99+
50-64	124	16.1	184	4	5	12	21	29	39	87
65+	150	20.2	199	6	8	16	27	37	46	99+
GRAND TOTAL	891	12.0	142	3	4	8	14	26	36	88

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	221	3.5	9	<1	1	2	5	7	9	13
20-34	1004	2.6	7	<1	<1	2	3	6	7	12
35-49	148	2.7	8	<1	<1	2	2	5	8	18
50-64	10	2.8	5	<1	<1	2	2	7	7	7
65+	7	6.7	50	2	2	3	10	19	21	21
2. MULTIPLE DX										
0-19 YRS	132	4.7	22	1	1	3	7	9	11	22
20-34	1075	3.0	15	<1	<1	2	3	7	9	15
35-49	217	3.5	19	<1	<1	2	3	9	14	23
50-64	21	9.8	109	1	1	5	19	26	32	35
65+	13	7.8	61	1	1	5	10	22	24	24
TOT. SINGLE DX	1390	2.8	8	<1	<1	2	3	6	8	14
" MULTIPLE DX	1458	3.4	19	<1	<1	2	4	8	10	22
TOTAL 0-19 YRS	353	4.0	15	<1	1	3	5	8	10	15
20-34	2079	2.8	12	<1	<1	2	3	6	9	14
35-49	365	3.2	15	<1	<1	2	3	7	11	19
50-64	31	7.5	86	<1	1	3	9	22	30	35
65+	20	7.5	55	1	2	4	10	21	23	24
GRAND TOTAL	2848	3.1	14	<1	<1	2	3	7	9	18

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	6.9	16	1	1	7	10	12	14	16
20-34	91	6.8	23	2	2	6	9	12	16	29
35-49	80	9.5	47	3	4	8	10	15	21	45
50-64	54	11.6	30	6	7	9	14	21	25	26
65+	40	11.9	15	6	7	11	15	17	19	21
2. MULTIPLE DX										
0-19 YRS	35	13.9	181	2	4	10	15	30	43	68
20-34	179	10.9	141	2	3	7	12	28	36	61
35-49	134	13.4	134	3	5	10	14	25	38	61
50-64	138	19.9	215	6	7	15	27	42	52	86
65+	158	24.3	358	7	8	18	32	65	81	99+
TOT. SINGLE DX	287	9.2	34	2	3	8	11	16	20	27
" MULTIPLE DX	644	16.8	239	3	5	12	21	38	56	99+
TOTAL 0-19 YRS	57	11.2	128	1	2	8	12	18	34	66
20-34	270	9.5	105	2	3	6	10	18	32	55
35-49	214	11.9	105	3	5	9	13	21	35	55
50-64	192	17.6	177	6	7	13	22	36	48	80
65+	198	21.8	314	7	8	16	28	58	76	99+
GRAND TOTAL	**931**	**14.5**	**188**	**3**	**4**	**10**	**17**	**32**	**46**	**84**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	8.6	15	4	4	9	11	14	14	14
20-34	13	10.7	13	7	7	10	11	18	18	18
35-49	17	13.6	24	9	10	11	15	23	24	24
50-64	35	16.5	46	8	9	15	20	23	30	40
65+	26	17.5	56	11	11	15	21	28	37	39
2. MULTIPLE DX										
0-19 YRS	21	15.1	75	4	5	13	21	25	32	39
20-34	41	15.0	113	7	8	12	16	25	40	56
35-49	50	17.3	137	8	8	13	19	32	41	67
50-64	103	19.8	148	8	9	16	24	34	39	73
65+	99	22.3	158	9	10	19	28	37	43	73
TOT. SINGLE DX	96	15.1	46	8	9	14	18	23	28	40
" MULTIPLE DX	314	19.2	146	8	9	15	24	34	41	64
TOTAL 0-19 YRS	26	13.8	69	4	5	12	20	25	29	39
20-34	54	14.0	92	7	7	11	15	21	28	56
35-49	67	16.4	111	8	9	12	19	26	38	64
50-64	138	18.9	125	8	9	16	23	33	38	62
65+	125	21.3	140	9	10	18	27	37	41	68
GRAND TOTAL	**410**	**18.3**	**126**	**8**	**9**	**15**	**22**	**33**	**39**	**62**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	11.5	33	3	4	11	13	20	21	30
20-34	64	10.8	41	2	2	10	12	16	22	34
35-49	78	9.6	34	1	3	9	12	16	20	35
50-64	70	10.7	25	2	3	11	13	17	20	23
65+	45	14.6	52	4	8	12	19	26	28	36
2. MULTIPLE DX										
0-19 YRS	72	14.6	173	2	3	12	18	23	36	82
20-34	194	15.8	170	2	4	12	19	34	48	91
35-49	166	15.4	101	3	4	14	20	27	34	65
50-64	164	16.1	147	2	6	13	20	30	44	73
65+	127	20.1	200	4	7	15	27	45	51	57
TOT. SINGLE DX	290	11.1	39	2	3	11	13	19	21	33
" MULTIPLE DX	723	16.4	157	2	4	13	20	33	45	74
TOTAL 0-19 YRS	105	13.6	131	2	3	12	17	21	31	71
20-34	258	14.5	143	2	3	11	17	32	39	80
35-49	244	13.5	87	2	4	11	17	25	30	57
50-64	234	14.5	117	2	4	12	18	26	34	71
65+	172	18.6	167	4	7	14	24	37	51	56
GRAND TOTAL	**1013**	**14.9**	**129**	**2**	**4**	**12**	**18**	**28**	**38**	**66**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	8.0	25	3	3	7	12	15	15	15
20-34	81	9.8	25	3	4	9	12	15	20	27
35-49	102	10.1	19	3	4	10	13	16	18	24
50-64	79	11.0	16	6	7	11	13	16	18	26
65+	43	11.6	17	6	8	10	14	18	19	22
2. MULTIPLE DX										
0-19 YRS	2	16.0	2	15	15	16	17	17	17	17
20-34	49	13.0	50	6	7	12	15	18	26	48
35-49	72	13.2	40	4	8	12	16	22	26	35
50-64	98	14.6	61	5	7	13	17	24	31	46
65+	64	14.9	73	5	8	14	17	20	26	57
TOT. SINGLE DX	310	10.4	20	3	5	10	13	16	18	25
" MULTIPLE DX	285	14.1	56	5	8	13	16	22	27	48
TOTAL 0-19 YRS	7	10.3	32	3	3	11	15	17	17	17
20-34	130	11.0	37	3	5	10	13	17	21	34
35-49	174	11.4	30	3	5	11	14	18	22	29
50-64	177	13.0	44	5	7	12	15	22	25	37
65+	107	13.6	53	6	8	13	16	20	21	52
GRAND TOTAL	595	12.2	41	4	6	11	14	19	23	36

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	11.4	11	8	8	10	13	16	17	24
20-34	12	13.0	24	7	8	11	17	21	22	22
35-49	5	20.6	129	11	11	15	28	39	39	39
50-64	3	11.7	134	<1	<1	10	20	24	24	24
65+	3	29.3	257	14	14	28	41	46	46	46
2. MULTIPLE DX										
0-19 YRS	76	13.2	27	8	9	11	15	20	25	31
20-34	34	19.7	201	8	9	16	20	35	44	81
35-49	15	17.7	95	3	4	15	26	28	35	38
50-64	14	27.5	227	12	12	23	42	50	57	59
65+	20	32.6	328	8	9	32	49	63	81	99+
TOT. SINGLE DX	74	13.0	46	8	8	11	14	22	24	44
" MULTIPLE DX	159	18.7	168	8	9	14	23	39	48	79
TOTAL 0-19 YRS	127	12.5	22	8	9	11	14	18	24	30
20-34	46	17.9	163	7	9	14	20	32	41	81
35-49	20	18.4	99	3	7	15	25	33	38	39
50-64	17	24.7	240	3	10	23	33	48	55	59
65+	23	32.1	308	9	9	30	47	61	75	99+
GRAND TOTAL	233	16.9	136	8	9	12	19	31	44	68

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	5.2	14	2	2	4	6	11	14	15
20-34	133	4.6	7	2	2	4	6	8	10	13
35-49	168	5.0	13	2	2	4	6	9	11	20
50-64	110	5.6	14	2	2	5	7	10	12	20
65+	33	5.5	18	1	2	4	7	9	13	24
2. MULTIPLE DX										
0-19 YRS	12	10.9	78	1	2	9	15	23	32	33
20-34	63	9.0	161	1	2	6	8	13	38	77
35-49	67	7.3	48	2	2	5	9	12	24	36
50-64	91	7.5	30	2	3	6	9	14	21	27
65+	61	9.7	84	2	2	6	12	19	32	42
TOT. SINGLE DX	456	5.1	12	2	2	4	6	9	11	18
" MULTIPLE DX	294	8.4	76	2	2	6	9	17	24	45
TOTAL 0-19 YRS	24	8.0	53	1	2	5	10	18	23	33
20-34	196	6.0	60	1	2	4	7	10	12	49
35-49	235	5.7	24	2	2	5	7	10	14	30
50-64	201	6.5	22	2	2	5	8	12	15	24
65+	94	8.2	65	2	2	5	10	18	28	41
GRAND TOTAL	750	6.4	40	2	2	5	7	11	16	33

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	194	2.7	8	<1	<1	1	3	7	9	13
20-34	231	4.1	19	<1	<1	2	6	9	12	30
35-49	236	3.8	13	<1	<1	3	5	8	10	23
50-64	296	3.8	13	<1	<1	2	5	9	12	18
65+	402	4.9	45	<1	<1	3	6	10	16	27
2. MULTIPLE DX										
0-19 YRS	199	6.2	56	<1	1	4	8	14	23	37
20-34	291	8.4	147	<1	<1	5	9	21	35	98
35-49	345	8.6	116	<1	<1	6	10	18	31	71
50-64	731	8.6	138	<1	<1	5	10	20	29	86
65+	1645	10.0	166	<1	1	5	13	27	42	99+
TOT. SINGLE DX	1359	4.0	24	<1	<1	2	5	9	12	23
" MULTIPLE DX	3211	9.1	147	<1	1	5	11	22	36	84
TOTAL 0-19 YRS	393	4.5	36	<1	<1	2	6	11	15	32
20-34	522	6.5	95	<1	<1	4	8	15	23	84
35-49	581	6.7	80	<1	<1	4	8	14	22	49
50-64	1027	7.2	107	<1	<1	4	9	16	24	65
65+	2047	9.0	147	<1	1	5	11	23	37	84
GRAND TOTAL	4570	7.6	116	<1	<1	4	9	18	30	76

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.3	10	2	2	3	7	8	8	8
20-34	18	4.7	6	2	2	4	7	9	10	10
35-49	54	4.6	11	1	2	4	6	9	12	19
50-64	187	4.4	13	1	2	4	5	8	9	22
65+	466	5.2	23	1	2	4	6	10	13	26
2. MULTIPLE DX										
0-19 YRS	4	11.5	8	8	8	11	13	15	15	15
20-34	21	9.9	81	2	3	7	9	26	32	33
35-49	59	6.8	28	2	2	5	9	14	17	26
50-64	310	6.4	68	1	2	5	7	11	17	58
65+	918	8.5	81	2	2	6	10	17	24	54
TOT. SINGLE DX	728	5.0	20	1	2	4	6	9	12	24
" MULTIPLE DX	1312	8.0	76	2	2	6	9	16	22	54
TOTAL 0-19 YRS	7	8.4	22	2	2	8	12	14	15	15
20-34	39	7.5	53	2	2	5	8	17	27	33
35-49	113	5.8	21	2	2	4	8	12	15	23
50-64	497	5.7	48	1	2	4	6	9	14	32
65+	1384	7.4	64	2	2	5	9	15	21	43
GRAND TOTAL	2040	6.9	58	2	2	5	8	14	20	40

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	6.3	36	<1	1	4	8	17	19	19
20-34	29	8.0	64	1	1	5	13	19	26	34
35-49	50	7.9	40	2	2	6	12	15	18	31
50-64	65	9.2	99	1	1	5	12	20	34	51
65+	69	9.8	89	1	1	7	15	23	28	43
2. MULTIPLE DX										
0-19 YRS	29	13.3	206	2	3	8	15	29	54	65
20-34	52	14.6	352	1	1	9	16	23	62	98
35-49	76	13.9	95	2	3	13	20	29	37	85
50-64	140	13.5	127	2	3	11	20	29	38	67
65+	281	16.2	245	2	3	12	24	41	58	99+
TOT. SINGLE DX	221	8.8	76	1	2	6	13	19	26	43
" MULTIPLE DX	578	14.9	205	2	3	11	20	34	47	99+
TOTAL 0-19 YRS	37	11.8	176	1	2	8	13	21	46	65
20-34	81	12.2	257	1	1	8	14	23	30	94
35-49	126	11.5	82	2	2	10	16	24	33	57
50-64	205	12.2	122	2	2	9	18	27	35	58
65+	350	14.9	221	2	2	10	21	36	53	99+
GRAND TOTAL	799	13.2	177	2	2	9	18	30	42	99+

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	1.4		<1	<1	1	2	2	3	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	6	6.0	18	2	2	5	7	13	14	14
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	16	2.2	3	1	1	2	2	5	7	8
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	7.0	8	5	5	7	9	9	9	9
50-64	5	9.8	114	<1	<1	6	16	27	27	27
65+	11	9.6	26	4	4	9	12	18	19	19
TOT. SINGLE DX	36	2.3	6	<1	<1	1	2	5	6	14
" MULTIPLE DX	35	6.0	37	1	1	4	9	13	19	27
TOTAL 0-19 YRS	43	1.7	2	<1	<1	1	2	3	5	8
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	3	6.0	7	4	4	5	8	9	9	9
50-64	11	7.7	59	<1	1	5	11	19	26	27
65+	12	9.0	29	2	3	9	11	18	19	19
GRAND TOTAL	71	4.1	24	<1	1	2	5	10	14	25

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	8.6	27	1	2	8	13	17	17	20
20-34	33	6.8	21	<1	1	6	9	15	17	17
35-49	19	8.3	22	<1	1	9	11	15	16	16
50-64	29	5.2	10	1	2	4	8	10	11	12
65+	17	8.9	39	1	2	7	14	19	20	20
2. MULTIPLE DX										
0-19 YRS	70	8.8	34	<1	1	9	12	16	20	26
20-34	24	13.3	99	2	3	12	16	31	35	41
35-49	21	10.2	93	2	2	7	13	25	34	37
50-64	37	7.1	40	1	2	5	11	16	20	27
65+	44	10.6	113	1	2	8	14	25	32	54
TOT. SINGLE DX	185	7.8	25	1	2	7	11	16	17	20
" MULTIPLE DX	196	9.6	70	1	2	8	13	19	27	39
TOTAL 0-19 YRS	157	8.7	30	<1	2	9	12	16	18	24
20-34	57	9.6	64	1	2	8	13	17	27	40
35-49	40	9.3	59	1	2	8	12	17	26	37
50-64	66	6.3	28	1	2	4	9	12	17	26
65+	61	10.2	92	1	2	7	14	22	29	52
GRAND TOTAL	381	8.7	49	1	2	7	12	17	20	33

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	65	2.3	4	<1	<1	1	3	5	7	9
20-34	35	3.1	5	<1	<1	2	4	7	8	8
35-49	44	2.9	6	<1	<1	2	4	7	9	9
50-64	39	4.2	16	<1	1	3	5	9	14	20
65+	82	5.0	19	1	1	4	6	10	13	25
2. MULTIPLE DX										
0-19 YRS	80	5.9	128	1	1	3	6	12	17	75
20-34	60	7.5	48	<1	<1	5	11	16	24	30
35-49	69	7.2	63	<1	<1	5	9	16	23	45
50-64	110	9.6	150	<1	<1	4	12	29	43	75
65+	376	10.4	139	1	2	6	14	25	46	99+
TOT. SINGLE DX	265	3.6	12	<1	<1	2	5	8	10	17
" MULTIPLE DX	695	9.2	127	<1	1	5	12	23	35	99+
TOTAL 0-19 YRS	145	4.3	76	<1	1	2	4	9	12	30
20-34	95	5.9	36	<1	<1	4	8	13	22	28
35-49	113	5.5	45	<1	<1	4	7	12	16	37
50-64	149	8.2	121	<1	<1	4	10	23	36	59
65+	458	9.4	123	1	2	6	13	21	36	99+
GRAND TOTAL	960	7.6	101	<1	1	4	9	18	30	99

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	3.6	7	1	1	3	6	8	9	9
20-34	42	4.8	3	2	2	5	6	7	8	9
35-49	25	5.2	6	1	2	5	8	9	9	10
50-64	26	6.0	7	2	2	6	8	10	11	11
65+	38	7.2	41	2	2	5	8	10	22	35
2. MULTIPLE DX										
0-19 YRS	10	4.6	15	1	1	3	7	10	13	13
20-34	20	8.6	24	3	4	7	12	17	18	19
35-49	19	8.0	27	1	2	7	11	15	19	22
50-64	42	8.2	67	2	3	6	10	14	18	53
65+	92	7.5	23	2	3	6	9	13	18	26
TOT. SINGLE DX	145	5.6	16	2	2	5	7	9	10	28
" MULTIPLE DX	183	7.7	34	2	3	6	10	14	18	26
TOTAL 0-19 YRS	24	4.0	10	1	1	3	6	8	10	13
20-34	62	6.0	13	2	3	5	7	11	14	19
35-49	44	6.4	17	1	2	6	8	12	15	22
50-64	68	7.4	45	2	3	6	9	12	15	47
65+	130	7.4	28	2	3	6	9	12	18	29
GRAND TOTAL	328	6.7	27	2	2	6	8	12	16	26

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	26	8.6	8	6	6	8	9	12	16	17
35-49	123	8.6	6	6	6	8	10	11	13	19
50-64	72	9.7	11	6	6	9	11	13	15	22
65+	27	10.6	41	6	6	9	11	15	30	33
2. MULTIPLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	26	9.4	14	5	6	8	11	13	16	23
35-49	129	10.3	29	6	6	9	12	16	19	39
50-64	122	13.4	96	6	7	11	15	21	27	70
65+	43	18.5	241	7	8	14	18	33	60	82
TOT. SINGLE DX	248	9.1	12	6	6	8	10	12	14	22
" MULTIPLE DX	321	12.5	89	6	7	10	14	19	26	64
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	52	9.0	11	5	6	8	11	13	16	23
35-49	252	9.5	19	6	6	8	10	13	16	28
50-64	194	12.0	68	6	7	10	13	19	24	49
65+	70	15.5	178	6	7	11	16	30	39	79
GRAND TOTAL	569	11.0	58	6	6	9	12	16	21	41

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	15	8.3	7	6	6	8	8	13	15	16
35-49	45	9.4	12	5	6	8	11	15	17	22
50-64	35	10.1	14	7	7	9	11	14	21	24
65+	11	14.0	104	6	6	11	15	29	41	42
2. MULTIPLE DX										
0-19 YRS										
20-34	21	10.3	54	6	7	8	10	14	27	41
35-49	80	10.3	35	6	7	9	11	16	19	43
50-64	66	12.1	33	6	7	10	15	19	23	33
65+	29	13.9	82	6	6	12	17	21	25	54
TOT. SINGLE DX	106	10.0	23	6	6	9	11	15	18	32
" MULTIPLE DX	196	11.4	45	6	7	9	13	18	22	47
TOTAL 0-19 YRS										
20-34	36	9.5	35	6	6	8	9	13	16	41
35-49	125	10.0	27	6	6	9	11	15	18	30
50-64	101	11.4	28	6	7	10	14	18	23	31
65+	40	14.0	86	6	6	12	16	21	33	54
GRAND TOTAL	302	10.9	38	6	7	9	12	17	22	41

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	6.3	10	3	3	6	9	9	9	9
35-49	4	4.0	2	2	2	4	5	6	6	6
50-64	5	8.8	15	4	4	8	10	15	15	15
65+	2	6.5	61	<1	<1	6	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	3	8.0	7	5	5	9	10	10	10	10
20-34	11	11.8	297	3	3	7	10	32	60	63
35-49	6	12.7	115	2	2	9	22	28	29	29
50-64	7	13.0	212	3	3	9	12	39	45	45
65+	13	9.2	102	1	1	9	11	20	35	39
TOT. SINGLE DX	16	6.2	16	<1	1	5	9	12	14	15
" MULTIPLE DX	40	11.0	159	1	2	8	11	25	42	63
TOTAL 0-19 YRS	4	6.3	17	1	1	7	9	10	10	10
20-34	15	10.3	221	3	3	7	9	12	50	63
35-49	10	9.2	85	2	2	5	12	25	29	29
50-64	12	11.3	126	3	4	8	12	24	42	45
65+	15	8.8	93	<1	1	9	12	15	33	39
GRAND TOTAL	**56**	**9.6**	**122**	**1**	**2**	**7**	**11**	**15**	**36**	**62**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	7	8.4	31	2	3	7	11	18	19	19
35-49	1	7.0		7	7	7	7	7	7	7
50-64	2	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	10	13.5	31	3	5	14	18	20	21	21
35-49	6	22.0	100	11	12	18	30	37	38	38
50-64	9	22.6	170	7	8	18	33	43	43	43
65+	9	24.0	147	<1	7	24	31	40	43	43
TOT. SINGLE DX	10	8.2	21	2	3	7	8	15	19	19
" MULTIPLE DX	34	20.2	121	4	8	18	28	38	43	43
TOTAL 0-19 YRS										
20-34	17	11.4	36	2	3	11	16	20	21	21
35-49	7	19.9	115	7	8	17	27	36	38	38
50-64	11	19.9	171	7	7	17	27	42	43	43
65+	9	24.0	148	<1	7	24	31	40	43	43
GRAND TOTAL	**44**	**17.5**	**123**	**3**	**6**	**17**	**21**	**36**	**42**	**43**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	6.3	24	3	3	4	10	12	12	12
20-34	2	7.5	5	6	6	7	9	9	9	9
35-49	12	7.2	3	3	4	7	8	9	10	10
50-64	511	7.8	9	4	5	7	9	11	13	18
65+	1053	8.7	17	4	5	8	10	13	16	24
2. MULTIPLE DX										
0-19 YRS	2	15.5	313	3	3	15	28	28	28	28
20-34	4	12.3	23	7	7	12	16	18	18	18
35-49	38	9.6	18	4	5	9	12	17	19	21
50-64	875	10.1	56	4	5	8	11	16	21	43
65+	2625	13.4	116	5	6	10	15	25	35	67
TOT. SINGLE DX	1581	8.4	15	4	5	8	10	13	16	22
" MULTIPLE DX	3544	12.5	103	5	6	9	14	22	31	63
TOTAL 0-19 YRS	5	10.0	116	3	3	4	16	28	28	28
20-34	6	10.7	21	6	6	9	14	18	18	18
35-49	50	9.0	16	4	5	8	10	15	18	21
50-64	1386	9.2	40	4	5	8	10	14	18	34
65+	3678	12.1	93	5	6	9	13	21	29	59
GRAND TOTAL	**5125**	**11.3**	**79**	**4**	**5**	**9**	**13**	**19**	**27**	**54**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	2	25.0	50	20	20	25	30	30	30	30
50-64	13	13.3	48	6	7	10	16	26	28	28
65+	87	14.8	44	8	9	13	18	26	31	33
2. MULTIPLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	3	15.7	96	10	10	10	23	27	27	27
50-64	63	16.8	71	7	9	15	21	30	34	41
65+	232	18.6	131	8	9	15	22	34	44	68
TOT. SINGLE DX	103	14.7	47	6	8	13	18	26	30	33
" MULTIPLE DX	299	18.1	119	8	9	15	22	32	40	61
TOTAL 0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34										
35-49	5	19.4	87	10	10	20	28	30	30	30
50-64	76	16.2	69	6	8	14	20	29	32	40
65+	319	17.5	111	8	9	14	20	31	40	60
GRAND TOTAL	402	17.2	103	8	9	14	21	30	39	58

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	5	2.8	3	<1	<1	3	4	5	5	5
35-49	20	3.2	6	1	1	2	4	7	9	11
50-64	87	3.4	6	1	1	3	4	7	9	13
65+	187	5.3	32	1	2	3	6	11	14	26
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	7	9.1	106	1	1	6	13	27	30	30
35-49	15	6.1	184	<1	<1	2	4	5	42	55
50-64	138	6.3	46	1	2	4	8	12	19	39
65+	417	8.2	84	2	2	5	10	19	25	54
TOT. SINGLE DX	299	4.5	24	1	2	3	5	10	13	23
" MULTIPLE DX	578	7.7	78	2	2	4	10	17	25	49
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	12	6.5	70	<1	<1	4	6	19	28	30
35-49	35	4.4	82	<1	1	2	4	6	10	55
50-64	225	5.2	33	1	2	3	6	10	14	36
65+	604	7.3	70	2	2	4	9	16	23	47
GRAND TOTAL	877	6.6	62	1	2	4	8	14	21	41

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	2.9	7	1	1	2	3	5	7	18
20-34	34	2.7	1	1	1	3	4	5	5	5
35-49	28	3.8	3	1	2	3	5	7	7	9
50-64	28	4.4	9	1	1	4	5	8	10	15
65+	18	4.5	8	<1	1	4	7	9	10	11
2. MULTIPLE DX										
0-19 YRS	28	6.0	177	1	1	3	5	8	16	73
20-34	24	5.7	13	1	2	5	8	11	14	14
35-49	23	6.0	18	1	2	5	8	12	15	17
50-64	41	8.3	47	3	3	6	9	23	27	99+
65+	51	8.8	55	2	3	6	11	20	28	35
TOT. SINGLE DX	170	3.4	6	1	1	3	4	7	8	14
" MULTIPLE DX	167	7.4	63	2	2	5	8	14	24	66
TOTAL 0-19 YRS	90	3.9	61	1	1	2	4	6	8	51
20-34	58	3.9	9	1	1	3	5	8	10	14
35-49	51	4.8	11	1	2	4	6	9	12	17
50-64	69	6.8	35	1	2	5	8	15	26	86
65+	69	7.7	47	2	2	6	9	16	24	34
GRAND TOTAL	337	5.4	38	1	1	4	7	10	16	30

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	3.9	8	1	1	3	5	7	7	19
20-34	71	5.4	13	2	2	5	7	10	13	19
35-49	28	4.0	5	1	1	4	5	7	9	11
50-64	23	6.3	30	1	2	5	8	13	20	23
65+	46	7.5	31	2	2	6	10	13	19	29
2. MULTIPLE DX										
0-19 YRS	38	4.2	14	1	1	3	5	8	14	19
20-34	49	9.3	131	1	1	5	12	21	29	63
35-49	27	6.1	39	2	2	4	6	14	22	29
50-64	50	10.2	76	3	3	8	13	20	27	45
65+	133	11.5	69	3	3	9	15	22	28	46
TOT. SINGLE DX	221	5.4	18	1	2	4	7	11	13	22
" MULTIPLE DX	297	9.5	77	2	2	6	13	21	25	45
TOTAL 0-19 YRS	91	4.0	11	1	1	3	5	7	10	19
20-34	120	7.0	65	1	2	5	8	16	20	48
35-49	55	5.1	23	1	2	4	6	9	14	29
50-64	73	9.0	65	2	3	6	12	18	23	43
65+	179	10.5	63	3	3	8	14	21	25	42
GRAND TOTAL	518	7.7	56	2	2	5	10	17	22	39

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	350	2.7	2	<1	1	2	3	5	5	8
20-34	56	3.3	9	<1	1	2	4	6	10	18
35-49	6	3.3	2	2	2	3	4	6	6	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	214	3.2	4	1	1	3	4	5	7	14
20-34	27	4.3	6	2	2	4	6	7	9	13
35-49	3	7.0	27	4	4	4	11	13	13	13
50-64	4	9.8	26	4	4	10	14	15	15	15
65+										
TOT. SINGLE DX	412	2.8	3	<1	1	2	3	5	6	9
" MULTIPLE DX	248	3.4	6	1	1	3	4	6	8	14
TOTAL 0-19 YRS	564	2.9	3	<1	1	2	4	5	6	9
20-34	83	3.6	8	1	1	3	4	6	10	16
35-49	9	4.6	12	2	2	4	5	10	13	13
50-64	4	9.8	26	4	4	10	14	15	15	15
65+										
GRAND TOTAL	660	3.0	4	<1	1	3	4	5	7	13

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	2.5	2	1	1	2	3	5	6	9
20-34	56	3.0	3	<1	1	3	3	6	6	9
35-49	23	3.7	13	1	2	3	4	5	10	20
50-64	6	3.0		2	2	3	4	4	4	4
65+	3	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	19	2.6	4	<1	1	2	3	4	7	10
20-34	33	3.9	18	1	1	3	4	8	10	25
35-49	4	16.3	475	1	1	8	30	48	48	48
50-64	7	7.7	72	2	2	5	8	23	26	26
65+	5	8.0	26	3	3	5	13	14	14	14
TOT. SINGLE DX	160	2.9	4	1	1	2	3	5	6	9
" MULTIPLE DX	68	5.0	50	1	1	3	5	10	15	44
TOTAL 0-19 YRS	91	2.6	3	1	1	2	3	5	6	10
20-34	89	3.3	9	<1	1	3	4	6	8	19
35-49	27	5.6	87	1	1	3	4	11	24	48
50-64	13	5.5	42	2	2	3	5	12	23	26
65+	8	6.1	22	3	3	4	9	14	14	14
GRAND TOTAL	228	3.5	19	1	1	3	4	6	9	25

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	182	1.1		<1	<1	<1	1	1	2	4
35-49	71	1.1		<1	<1	<1	1	2	2	3
50-64	8	1.4		<1	<1	1	2	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	40	1.9	4	<1	<1	1	2	5	6	10
35-49	24	2.3	8	<1	<1	1	2	6	11	11
50-64	2	6.5	61	<1	<1	6	12	12	12	12
65+										
TOT. SINGLE DX	261	1.1		<1	<1	<1	1	1	2	4
" MULTIPLE DX	66	2.2	7	<1	<1	1	2	6	10	12
TOTAL 0-19 YRS										
20-34	222	1.3	1	<1	<1	<1	1	2	3	6
35-49	95	1.4	2	<1	<1	<1	1	2	3	11
50-64	10	2.4	12	<1	<1	1	2	7	12	12
65+										
GRAND TOTAL	327	1.3	2	<1	<1	<1	1	2	3	10

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	216	2.4	2	<1	1	2	3	4	5	8
20-34	201	2.9	3	<1	1	3	3	5	5	9
35-49	137	2.8	3	<1	<1	2	3	5	6	14
50-64	110	3.5	3	1	2	3	4	5	7	10
65+	66	3.2	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	86	2.9	4	1	1	2	3	5	7	11
20-34	107	3.3	5	1	2	3	4	6	7	15
35-49	70	4.0	15	1	2	3	4	6	13	24
50-64	97	5.3	21	1	2	4	6	10	12	30
65+	67	6.2	33	2	2	5	7	10	15	36
TOT. SINGLE DX	730	2.9	3	<1	1	3	3	5	6	9
" MULTIPLE DX	427	4.3	16	1	2	3	5	8	11	23
TOTAL 0-19 YRS	302	2.6	3	<1	1	2	3	5	6	10
20-34	308	3.0	4	<1	1	3	4	5	6	11
35-49	207	3.2	8	<1	1	3	4	5	7	15
50-64	207	4.3	12	1	2	3	5	8	10	18
65+	133	4.7	20	1	2	3	6	8	10	27
GRAND TOTAL	1157	3.4	8	<1	1	3	4	6	8	14

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	236	1.8	4	<1	<1	1	2	3	4	5
20-34	40	2.1	1	<1	<1	2	2	3	4	9
35-49	16	1.6		<1	<1	2	2	2	3	3
50-64	18	2.2	2	<1	1	2	3	4	6	7
65+	9	3.7	9	1	1	2	5	9	9	9
2. MULTIPLE DX										
0-19 YRS	77	2.4	3	<1	<1	2	3	5	6	10
20-34	15	2.9	4	<1	1	2	3	7	8	8
35-49	20	6.7	247	1	1	3	4	8	41	73
50-64	32	4.3	15	2	2	3	4	7	11	22
65+	34	8.2	179	1	1	4	9	14	22	78
TOT. SINGLE DX	673	1.9	3	<1	<1	2	2	3	4	8
" MULTIPLE DX	336	4.4	74	<1	1	2	4	9	12	73
TOTAL 0-19 YRS	627	2.0	4	<1	<1	2	2	3	4	8
20-34	134	2.9	37	<1	<1	2	3	4	6	26
35-49	78	4.3	134	<1	<1	2	3	4	9	75
50-64	91	3.6	14	1	1	2	4	7	11	23
65+	79	6.3	99	1	1	3	8	13	24	93
GRAND TOTAL	1009	2.8	28	<1	<1	2	3	4	7	22

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	1.3		<1	<1	1	1	3	3	3
20-34	37	2.8	8	<1	<1	1	3	6	10	12
35-49	18	6.1	61	<1	<1	3	7	17	27	31
50-64	27	5.4	4	2	3	5	6	9	10	10
65+	8	7.4	16	2	2	7	11	12	12	12
2. MULTIPLE DX										
0-19 YRS	20	5.0	30	<1	<1	4	5	9	18	26
20-34	15	4.7	12	2	2	3	6	8	13	15
35-49	24	10.9	136	3	3	6	12	32	39	49
50-64	60	7.2	21	2	3	6	9	13	16	23
65+	31	13.7	223	2	3	10	16	25	26	84
TOT. SINGLE DX	112	4.0	18	<1	<1	3	6	9	12	25
" MULTIPLE DX	150	8.6	90	2	2	6	10	16	24	49
TOTAL 0-19 YRS	42	3.1	18	<1	<1	1	4	5	8	26
20-34	52	3.3	10	<1	<1	2	4	8	11	15
35-49	42	8.9	108	<1	1	6	9	24	33	49
50-64	87	6.7	17	2	3	6	8	12	14	23
65+	39	12.4	187	2	3	10	15	24	26	84
GRAND TOTAL	262	6.6	65	<1	<1	5	8	13	22	35

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	67	5.4	4	3	3	5	6	8	9	13
20-34	327	5.5	3	3	4	5	6	7	8	12
35-49	54	6.5	15	4	4	6	7	9	12	29
50-64	8	6.8	4	5	5	6	8	10	10	10
65+	4	11.8	37	6	6	11	17	18	18	18
2. MULTIPLE DX										
0-19 YRS	48	5.9	4	3	3	5	7	9	10	11
20-34	409	6.2	7	3	4	6	7	8	11	16
35-49	120	8.1	22	3	4	7	9	14	18	29
50-64	13	13.5	39	6	7	12	16	23	27	28
65+	13	21.1	331	8	8	14	22	50	68	72
TOT. SINGLE DX	460	5.7	6	3	4	5	6	8	9	16
" MULTIPLE DX	603	7.0	23	3	4	6	8	11	14	28
TOTAL 0-19 YRS	115	5.6	4	3	3	5	7	8	9	12
20-34	736	5.8	6	3	4	6	7	8	9	15
35-49	174	7.6	21	4	4	7	8	12	16	29
50-64	21	11.0	36	5	5	9	14	19	25	28
65+	17	18.9	273	6	7	14	18	41	62	72
GRAND TOTAL	1063	6.4	16	3	4	6	7	9	12	20

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	6.4	7	3	4	5	7	11	13	13
20-34	239	6.5	5	4	4	6	7	9	12	15
35-49	133	6.7	5	4	4	6	8	9	11	15
50-64	17	7.5	2	5	5	7	8	10	11	11
65+	9	7.9	2	6	6	8	9	10	11	11
2. MULTIPLE DX										
0-19 YRS	29	7.0	5	4	4	7	8	9	12	15
20-34	470	7.3	10	4	5	7	8	11	13	23
35-49	298	7.7	11	4	5	7	8	12	15	22
50-64	31	9.4	21	5	5	8	11	14	15	28
65+	24	20.0	103	9	10	17	25	37	39	40
TOT. SINGLE DX	420	6.6	6	4	4	6	7	9	11	14
" MULTIPLE DX	852	7.9	18	4	5	7	8	12	15	26
TOTAL 0-19 YRS	51	6.7	6	3	4	7	8	10	13	15
20-34	709	7.0	9	4	4	6	8	10	13	20
35-49	431	7.4	10	4	5	7	8	11	14	21
50-64	48	8.7	16	5	5	8	10	14	15	28
65+	33	16.7	105	6	7	13	20	36	39	40
GRAND TOTAL	1272	7.4	14	4	5	7	8	11	14	25

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	35	6.7	10	3	3	6	8	11	14	16
35-49	21	7.6	5	4	5	7	9	11	13	14
50-64	14	8.6	16	4	5	8	10	11	19	21
65+	8	11.1	20	6	6	10	15	17	18	18
2. MULTIPLE DX										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	99	8.4	53	5	5	7	9	12	14	51
35-49	146	10.2	68	5	6	8	11	16	22	61
50-64	69	13.1	51	6	6	11	16	22	29	41
65+	38	17.0	112	7	8	14	21	29	52	99+
TOT. SINGLE DX	81	7.6	12	3	4	7	9	13	15	20
" MULTIPLE DX	354	11.0	72	5	5	8	12	20	26	61
TOTAL 0-19 YRS	5	4.4	4	<1	<1	5	6	6	6	6
20-34	134	8.0	42	4	5	7	8	11	14	35
35-49	167	9.9	62	5	5	8	10	15	21	56
50-64	83	12.3	48	5	6	10	16	21	26	39
65+	46	16.0	101	7	7	14	20	28	46	99+
GRAND TOTAL	435	10.4	63	5	5	8	12	18	24	60

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	3.5	4	1	1	3	5	6	7	7
20-34	83	4.2	4	1	1	4	6	7	7	11
35-49	12	4.4	3	<1	1	5	5	7	8	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	13	6.2	5	2	4	6	7	10	11	11
20-34	270	4.9	6	1	1	5	6	7	9	12
35-49	43	4.9	16	<1	1	5	7	9	11	22
50-64	2	9.0		9	9	9	9	9	9	9
65+										
TOT. SINGLE DX	114	4.1	5	1	1	4	6	7	7	10
" MULTIPLE DX	328	5.0	8	1	1	5	6	8	9	14
TOTAL 0-19 YRS	32	4.6	6	1	1	5	6	8	9	11
20-34	353	4.7	6	1	1	5	6	7	8	12
35-49	55	4.8	13	<1	1	5	6	8	10	22
50-64	2	9.0		9	9	9	9	9	9	9
65+										
GRAND TOTAL	442	4.7	7	1	1	5	6	7	9	13

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.0	22	1	1	2	7	11	11	11
20-34	932	1.3	1	<1	<1	<1	1	2	2	4
35-49	344	1.3		<1	<1	1	2	2	2	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	368	2.1	4	<1	<1	1	2	4	6	11
35-49	177	1.8	3	<1	<1	1	2	3	6	10
50-64	1	2.0		2	2	2	2	2	2	2
65+										
TOT. SINGLE DX	1281	1.3	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	549	2.0	4	<1	<1	1	2	4	6	11
TOTAL 0-19 YRS	7	3.1	12	<1	<1	2	3	9	11	11
20-34	1300	1.5	2	<1	<1	1	2	2	3	7
35-49	521	1.5	1	<1	<1	1	2	2	3	7
50-64	2	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	1830	1.5	2	<1	<1	1	2	2	3	7

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	4.1	8	1	2	3	4	9	11	12
20-34	1529	3.0	1	1	2	3	3	4	5	8
35-49	454	2.9	1	1	2	3	3	4	5	7
50-64	3	3.3	6	1	1	3	5	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	5	3.0	4	<1	<1	3	5	5	5	5
20-34	817	4.0	7	1	2	4	5	6	8	12
35-49	280	3.8	6	1	2	3	4	6	8	16
50-64	1	4.0		4	4	4	4	4	4	4
65+										
TOT. SINGLE DX	2001	3.0	2	1	2	3	3	4	5	8
" MULTIPLE DX	1103	4.0	7	1	2	3	5	6	8	13
TOTAL 0-19 YRS	20	3.8	7	<1	1	3	4	7	10	12
20-34	2346	3.3	4	1	2	3	4	5	6	9
35-49	734	3.2	4	1	2	3	4	5	6	11
50-64	4	3.5	4	1	1	3	5	6	6	6
65+										
GRAND TOTAL	3104	3.3	4	1	2	3	4	5	6	10

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	5.9	2	4	4	6	7	8	9	10
20-34	654	5.0	4	2	3	5	6	7	8	11
35-49	97	5.0	3	2	3	5	6	7	8	10
50-64	2	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	20	5.3	2	2	3	5	6	7	8	10
20-34	729	5.7	4	3	4	6	6	8	9	12
35-49	103	5.9	4	2	4	6	7	8	10	13
50-64	2	6.0	32	2	2	6	10	10	10	10
65+	1	53.0		53	53	53	53	53	53	53
TOT. SINGLE DX	778	5.1	4	2	3	5	6	7	8	11
" MULTIPLE DX	855	5.8	7	3	4	6	7	8	9	13
TOTAL 0-19 YRS	45	5.6	3	3	4	5	6	8	9	10
20-34	1383	5.4	5	3	3	5	6	7	8	12
35-49	200	5.4	4	2	3	5	7	8	9	12
50-64	4	6.0	11	2	2	6	8	10	10	10
65+	1	53.0		53	53	53	53	53	53	53
GRAND TOTAL	1633	5.4	6	3	3	5	6	8	8	12

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	2.3	1	1	1	2	3	4	5	5
20-34	459	2.4	1	<1	<1	2	3	4	5	8
35-49	165	2.4	3	<1	<1	2	3	4	5	10
50-64	58	2.4	1	<1	1	2	3	4	4	9
65+	12	2.6	2	<1	1	2	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	6	2.5	1	<1	<1	2	4	4	4	4
20-34	221	2.8	6	<1	<1	2	3	5	6	10
35-49	119	2.7	2	<1	1	2	3	4	5	10
50-64	38	3.9	19	<1	1	2	4	6	15	23
65+	8	5.9	17	1	1	5	9	11	12	12
TOT. SINGLE DX	706	2.4	2	<1	1	2	3	4	5	9
" MULTIPLE DX	392	2.9	7	<1	<1	2	3	5	6	12
TOTAL 0-19 YRS	18	2.4	2	<1	1	2	3	4	5	5
20-34	680	2.6	3	<1	<1	2	3	5	5	9
35-49	284	2.5	3	<1	1	2	3	4	5	10
50-64	96	3.0	9	<1	1	2	3	5	6	20
65+	20	3.9	10	<1	1	3	5	9	11	12
GRAND TOTAL	1098	2.6	4	<1	<1	2	3	4	5	10

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	58	2.9	26	<1	<1	2	3	5	7	36
35-49	46	3.5	53	<1	<1	2	3	8	13	48
50-64	30	3.7	34	<1	<1	2	3	9	17	29
65+	18	6.4	56	<1	<1	2	13	18	22	24
2. MULTIPLE DX										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	47	2.2	2	<1	<1	2	3	5	6	7
35-49	72	3.9	27	<1	<1	2	5	10	13	28
50-64	44	7.3	179	<1	1	2	4	36	44	51
65+	39	10.0	136	1	1	6	12	35	44	99+
TOT. SINGLE DX	154	3.6	39	<1	<1	2	3	8	16	39
" MULTIPLE DX	205	5.4	81	<1	<1	2	6	12	31	49
TOTAL 0-19 YRS	5	2.6	4	<1	<1	2	4	6	6	6
20-34	105	2.6	15	<1	<1	2	3	5	6	22
35-49	118	3.8	37	<1	<1	2	3	9	13	36
50-64	74	5.8	122	<1	1	2	3	11	39	50
65+	57	8.9	112	<1	1	5	12	24	40	96
GRAND TOTAL	359	4.6	64	<1	<1	2	4	10	19	48

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	193	3.0	5	1	2	2	4	4	6	9
35-49	18	2.6	1	1	1	2	3	4	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	56	6.5	179	2	2	3	6	10	15	94
35-49	10	3.3	4	1	1	3	5	7	8	8
50-64										
65+										
TOT. SINGLE DX	214	2.9	6	1	1	2	3	4	5	8
" MULTIPLE DX	68	6.0	149	1	2	3	5	9	13	86
TOTAL 0-19 YRS	4	3.5	7	1	1	3	5	7	7	7
20-34	249	3.8	47	1	2	3	4	5	7	31
35-49	28	2.8	2	1	1	3	3	5	6	8
50-64	1	1.0		1	1	1	1	1	1	1
65+										
GRAND TOTAL	282	3.7	41	1	2	3	4	5	7	26

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	61	5.3	5	1	2	6	7	8	9	11
35-49	24	3.7	8	<1	<1	3	6	8	9	10
50-64	6	3.2	4	1	1	3	4	7	7	7
65+	4	1.8		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	84	6.1	20	1	2	6	7	9	12	31
35-49	47	7.2	94	1	1	6	7	11	27	56
50-64	15	5.7	58	<1	1	2	7	19	25	27
65+	10	4.3	10	<1	<1	3	8	9	10	10
TOT. SINGLE DX	96	4.6	7	<1	1	5	7	8	8	11
" MULTIPLE DX	159	6.2	45	<1	1	6	7	9	14	40
TOTAL 0-19 YRS	4	3.8	4	2	2	4	5	6	6	6
20-34	145	5.8	14	1	2	6	7	8	11	23
35-49	71	6.0	68	<1	1	5	7	9	12	53
50-64	21	5.0	43	<1	1	2	6	13	23	27
65+	14	3.6	9	<1	<1	2	4	8	10	10
GRAND TOTAL	255	5.6	31	<1	1	5	7	8	11	35

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	422	7.2	2	5	6	7	8	9	10	13
35-49	716	7.6	3	5	6	7	8	9	11	15
50-64	124	8.0	5	5	6	7	9	11	13	17
65+	64	9.4	34	6	6	8	9	13	18	39
2. MULTIPLE DX										
0-19 YRS	25	8.5	14	5	6	7	8	16	18	20
20-34	1742	7.8	8	5	6	7	8	10	13	19
35-49	3823	8.1	11	6	6	7	9	11	13	20
50-64	866	9.5	27	6	6	8	10	14	17	34
65+	257	13.8	89	7	7	11	15	25	29	63
TOT. SINGLE DX	1327	7.6	5	5	6	7	8	9	11	16
" MULTIPLE DX	6713	8.4	17	6	6	7	9	12	15	25
TOTAL 0-19 YRS	26	8.4	14	5	6	7	8	16	18	20
20-34	2164	7.7	7	5	6	7	8	10	12	19
35-49	4539	8.1	10	6	6	7	8	10	13	20
50-64	990	9.3	25	6	6	8	10	14	17	31
65+	321	12.9	81	7	7	10	14	23	28	56
GRAND TOTAL	8040	8.3	15	5	6	7	9	11	14	24

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	188	6.6	2	5	5	6	7	8	9	13
35-49	190	6.8	3	5	5	7	7	9	10	15
50-64	72	8.6	12	5	6	7	9	14	15	22
65+	80	9.8	17	6	6	9	11	15	18	28
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	587	7.4	9	5	5	7	8	10	12	20
35-49	1021	7.7	10	5	5	7	8	11	14	23
50-64	356	9.8	20	6	6	8	11	15	18	23
65+	289	11.2	26	6	7	10	13	18	21	31
TOT. SINGLE DX	531	7.4	8	5	5	7	8	10	13	18
" MULTIPLE DX	2254	8.4	16	5	5	7	9	13	16	24
TOTAL 0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	775	7.2	8	5	5	7	8	10	12	18
35-49	1211	7.6	9	5	5	7	8	11	13	21
50-64	428	9.6	19	6	6	8	11	15	18	23
65+	369	10.9	24	6	7	9	13	18	21	31
GRAND TOTAL	2785	8.2	14	5	5	7	9	12	15	23

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	17.0	8	15	15	17	19	19	19	19
35-49	1	21.0		21	21	21	21	21	21	21
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
0-19 YRS										
20-34	14	18.5	98	9	12	15	18	36	44	46
35-49	16	20.4	74	10	13	18	26	29	40	44
50-64	11	26.1	134	11	12	27	35	41	46	47
65+	8	41.9	172	24	26	39	50	62	65	65
TOT. SINGLE DX	5	15.6	25	8	8	15	19	21	21	21
" MULTIPLE DX	49	24.6	170	11	13	19	33	45	48	65
TOTAL 0-19 YRS										
20-34	16	18.3	86	9	13	15	18	33	43	46
35-49	17	20.4	70	10	13	19	26	29	39	44
50-64	12	24.6	150	8	10	24	34	40	46	47
65+	9	38.9	231	15	19	38	49	61	65	65
GRAND TOTAL	**54**	**23.8**	**163**	**9**	**13**	**19**	**31**	**44**	**47**	**65**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	1.4	1	<1	<1	1	1	2	3	9
20-34	113	1.7	2	<1	<1	1	2	2	3	11
35-49	5	1.8		1	1	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	12	1.5		<1	<1	1	2	3	3	3
20-34	86	3.5	31	<1	1	2	3	7	15	34
35-49	29	2.6	2	1	1	2	3	5	6	7
50-64										
65+										
TOT. SINGLE DX	167	1.6	2	<1	<1	1	2	2	3	9
" MULTIPLE DX	127	3.1	23	<1	1	2	3	6	8	27
TOTAL 0-19 YRS	61	1.4	1	<1	<1	1	1	2	3	8
20-34	199	2.5	16	<1	<1	1	2	4	7	22
35-49	34	2.5	2	1	1	2	3	5	6	7
50-64										
65+										
GRAND TOTAL	**294**	**2.3**	**12**	**<1**	**<1**	**1**	**2**	**4**	**6**	**19**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	551	1.9	2	<1	1	1	2	3	5	8
20-34	5191	1.7	1	<1	<1	1	2	3	4	7
35-49	1531	1.5	1	<1	<1	1	2	2	3	6
50-64	524	1.7	5	<1	<1	1	2	2	3	9
65+	133	2.3	4	<1	1	2	2	4	5	14
2. MULTIPLE DX										
0-19 YRS	175	2.5	3	<1	1	2	3	5	6	10
20-34	1733	2.6	16	<1	<1	2	3	5	7	17
35-49	1468	2.2	10	<1	<1	1	2	4	7	16
50-64	740	2.8	16	<1	<1	2	2	6	9	25
65+	267	5.1	72	<1	1	2	5	11	19	88
TOT. SINGLE DX	7930	1.7	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	4383	2.6	18	<1	<1	2	2	5	8	20
TOTAL 0-19 YRS	726	2.0	3	<1	1	1	2	4	5	9
20-34	6924	1.9	5	<1	<1	1	2	3	5	9
35-49	2999	1.9	6	<1	<1	1	2	3	4	11
50-64	1264	2.4	12	<1	<1	2	2	4	7	21
65+	400	4.2	52	<1	1	2	4	9	14	46
GRAND TOTAL	**12313**	**2.0**	**8**	**<1**	**<1**	**1**	**2**	**3**	**5**	**12**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	563	1.1		<1	<1	<1	<1	1	2	3
20-34	1264	1.1		<1	<1	<1	<1	1	2	2
35-49	76	1.0		<1	<1	<1	<1	1	1	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	140	1.7	5	<1	<1	<1	1	2	5	15
20-34	774	1.9	16	<1	<1	<1	2	3	4	11
35-49	187	1.9	2	<1	<1	1	3	3	4	8
50-64										
65+										
TOT. SINGLE DX	1903	1.1		<1	<1	<1	<1	1	2	3
" MULTIPLE DX	1101	1.9	12	<1	<1	<1	2	3	4	12
TOTAL 0-19 YRS	703	1.2	1	<1	<1	<1	<1	1	2	5
20-34	2038	1.4	6	<1	<1	<1	<1	2	3	6
35-49	263	1.7	2	<1	<1	<1	2	3	4	6
50-64										
65+										
GRAND TOTAL	**3004**	**1.4**	**5**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**6**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	1.6		<1	<1	1	2	3	4	4
20-34	237	1.6	1	<1	<1	1	2	3	4	5
35-49	14	1.4		<1	<1	1	2	2	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	8	2.8	1	1	1	3	4	5	5	5
20-34	68	2.5	5	<1	1	2	3	5	8	15
35-49	9	1.4		<1	<1	1	2	2	2	2
50-64										
65+										
TOT. SINGLE DX	276	1.6	1	<1	<1	1	2	3	4	5
" MULTIPLE DX	85	2.4	5	<1	1	2	3	4	6	14
TOTAL 0-19 YRS	33	1.8	1	<1	<1	1	3	3	4	5
20-34	305	1.8	2	<1	<1	1	2	3	4	9
35-49	23	1.4		<1	<1	1	2	2	3	3
50-64										
65+										
GRAND TOTAL	361	1.8	2	<1	<1	1	2	3	4	8

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	31	5.8	3	4	4	6	6	8	9	13
35-49	4	5.0	8	1	1	6	7	7	7	7
50-64	3	9.0	13	6	6	8	12	13	13	13
65+	6	9.0	3	7	7	9	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	6	5.7		5	5	6	6	7	7	7
20-34	59	5.7	5	2	4	5	7	8	9	17
35-49	19	8.8	107	3	4	7	8	10	33	51
50-64	8	22.5	559	8	9	14	20	63	80	80
65+	11	10.5	13	4	6	10	13	16	17	17
TOT. SINGLE DX	45	6.4	6	3	4	6	7	9	12	13
" MULTIPLE DX	103	8.1	83	3	4	6	8	12	17	65
TOTAL 0-19 YRS	7	5.6	1	5	5	5	6	7	7	7
20-34	90	5.7	5	3	4	5	7	8	9	15
35-49	23	8.2	92	2	3	7	8	9	25	51
50-64	11	18.8	434	6	7	13	18	45	77	80
65+	17	9.9	10	5	7	10	11	15	16	17
GRAND TOTAL	148	7.6	60	3	4	6	8	12	14	52

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	2.0	4	<1	<1	1	2	6	6	6
20-34	75	2.6	4	<1	<1	2	3	6	7	9
35-49	9	3.1	5	<1	<1	2	5	6	6	6
50-64	4	6.3	5	4	4	6	8	9	9	9
65+	6	21.2	320	5	5	13	41	45	46	46
2. MULTIPLE DX										
0-19 YRS	5	2.6	4	1	1	2	3	6	6	6
20-34	101	3.6	7	<1	<1	2	6	8	9	12
35-49	21	6.7	138	<1	<1	3	5	19	40	47
50-64	11	12.4	283	<1	1	7	13	39	56	58
65+	10	8.3	108	1	1	6	7	23	37	37
TOT. SINGLE DX	100	3.9	40	<1	<1	2	5	7	9	43
" MULTIPLE DX	148	5.0	57	<1	<1	3	6	9	11	47
TOTAL 0-19 YRS	11	2.3	4	<1	<1	2	2	6	6	6
20-34	176	3.2	7	<1	<1	2	5	7	8	10
35-49	30	5.6	100	<1	<1	3	5	8	35	47
50-64	15	10.7	211	<1	2	7	9	27	50	58
65+	16	13.1	213	1	2	7	14	41	44	46
GRAND TOTAL	248	4.5	50	<1	<1	2	6	8	10	46

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	31	8.8	14	3	4	8	12	15	15	16
35-49	117	8.0	12	4	4	7	9	12	15	20
50-64	162	8.5	15	5	5	7	10	12	15	27
65+	99	7.9	7	5	5	7	9	11	13	19
2. MULTIPLE DX										
0-19 YRS										
20-34	96	9.0	39	4	4	8	10	14	16	43
35-49	262	10.3	33	5	6	9	12	16	20	30
50-64	358	10.0	30	5	6	8	12	16	20	33
65+	236	10.7	36	5	6	9	12	17	22	35
TOT. SINGLE DX	409	8.3	13	4	5	7	9	12	15	20
" MULTIPLE DX	952	10.2	34	5	6	9	12	16	20	33
TOTAL 0-19 YRS										
20-34	127	8.9	33	4	4	8	11	14	15	34
35-49	379	9.6	28	4	5	8	12	16	19	28
50-64	520	9.5	26	5	6	8	11	15	18	30
65+	335	9.9	29	5	6	8	11	16	20	30
GRAND TOTAL	1361	9.6	28	5	5	8	11	15	18	29

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.6	82	<1	<1	1	3	20	27	27
20-34	53	5.2	19	1	1	4	7	11	15	22
35-49	25	4.4	6	1	1	4	6	8	9	11
50-64	13	6.7	6	1	3	7	8	10	10	10
65+	7	9.3	41	2	2	8	14	19	20	20
2. MULTIPLE DX										
0-19 YRS	6	6.3	25	1	1	6	8	14	15	15
20-34	32	6.2	17	<1	2	6	8	11	17	19
35-49	21	7.6	29	1	2	7	10	12	18	26
50-64	17	11.1	167	1	3	8	10	26	46	55
65+	14	20.1	201	3	6	17	27	41	47	49
TOT. SINGLE DX	106	5.4	21	1	1	4	7	10	15	24
" MULTIPLE DX	90	9.6	97	1	2	7	10	23	30	53
TOTAL 0-19 YRS	14	5.4	55	<1	<1	2	7	16	25	27
20-34	85	5.6	19	1	1	4	7	10	15	21
35-49	46	5.9	19	1	1	5	8	11	11	26
50-64	30	9.2	100	1	3	7	9	11	30	55
65+	21	16.5	170	2	3	11	24	38	44	49
GRAND TOTAL	196	7.3	60	1	1	5	8	13	23	45

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	3.3	18	<1	<1	2	2	11	15	15
20-34	92	3.4	15	<1	<1	2	4	8	11	23
35-49	42	3.7	21	<1	<1	2	4	7	13	24
50-64	20	5.6	12	<1	1	6	7	11	12	13
65+	21	5.3	12	1	2	5	7	10	12	15
2. MULTIPLE DX										
0-19 YRS	25	4.4	16	<1	1	3	6	11	13	17
20-34	62	5.2	17	<1	<1	4	7	11	14	20
35-49	54	7.3	36	1	1	6	10	17	20	24
50-64	64	8.4	55	1	2	7	9	16	19	43
65+	78	11.3	123	2	3	8	13	23	41	57
TOT. SINGLE DX	205	3.8	17	<1	<1	2	5	9	12	22
" MULTIPLE DX	283	7.9	64	1	2	6	9	16	21	46
TOTAL 0-19 YRS	55	3.8	17	<1	<1	2	5	11	14	17
20-34	154	4.1	17	<1	<1	3	5	9	12	21
35-49	96	5.7	33	<1	1	3	7	16	20	24
50-64	84	7.7	46	1	2	7	9	15	17	41
65+	99	10.1	105	2	2	7	12	19	33	54
GRAND TOTAL	488	6.2	48	<1	1	4	8	13	18	41

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	1.9	1	<1	<1	2	3	3	4	5
20-34	321	2.1	4	<1	<1	2	2	4	5	10
35-49	145	2.4	4	<1	1	2	3	4	5	13
50-64	50	3.1	24	<1	<1	2	3	4	6	32
65+	19	6.5	146	1	2	3	4	16	39	53
2. MULTIPLE DX										
0-19 YRS	22	3.4	11	<1	<1	2	3	8	11	15
20-34	99	4.3	107	<1	1	2	3	9	12	65
35-49	49	3.2	12	<1	<1	2	4	7	10	20
50-64	39	4.0	22	<1	1	2	4	11	21	99+
65+	32	7.3	57	2	2	4	10	22	26	28
TOT. SINGLE DX	596	2.4	11	<1	<1	2	3	4	5	16
" MULTIPLE DX	241	4.4	60	<1	1	2	4	10	15	36
TOTAL 0-19 YRS	83	2.3	4	<1	<1	2	3	4	6	13
20-34	420	2.7	30	<1	<1	2	3	4	6	15
35-49	194	2.6	7	<1	1	2	3	4	7	16
50-64	89	3.5	23	<1	<1	2	3	6	18	73
65+	51	7.0	88	2	2	3	7	21	26	53
GRAND TOTAL	837	3.0	26	<1	<1	2	3	5	8	24

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	3.0	2	2	2	3	4	5	5	5
35-49	5	3.6	6	<1	<1	3	5	7	7	7
50-64	2	6.0	8	4	4	6	8	8	8	8
65+	6	21.7	146	12	12	18	27	41	43	43
2. MULTIPLE DX										
0-19 YRS										
20-34	9	6.9	27	1	1	5	11	14	16	16
35-49	5	20.0	354	5	5	9	40	42	42	42
50-64	10	20.9	228	4	4	20	37	39	40	40
65+	15	17.3	117	5	7	12	23	38	41	42
TOT. SINGLE DX	18	9.7	122	1	2	5	12	25	37	43
" MULTIPLE DX	39	16.2	169	2	4	12	25	39	41	42
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	5.7	23	1	2	3	9	13	15	16
35-49	10	11.8	235	<1	1	5	9	40	42	42
50-64	12	18.4	221	4	4	12	35	38	40	40
65+	21	18.5	123	6	8	14	25	40	42	43
GRAND TOTAL	57	14.1	161	2	2	11	19	38	41	43

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	5.4	58	1	1	3	4	19	25	26
20-34	17	3.1	3	<1	<1	3	3	7	7	7
35-49	4	3.8	11	1	1	3	6	8	8	8
50-64	5	4.6	5	2	2	4	6	8	8	8
65+										
2. MULTIPLE DX										
0-19 YRS	4	4.5	5	3	3	4	6	8	8	8
20-34	20	2.9	2	<1	<1	3	4	5	5	5
35-49	4	11.5	15	7	7	11	14	16	16	16
50-64	7	4.6	12	2	2	3	8	10	10	10
65+	5	5.6	15	2	2	4	7	12	12	12
TOT. SINGLE DX	38	4.1	22	<1	1	3	4	8	13	26
" MULTIPLE DX	40	4.5	13	<1	1	3	5	10	12	16
TOTAL 0-19 YRS	16	5.2	44	1	1	3	4	15	23	26
20-34	37	2.9	3	<1	<1	3	4	5	6	7
35-49	8	7.6	29	1	1	7	11	15	16	16
50-64	12	4.6	8	2	2	4	6	9	10	10
65+	5	5.6	15	2	2	4	7	12	12	12
GRAND TOTAL	78	4.3	17	<1	1	3	5	9	13	23

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	2.6	8	<1	<1	1	3	7	10	10
20-34	23	3.6	21	<1	<1	1	4	11	15	18
35-49	3	4.7	10	<1	<1	6	7	7	7	7
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	8	6.4	48	1	1	3	11	18	18	18
2. MULTIPLE DX										
0-19 YRS	7	6.4	31	2	2	3	12	15	15	15
20-34	17	5.1	111	<1	<1	2	3	10	33	45
35-49	7	5.3	19	2	2	4	7	13	14	14
50-64	6	9.2	56	2	2	7	14	20	21	21
65+	10	14.5	261	2	2	8	16	44	45	45
TOT. SINGLE DX	45	3.9	22	<1	<1	2	4	10	17	18
" MULTIPLE DX	47	7.9	117	<1	1	3	10	16	43	45
TOTAL 0-19 YRS	16	4.3	21	<1	1	3	4	14	15	15
20-34	40	4.2	59	<1	<1	2	4	10	16	45
35-49	10	5.1	15	<1	1	5	7	11	14	14
50-64	8	7.6	49	2	2	4	12	19	21	21
65+	18	10.9	176	1	2	5	16	35	44	45
GRAND TOTAL	92	5.9	74	<1	<1	3	7	15	18	45

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	171	4.7	3	3	3	4	5	6	7	13
20-34	1701	4.5	4	3	3	4	5	6	7	9
35-49	63	4.4	1	3	3	4	5	6	7	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	283	5.3	10	3	3	5	6	7	9	24
20-34	3010	5.4	14	3	3	5	6	7	9	19
35-49	183	6.1	34	3	3	5	6	9	13	38
50-64										
65+										
TOT. SINGLE DX	1935	4.5	5	3	3	4	5	6	7	10
" MULTIPLE DX	3476	5.4	15	3	3	5	6	7	9	21
TOTAL 0-19 YRS	454	5.1	8	3	3	5	6	7	8	22
20-34	4711	5.1	11	3	3	5	6	7	8	15
35-49	246	5.7	27	3	3	5	6	8	10	33
50-64										
65+										
GRAND TOTAL	5411	5.1	11	3	3	5	6	7	9	16

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	5.1	7	3	3	4	7	10	10	10
20-34	86	4.6	6	3	3	4	5	6	7	19
35-49	3	4.0	1	3	3	4	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	23	4.7	6	1	2	4	6	8	10	11
20-34	308	5.9	51	2	2	5	6	8	10	40
35-49	23	5.3	14	1	2	5	6	7	13	21
50-64										
65+										
TOT. SINGLE DX	96	4.6	6	3	3	4	5	6	8	18
" MULTIPLE DX	354	5.8	46	2	2	5	6	8	10	31
TOTAL 0-19 YRS	30	4.8	7	1	2	4	6	9	10	11
20-34	394	5.6	42	2	3	4	6	8	10	31
35-49	26	5.2	13	2	2	5	6	7	11	21
50-64										
65+										
GRAND TOTAL	450	5.5	38	2	2	4	6	8	10	30

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	50	4.8	3	3	3	4	5	7	8	11
20-34	554	4.6	2	3	3	4	5	6	7	10
35-49	28	4.5	2	2	2	5	6	6	7	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	145	5.5	8	3	3	5	6	8	8	15
20-34	1912	5.5	13	3	3	5	6	8	9	17
35-49	131	6.0	15	3	3	5	7	9	10	30
50-64										
65+										
TOT. SINGLE DX	632	4.6	3	3	3	4	5	6	8	10
" MULTIPLE DX	2188	5.5	13	3	3	5	6	8	9	18
TOTAL 0-19 YRS	195	5.3	7	3	3	5	6	8	8	13
20-34	2466	5.3	11	3	3	5	6	7	9	15
35-49	159	5.8	14	3	3	5	6	9	10	28
50-64										
65+										
GRAND TOTAL	2820	5.3	11	3	3	5	6	7	9	15

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2107	4.5	3	2	3	4	5	6	7	11
20-34	18712	4.2	3	2	3	4	5	6	7	9
35-49	739	4.2	5	2	3	4	5	6	7	13
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	734	5.3	8	2	3	5	6	8	10	18
20-34	9314	5.0	12	2	3	4	6	7	9	19
35-49	736	5.2	22	2	3	5	6	7	9	18
50-64										
65+										
TOT. SINGLE DX	21558	4.2	4	2	3	4	5	6	7	9
" MULTIPLE DX	10784	5.1	13	2	3	4	6	7	9	19
TOTAL 0-19 YRS	2841	4.7	5	2	3	4	5	7	8	14
20-34	28026	4.5	7	2	3	4	5	6	7	13
35-49	1475	4.7	14	2	3	4	5	7	8	15
50-64										
65+										
GRAND TOTAL	32342	4.5	7	2	3	4	5	6	7	13

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	165	6.9	7	4	5	7	7	8	10	21
20-34	2830	6.6	6	5	5	6	7	8	9	13
35-49	129	7.1	7	4	5	7	8	8	11	21
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	422	8.3	28	5	5	7	9	11	16	41
20-34	7142	7.8	27	5	5	7	8	11	14	34
35-49	674	8.5	38	5	5	7	9	12	16	38
50-64										
65+										
TOT. SINGLE DX	3124	6.6	6	5	5	6	7	8	9	14
" MULTIPLE DX	8238	7.9	29	5	5	7	8	11	15	35
TOTAL 0-19 YRS	587	7.9	23	5	5	7	8	11	14	27
20-34	9972	7.5	22	5	5	7	8	10	13	29
35-49	803	8.3	34	5	5	7	8	11	16	36
50-64										
65+										
GRAND TOTAL	11362	7.6	23	5	5	7	8	10	13	30

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	8.0	3	7	7	7	9	11	11	11
20-34	59	7.5	4	5	5	7	8	10	10	18
35-49	5	9.6	49	5	5	7	11	22	22	22
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	7	7.6		7	7	8	8	8	8	8
20-34	109	10.9	135	5	5	7	9	20	30	76
35-49	13	8.2	5	5	5	8	10	11	12	12
50-64										
65+										
TOT. SINGLE DX	71	7.7	7	5	5	7	8	10	11	21
" MULTIPLE DX	129	10.4	116	5	5	8	9	16	26	70
TOTAL 0-19 YRS	14	7.8	2	7	7	7	8	10	11	11
20-34	168	9.7	92	5	5	7	9	15	23	61
35-49	18	8.6	16	5	5	8	10	12	18	22
50-64										
65+										
GRAND TOTAL	200	9.5	79	5	5	7	9	14	22	56

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	29	5.7	16	2	3	6	6	7	9	25
35-49	3	4.3		4	4	4	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	44	5.3	5	2	3	5	7	8	10	12
35-49	12	5.3	3	3	3	5	7	8	9	9
50-64										
65+										
TOT. SINGLE DX	33	5.7	15	2	3	6	6	7	9	25
" MULTIPLE DX	56	5.3	5	2	3	5	7	7	10	12
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	73	5.5	9	2	3	5	6	7	10	22
35-49	15	5.1	3	3	3	5	6	7	9	9
50-64										
65+										
GRAND TOTAL	89	5.5	8	2	3	5	6	7	9	20

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	60	1.7		1	1	2	2	3	3	5
20-34	91	1.8	1	1	1	1	2	3	4	8
35-49	7	1.9	1	1	1	1	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	114	1.6		1	1	1	2	2	3	4
20-34	197	1.8	1	1	1	2	2	3	4	6
35-49	17	1.8		1	1	2	2	3	4	4
50-64										
65+										
TOT. SINGLE DX	158	1.7	1	1	1	1	2	3	4	7
" MULTIPLE DX	328	1.7	1	1	1	1	2	3	3	5
TOTAL 0-19 YRS	174	1.6	1	1	1	1	2	3	3	4
20-34	288	1.8	1	1	1	1	2	3	4	7
35-49	24	1.8	1	1	1	2	2	3	4	4
50-64										
65+										
GRAND TOTAL	486	1.7	1	1	1	1	2	3	3	6

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	6.5	64	<1	<1	4	7	20	22	22
20-34	91	3.3	25	<1	<1	1	3	9	14	26
35-49	4	3.5	9	<1	<1	3	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6	16.5	666	3	3	7	9	63	69	69
20-34	30	8.0	117	<1	<1	5	9	17	25	56
35-49	5	5.8	61	<1	<1	1	10	19	19	19
50-64										
65+										
TOT. SINGLE DX	101	3.5	27	<1	<1	1	3	9	15	25
" MULTIPLE DX	41	9.0	185	<1	<1	5	9	19	39	69
TOTAL 0-19 YRS	12	11.5	360	<1	<1	6	8	36	64	69
20-34	121	4.5	52	<1	<1	1	5	11	17	35
35-49	9	4.8	35	<1	<1	1	7	14	19	19
50-64										
65+										
GRAND TOTAL	142	5.1	78	<1	<1	2	6	12	20	57

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	323	2.8	4	<1	<1	2	4	5	7	10
20-34	2344	3.4	15	<1	<1	3	4	5	7	18
35-49	114	3.6	10	<1	<1	3	5	6	8	19
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	299	4.3	13	<1	1	4	5	7	9	23
20-34	2842	4.5	12	1	1	4	5	7	9	18
35-49	179	5.1	16	1	2	4	6	8	10	29
50-64										
65+										
TOT. SINGLE DX	2781	3.3	14	<1	<1	3	4	5	7	17
" MULTIPLE DX	3320	4.5	13	1	1	4	5	7	9	19
TOTAL 0-19 YRS	622	3.5	9	<1	<1	3	5	6	8	19
20-34	5186	4.0	14	<1	1	4	5	6	8	18
35-49	293	4.5	15	<1	1	4	5	8	9	27
50-64										
65+										
GRAND TOTAL	6101	4.0	14	<1	1	4	5	6	8	18

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	278	4.1	2	2	2	4	5	6	6	9
20-34	3949	3.9	2	2	3	4	5	5	6	8
35-49	232	4.1	3	2	2	4	5	6	7	11
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	276	4.8	5	2	3	4	6	7	8	15
20-34	4052	4.7	8	2	3	4	5	7	8	14
35-49	326	5.1	24	2	3	4	6	7	9	22
50-64										
65+										
TOT. SINGLE DX	4459	3.9	2	2	3	4	5	5	6	8
" MULTIPLE DX	4654	4.7	9	2	3	4	5	7	8	15
TOTAL 0-19 YRS	554	4.4	4	2	3	4	5	6	7	12
20-34	8001	4.3	5	2	3	4	5	6	7	11
35-49	558	4.7	16	2	3	4	5	7	8	15
50-64										
65+										
GRAND TOTAL	9113	4.3	6	2	3	4	5	6	7	12

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.6	3	3	3	4	6	7	8	8
20-34	16	4.7	66	1	2	2	4	5	26	35
35-49	7	5.4	17	2	2	4	8	12	13	13
50-64	12	8.9	44	2	2	8	13	20	21	21
65+	3	5.3	10	3	3	4	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	5	4.4	7	2	2	4	5	9	9	9
20-34	13	8.1	128	1	2	4	7	26	38	41
35-49	9	6.2	39	<1	<1	5	8	17	21	21
50-64	16	22.1	507	5	5	10	43	57	69	74
65+	10	27.4	617	1	2	24	30	67	86	86
TOT. SINGLE DX	46	5.9	40	2	2	4	6	13	19	35
" MULTIPLE DX	53	15.3	371	1	2	6	21	44	57	86
TOTAL 0-19 YRS	13	4.5	4	2	2	4	5	8	9	9
20-34	29	6.2	94	1	2	3	5	17	35	41
35-49	16	5.9	28	<1	<1	4	8	13	19	21
50-64	28	16.4	344	2	3	10	17	45	60	74
65+	13	22.3	558	1	3	15	28	56	80	86
GRAND TOTAL	99	10.9	237	1	2	5	11	29	45	80

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	165	3.8	1	2	2	4	5	6	6	8
20-34	344	3.7	3	2	2	4	4	5	6	8
35-49	64	3.3	1	1	2	3	4	5	6	7
50-64	15	3.3	1	1	1	4	4	4	5	5
65+	8	4.8	35	1	1	3	4	15	19	19
2. MULTIPLE DX										
0-19 YRS	220	4.1	2	2	2	4	5	6	7	10
20-34	194	4.3	2	2	2	4	5	6	7	10
35-49	61	5.1	26	1	2	4	5	7	15	29
50-64	14	6.7	61	1	2	4	7	14	28	32
65+	6	20.2	612	2	2	7	39	60	62	62
TOT. SINGLE DX	596	3.7	3	2	2	4	4	5	6	8
" MULTIPLE DX	495	4.6	16	2	2	4	5	6	8	24
TOTAL 0-19 YRS	385	4.0	2	2	2	4	5	6	6	9
20-34	538	3.9	3	2	2	4	5	6	6	10
35-49	125	4.2	14	1	2	4	5	6	7	26
50-64	29	5.0	32	1	1	4	4	8	13	32
65+	14	11.4	317	1	1	4	10	41	57	62
GRAND TOTAL	1091	4.1	9	2	2	4	5	6	7	11

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	58	2.6	2	1	1	2	3	5	6	8
20-34	151	3.1	4	1	1	3	4	6	7	11
35-49	29	3.0	5	1	1	2	4	5	7	13
50-64	10	3.0	6	1	1	2	5	7	8	8
65+	2	7.5	61	2	2	7	13	13	13	13
2. MULTIPLE DX										
0-19 YRS	45	4.0	10	1	1	3	5	8	11	16
20-34	119	4.6	35	1	1	3	5	9	11	32
35-49	26	6.2	33	1	2	4	8	16	19	24
50-64	8	7.4	46	2	2	4	12	18	20	20
65+	3	12.7	65	4	4	14	18	20	20	20
TOT. SINGLE DX	250	3.0	5	1	1	2	4	6	7	13
" MULTIPLE DX	201	4.9	31	1	1	3	6	10	13	22
TOTAL 0-19 YRS	103	3.2	6	1	1	3	4	6	8	15
20-34	270	3.7	19	1	1	3	4	7	10	13
35-49	55	4.5	21	1	1	3	6	11	15	24
50-64	18	4.9	27	1	1	2	6	13	17	20
65+	5	10.6	56	2	2	13	15	20	20	20
GRAND TOTAL	451	3.8	17	1	1	3	4	7	11	20

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	2.7	5	1	1	2	3	7	7	10
20-34	146	3.3	5	1	1	3	4	6	8	11
35-49	49	3.2	11	1	1	2	4	5	7	21
50-64	8	4.4	8	1	1	4	7	8	8	8
65+	4	5.5	19	3	3	4	8	12	12	12
2. MULTIPLE DX										
0-19 YRS	44	7.7	31	2	2	6	10	16	20	25
20-34	149	6.3	59	1	2	4	8	12	18	33
35-49	52	7.1	47	2	2	5	7	16	26	32
50-64	24	10.3	39	1	3	10	13	19	22	26
65+	7	12.7	344	2	2	6	11	46	54	54
TOT. SINGLE DX	238	3.3	7	1	1	2	4	7	8	14
" MULTIPLE DX	276	7.2	59	1	2	5	9	15	21	33
TOTAL 0-19 YRS	75	5.7	26	1	1	4	8	12	16	24
20-34	295	4.8	35	1	1	3	6	10	13	26
35-49	101	5.2	34	1	1	4	6	10	19	30
50-64	32	8.8	38	1	1	8	12	18	20	26
65+	11	10.1	226	2	2	4	11	29	52	54
GRAND TOTAL	514	5.4	39	1	1	4	6	11	16	27

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	9.7	116	2	2	5	18	22	22	22
20-34	14	3.0	8	<1	<1	1	5	9	9	9
35-49	20	3.9	8	<1	1	4	5	7	10	13
50-64	5	2.2	3	1	1	1	3	5	5	5
65+	3	3.0	3	1	1	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	4	4.0	11	2	2	3	6	9	9	9
20-34	14	3.6	4	1	1	4	5	6	7	8
35-49	7	10.9	60	1	2	9	18	20	21	21
50-64	5	5.8	34	1	1	2	11	14	14	14
65+	2	7.5	1	7	7	7	8	8	8	8
TOT. SINGLE DX	45	3.8	15	<1	<1	3	5	7	10	22
" MULTIPLE DX	32	5.8	28	1	1	4	8	15	18	21
TOTAL 0-19 YRS	7	6.4	54	2	2	3	8	19	22	22
20-34	28	3.3	6	<1	<1	2	5	7	9	9
35-49	27	5.7	30	1	1	5	6	16	18	21
50-64	10	4.0	20	1	1	2	5	12	14	14
65+	5	4.8	8	1	1	4	7	8	8	8
GRAND TOTAL	77	4.6	21	<1	1	3	5	9	16	22

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	113	7.3	74	2	2	4	8	15	25	48
20-34	117	6.7	83	2	2	5	8	11	16	54
35-49	71	5.7	22	1	2	5	7	11	14	28
50-64	129	7.4	17	2	3	7	9	13	16	21
65+	72	9.7	32	4	4	8	12	18	24	27
2. MULTIPLE DX										
0-19 YRS	80	9.2	88	2	3	6	13	18	23	52
20-34	73	13.3	174	1	2	10	18	32	46	93
35-49	75	13.6	263	2	3	8	16	36	52	78
50-64	125	9.3	60	3	3	7	12	18	29	59
65+	139	13.4	93	4	5	11	17	29	37	58
TOT. SINGLE DX	502	7.3	49	2	2	6	9	14	17	36
" MULTIPLE DX	492	11.7	125	2	3	8	15	26	38	74
TOTAL 0-19 YRS	193	8.1	81	2	2	5	9	17	25	51
20-34	190	9.2	128	1	2	5	11	20	32	81
35-49	146	9.8	161	1	2	5	11	20	37	77
50-64	254	8.4	39	2	3	7	10	15	19	44
65+	211	12.2	76	4	5	9	15	24	31	51
GRAND TOTAL	994	9.5	92	2	3	7	11	18	28	54

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	3.6	2	1	2	4	4	6	6	8
20-34	158	4.2	2	2	2	4	5	7	7	8
35-49	173	4.7	27	1	2	4	6	7	8	11
50-64	197	4.4	6	1	2	4	5	7	9	11
65+	81	4.4	9	1	1	4	6	7	9	19
2. MULTIPLE DX										
0-19 YRS	71	4.4	3	2	2	4	5	6	7	13
20-34	150	4.9	15	2	2	4	6	7	8	30
35-49	143	4.7	5	2	2	4	6	8	9	13
50-64	305	5.3	10	2	3	5	6	8	10	22
65+	223	5.9	16	1	2	5	7	11	13	23
TOT. SINGLE DX	708	4.3	11	1	2	4	5	7	8	11
" MULTIPLE DX	892	5.2	12	2	2	5	6	8	11	22
TOTAL 0-19 YRS	170	3.9	3	1	2	4	5	6	6	9
20-34	308	4.6	9	2	2	4	5	7	8	17
35-49	316	4.7	18	2	2	4	6	7	8	13
50-64	502	5.0	9	2	2	4	6	8	9	21
65+	304	5.5	15	1	2	5	7	10	13	22
GRAND TOTAL	1600	4.8	11	1	2	4	6	7	9	19

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	388	4.5	32	1	2	3	5	8	11	29
20-34	451	5.0	37	1	2	4	5	9	13	32
35-49	252	5.4	48	1	2	4	6	8	13	44
50-64	166	4.7	30	1	1	3	5	9	12	22
65+	91	7.0	77	1	1	4	9	16	25	47
2. MULTIPLE DX										
0-19 YRS	117	10.8	220	1	2	5	12	39	48	99+
20-34	251	10.0	217	1	2	5	9	23	49	73
35-49	186	8.6	151	1	2	5	9	21	34	93
50-64	187	12.1	269	1	2	6	14	26	57	97
65+	139	16.4	264	2	2	13	22	40	64	99+
TOT. SINGLE DX	1348	5.0	40	1	1	3	5	9	13	38
" MULTIPLE DX	880	11.2	228	1	2	5	14	29	49	97
TOTAL 0-19 YRS	505	5.9	83	1	2	3	5	11	24	70
20-34	702	6.8	107	1	2	4	6	13	23	63
35-49	438	6.8	94	1	2	4	7	14	25	76
50-64	353	8.6	170	1	2	4	9	19	31	89
65+	230	12.7	211	1	2	7	18	35	46	99+
GRAND TOTAL	2228	7.5	123	1	2	4	7	17	29	77

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	93	6.5	42	1	2	4	8	15	21	36
20-34	153	5.3	50	2	2	4	5	8	11	38
35-49	63	8.5	107	2	2	5	9	14	26	58
50-64	41	11.7	119	3	3	8	12	22	38	58
65+	94	17.5	165	6	7	13	21	37	43	97
2. MULTIPLE DX										
0-19 YRS	44	10.5	260	2	2	6	9	20	41	95
20-34	58	13.4	308	1	2	6	12	50	63	97
35-49	47	10.6	85	3	3	8	15	40	99+	99+
50-64	44	18.3	345	4	5	11	22	47	67	84
65+	163	28.2	423	6	8	23	40	73	95	99+
TOT. SINGLE DX	444	9.2	108	2	2	5	11	19	32	58
" MULTIPLE DX	356	20.0	388	3	3	13	29	59	84	99+
TOTAL 0-19 YRS	137	7.8	115	1	2	5	8	16	23	59
20-34	211	7.5	133	2	2	4	6	12	35	69
35-49	110	9.4	98	2	3	7	11	26	50	99+
50-64	85	15.1	245	3	4	10	17	30	51	80
65+	257	24.3	354	6	7	19	34	57	90	99+
GRAND TOTAL	800	14.0	262	2	3	8	18	38	59	99+

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	172	2.8	2	1	1	2	3	5	6	10
20-34	304	3.3	12	<1	1	3	4	5	8	16
35-49	130	3.7	11	1	2	2	4	7	9	23
50-64	118	4.5	43	1	1	3	4	8	11	36
65+	79	5.8	63	1	1	3	6	11	18	43
2. MULTIPLE DX										
0-19 YRS	59	6.1	105	1	2	3	5	11	17	68
20-34	117	8.1	126	1	1	4	8	20	35	61
35-49	77	6.8	45	1	2	4	8	14	25	33
50-64	87	10.2	186	1	2	4	11	29	42	70
65+	90	12.7	165	1	2	9	19	32	38	92
TOT. SINGLE DX	803	3.7	21	<1	1	3	4	7	9	22
" MULTIPLE DX	430	9.0	134	1	2	4	10	23	35	67
TOTAL 0-19 YRS	231	3.7	31	1	1	3	4	6	9	23
20-34	421	4.6	49	<1	1	3	4	8	14	44
35-49	207	4.8	26	1	2	3	5	9	14	27
50-64	205	6.9	112	1	2	3	6	14	28	56
65+	169	9.5	129	1	1	4	12	26	37	73
GRAND TOTAL	1233	5.5	66	1	1	3	5	11	21	44

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	30.4	270	4	7	33	48	49	52	53
20-34	6	9.5	10	5	5	10	12	13	13	13
35-49	8	8.0	23	2	3	7	11	15	16	16
50-64	10	11.8	20	7	7	10	16	18	20	20
65+	31	18.1	95	7	8	17	22	30	42	45
2. MULTIPLE DX										
0-19 YRS	12	26.2	250	9	14	21	26	54	63	65
20-34	8	12.0	80	2	3	10	16	26	30	30
35-49	10	16.2	191	5	7	11	17	38	53	53
50-64	26	19.1	148	6	7	16	25	32	51	52
65+	143	26.0	394	6	9	21	38	83	99+	99+
TOT. SINGLE DX	73	18.5	170	5	6	15	23	43	48	52
" MULTIPLE DX	199	24.0	342	5	8	19	34	67	99+	99+
TOTAL 0-19 YRS	30	28.7	258	5	10	25	47	50	53	65
20-34	14	10.9	49	2	4	10	13	19	28	30
35-49	18	12.6	128	3	4	10	14	21	41	53
50-64	36	17.1	122	6	7	15	21	29	45	52
65+	174	24.6	349	6	8	19	35	74	99+	99+
GRAND TOTAL	272	22.5	301	5	7	18	31	54	86	99+

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	9.7	34	3	3	8	14	18	20	26
20-34	34	10.0	20	2	4	10	13	16	18	19
35-49	21	11.4	34	4	5	11	14	18	25	29
50-64	43	13.8	44	5	6	13	17	25	32	99+
65+	173	19.4	218	5	6	14	26	39	53	95
2. MULTIPLE DX										
0-19 YRS	37	20.2	263	5	7	13	28	49	55	63
20-34	67	26.0	413	6	8	18	38	60	70	99
35-49	43	20.5	133	6	7	18	26	40	44	49
50-64	93	19.1	214	5	7	14	24	42	76	99+
65+	498	28.2	410	8	9	23	43	76	99+	99+
TOT. SINGLE DX	297	16.1	157	4	5	12	20	34	41	90
" MULTIPLE DX	738	26.0	374	7	8	20	39	68	99	99+
TOTAL 0-19 YRS	63	15.8	194	4	5	12	17	37	50	62
20-34	101	20.6	337	4	6	13	25	52	64	96
35-49	64	17.5	118	5	6	15	21	38	42	48
50-64	136	17.4	166	5	7	14	22	36	74	99+
65+	671	25.9	376	6	8	21	39	68	99	99+
GRAND TOTAL	1035	23.1	332	5	7	17	33	58	84	99+

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	23.5	446	2	3	18	35	58	68	75
20-34	8	28.9	108	12	14	32	36	41	42	42
35-49	2	16.0	50	11	11	16	21	21	21	21
50-64	5	11.2	17	4	4	13	14	14	14	14
65+	7	13.4	184	2	2	6	27	33	33	33
2. MULTIPLE DX										
0-19 YRS	45	25.6	367	2	3	20	43	49	61	75
20-34	10	31.1	530	9	9	24	55	86	99	99+
35-49	3	35.7	622	17	17	45	82	99+	99+	99+
50-64	7	35.3	1068	1	2	22	65	82	84	84
65+	26	45.3	777	9	13	37	75	86	97	99+
TOT. SINGLE DX	64	21.8	348	2	3	15	33	45	66	74
" MULTIPLE DX	91	32.9	606	2	4	28	49	76	86	99+
TOTAL 0-19 YRS	87	24.6	402	2	3	20	40	53	65	75
20-34	18	30.1	327	9	10	32	41	68	89	99+
35-49	5	27.8	440	11	12	23	64	96	99+	99+
50-64	12	25.3	743	1	3	14	33	76	83	84
65+	33	38.6	818	3	6	32	69	84	94	99+
GRAND TOTAL	155	28.3	527	2	3	24	44	69	78	99+

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	45	5.6	74	<1	1	2	4	23	25	42
20-34	46	4.7	36	<1	1	3	5	8	19	32
35-49	31	5.5	59	1	1	4	5	12	14	43
50-64	21	3.6	6	1	1	2	5	7	9	10
65+	5	12.8	217	2	2	5	23	36	36	36
2. MULTIPLE DX										
0-19 YRS	12	3.0	8	<1	<1	2	4	7	10	10
20-34	27	12.2	430	<1	1	4	9	49	72	74
35-49	14	11.6	182	<1	1	6	14	39	43	44
50-64	9	8.1	34	3	3	6	9	18	20	20
65+	11	6.9	25	1	2	6	10	14	18	18
TOT. SINGLE DX	148	5.2	55	1	1	3	5	12	23	42
" MULTIPLE DX	73	9.3	209	1	1	4	9	18	43	74
TOTAL 0-19 YRS	57	5.0	61	<1	1	2	4	13	24	41
20-34	73	7.5	191	1	1	3	6	18	30	74
35-49	45	7.4	102	1	1	4	7	14	39	44
50-64	30	4.9	18	1	1	4	6	9	16	20
65+	16	8.8	83	1	2	5	11	19	31	36
GRAND TOTAL	221	6.6	108	1	1	3	6	16	24	61

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	443	3.7	13	1	1	3	4	7	9	20
20-34	741	4.3	10	1	1	4	5	8	11	15
35-49	402	4.6	11	1	2	4	6	8	11	19
50-64	269	6.3	23	1	2	5	8	12	14	25
65+	115	8.3	43	2	3	7	10	15	18	40
2. MULTIPLE DX										
0-19 YRS	185	9.4	179	1	2	5	11	22	38	88
20-34	445	8.8	115	1	2	5	9	20	32	56
35-49	249	8.2	70	2	2	6	10	15	22	48
50-64	218	10.1	131	2	3	6	11	21	36	81
65+	164	15.0	188	2	3	11	19	38	51	99+
TOT. SINGLE DX	1970	4.7	16	1	1	4	6	9	12	22
" MULTIPLE DX	1261	9.8	132	2	2	6	11	22	35	75
TOTAL 0-19 YRS	628	5.4	69	1	1	3	5	11	17	49
20-34	1186	6.0	55	1	2	4	6	11	17	45
35-49	651	6.0	37	1	2	4	7	11	15	31
50-64	487	8.0	76	2	2	6	9	15	22	66
65+	279	12.2	139	2	3	9	15	29	46	99+
GRAND TOTAL	3231	6.7	68	1	2	4	8	13	20	49

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	1839	2.0	5	<1	1	1	2	4	5	12
20-34	499	3.0	8	<1	1	2	4	6	8	15
35-49	344	3.3	30	1	1	2	4	6	9	25
50-64	350	3.1	14	1	1	2	4	7	12	17
65+	290	4.1	36	1	1	2	4	9	15	27
2. MULTIPLE DX										
0-19 YRS	316	5.3	64	1	1	2	5	13	23	39
20-34	269	8.3	117	1	1	4	9	23	32	52
35-49	180	7.5	121	1	1	4	8	16	29	80
50-64	198	7.9	144	1	1	4	9	21	34	99+
65+	267	11.3	154	1	1	7	15	31	41	60
TOT. SINGLE DX	3322	2.6	13	1	1	1	3	5	7	17
" MULTIPLE DX	1230	8.0	121	1	1	4	9	22	32	60
TOTAL 0-19 YRS	2155	2.5	16	1	1	1	2	4	7	23
20-34	768	4.9	53	1	1	3	5	10	18	40
35-49	524	4.8	66	1	1	3	5	9	14	49
50-64	548	4.9	66	1	1	2	5	12	17	46
65+	557	7.5	106	1	1	3	9	20	31	57
GRAND TOTAL	4552	4.0	48	1	1	2	4	9	15	39

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	105	3.2	16	<1	<1	1	3	10	13	17
20-34	134	2.0	8	<1	<1	1	2	4	6	17
35-49	45	2.3	8	<1	<1	1	2	6	7	18
50-64	42	3.3	27	<1	<1	1	3	8	15	28
65+	56	4.8	44	<1	<1	3	6	12	14	42
2. MULTIPLE DX										
0-19 YRS	39	7.1	200	<1	1	2	7	18	28	82
20-34	62	7.3	112	<1	1	4	9	16	31	58
35-49	41	5.9	198	<1	1	3	5	10	15	91
50-64	36	4.4	109	<1	1	2	4	6	10	64
65+	68	10.6	138	1	1	7	17	30	39	99+
TOT. SINGLE DX	382	2.9	19	<1	<1	1	3	7	12	20
" MULTIPLE DX	246	7.5	150	1	1	3	9	19	33	91
TOTAL 0-19 YRS	144	4.3	68	<1	<1	1	4	11	16	37
20-34	196	3.7	47	<1	<1	1	3	9	13	39
35-49	86	4.0	101	<1	<1	2	4	7	13	65
50-64	78	3.8	65	<1	1	1	3	7	12	54
65+	124	8.0	104	<1	1	4	11	22	33	99+
GRAND TOTAL	628	4.7	75	<1	<1	2	5	12	18	62

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	71	3.9	15	1	1	3	4	7	15	20
20-34	225	2.8	2	1	1	3	3	4	5	8
35-49	62	2.7	2	1	1	2	3	5	6	8
50-64	19	4.1	20	1	2	2	3	11	16	19
65+	7	9.9	249	1	1	4	8	38	45	45
2. MULTIPLE DX										
0-19 YRS	26	9.0	97	1	2	6	9	27	35	35
20-34	58	5.3	32	1	2	3	5	12	17	31
35-49	25	7.0	30	2	2	5	8	18	19	21
50-64	20	7.6	70	1	2	4	8	17	28	37
65+	8	15.8	230	2	2	14	19	41	49	49
TOT. SINGLE DX	384	3.2	11	1	1	3	3	5	7	18
" MULTIPLE DX	137	7.3	65	2	2	4	7	18	23	39
TOTAL 0-19 YRS	97	5.3	42	1	1	3	5	13	19	35
20-34	283	3.3	10	1	1	3	3	5	7	19
35-49	87	3.9	14	1	1	3	4	7	12	20
50-64	39	5.8	48	1	2	3	6	14	19	37
65+	15	13.0	232	1	1	7	16	45	48	49
GRAND TOTAL	521	4.2	28	1	1	3	4	7	15	33

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	167	4.5	28	1	1	3	5	7	11	37
20-34	209	4.0	21	1	1	3	4	6	8	25
35-49	83	4.0	10	1	1	3	5	7	8	22
50-64	49	3.7	3	1	2	3	5	6	8	9
65+	23	9.8	153	2	2	4	9	31	41	50
2. MULTIPLE DX										
0-19 YRS	95	5.0	18	1	2	3	5	11	14	23
20-34	115	5.4	41	1	2	3	5	13	20	39
35-49	71	5.9	56	1	2	4	5	13	24	39
50-64	79	9.7	191	2	2	5	8	24	45	74
65+	60	20.0	462	2	4	12	38	78	99+	99+
TOT. SINGLE DX	531	4.4	27	1	1	3	5	7	10	36
" MULTIPLE DX	420	8.3	151	1	2	4	8	21	40	99+
TOTAL 0-19 YRS	262	4.7	25	1	2	3	5	9	13	26
20-34	324	4.5	29	1	1	3	4	8	13	37
35-49	154	4.9	33	1	1	3	5	7	13	36
50-64	128	7.4	127	1	2	4	6	14	27	61
65+	83	17.1	395	2	3	8	30	66	99+	99+
GRAND TOTAL	951	6.1	86	1	2	4	5	12	23	66

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	10.1	46	2	2	10	12	19	22	33
20-34	580	9.1	24	3	3	8	11	15	19	25
35-49	839	10.1	29	4	5	9	12	17	20	28
50-64	361	11.0	36	4	5	10	13	19	22	30
65+	52	12.3	41	3	6	11	14	18	27	36
2. MULTIPLE DX										
0-19 YRS	9	13.3	14	8	9	13	16	19	20	20
20-34	212	12.6	69	4	6	11	15	24	29	61
35-49	461	13.1	63	5	6	11	15	23	27	41
50-64	341	15.2	110	6	7	13	17	26	35	72
65+	148	21.1	232	7	9	17	25	36	57	94
TOT. SINGLE DX	1861	10.0	31	3	4	9	12	17	20	28
" MULTIPLE DX	1171	14.6	106	5	6	12	17	25	33	68
TOTAL 0-19 YRS	38	10.9	40	2	3	10	13	19	21	33
20-34	792	10.0	39	3	4	9	12	17	22	31
35-49	1300	11.2	44	4	5	10	14	19	23	35
50-64	702	13.0	77	4	6	11	15	22	27	50
65+	200	18.8	197	6	8	15	22	34	48	93
GRAND TOTAL	3032	11.8	65	3	5	10	14	20	26	41

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	227	3.5	2	1	2	3	5	5	6	8
20-34	829	3.4	2	1	2	3	4	5	6	8
35-49	457	3.7	3	1	2	3	5	6	7	11
50-64	184	4.6	15	1	2	4	5	7	10	23
65+	42	6.1	29	1	2	4	7	13	17	29
2. MULTIPLE DX										
0-19 YRS	98	3.7	7	1	1	3	5	6	8	16
20-34	350	3.6	3	1	1	3	5	6	7	10
35-49	226	3.8	4	1	1	4	5	6	8	11
50-64	193	5.0	21	1	2	4	6	9	13	28
65+	78	7.2	56	1	1	5	8	17	25	40
TOT. SINGLE DX	1739	3.7	5	1	2	3	4	6	7	12
" MULTIPLE DX	945	4.2	13	1	1	4	5	7	9	21
TOTAL 0-19 YRS	325	3.6	4	1	2	3	5	6	6	11
20-34	1179	3.5	3	1	2	3	4	5	6	9
35-49	683	3.7	4	1	2	3	5	6	7	11
50-64	377	4.8	18	1	2	4	5	8	12	24
65+	120	6.8	47	1	1	5	8	16	23	34
GRAND TOTAL	2684	3.9	8	1	2	3	5	6	8	15

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	220	3.0	16	<1	1	2	3	5	7	24
20-34	434	2.[illegible]	8	<1	1	2	3	5	7	17
35-49	207	3.[illegible]	11	1	1	2	3	5	10	19
50-64	100	4.0	31	1	1	2	4	8	12	34
65+	43	5.6	43	1	1	2	8	15	22	26
2. MULTIPLE DX										
0-19 YRS	69	4.7	57	1	1	2	5	11	14	51
20-34	186	4.9	81	<1	1	2	4	9	15	50
35-49	118	5.4	51	1	1	3	6	14	24	61
50-64	102	7.9	207	<1	1	3	7	19	44	77
65+	71	9.6	238	1	1	4	11	24	35	91
TOT. SINGLE DX	1004	3.2	15	<1	1	2	3	5	9	23
" MULTIPLE DX	546	6.2	118	1	1	3	5	14	24	69
TOTAL 0-19 YRS	289	3.4	27	<1	1	2	3	6	10	29
20-34	620	3.5	31	<1	1	2	3	6	9	27
35-49	325	4.0	27	1	1	2	4	8	14	33
50-64	202	6.0	123	1	1	2	5	12	22	63
65+	114	8.1	167	1	1	3	10	20	27	79
GRAND TOTAL	1550	4.3	53	1	1	2	4	8	14	43

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	14.5	39	5	7	14	19	22	27	29
20-34	63	12.0	34	5	6	10	14	20	25	31
35-49	72	11.0	19	5	6	10	13	17	21	24
50-64	29	13.8	77	5	7	10	16	24	37	44
65+	2	21.5	85	15	15	21	28	28	28	28
2. MULTIPLE DX										
0-19 YRS	51	18.4	107	9	10	16	22	28	32	74
20-34	58	16.1	179	6	7	12	18	34	54	98
35-49	70	13.7	42	5	7	12	17	22	26	37
50-64	47	20.9	222	7	9	17	26	48	82	99+
65+	11	17.8	79	9	9	13	25	31	35	35
TOT. SINGLE DX	188	12.3	38	5	7	11	15	20	24	35
" MULTIPLE DX	237	16.9	132	7	8	14	20	29	39	99+
TOTAL 0-19 YRS	73	17.2	89	8	10	16	20	28	31	65
20-34	121	14.0	108	5	7	11	16	24	33	85
35-49	142	12.3	32	5	7	11	14	19	23	34
50-64	76	18.2	178	7	8	15	23	37	61	99+
65+	13	18.4	75	9	10	15	26	30	34	35
GRAND TOTAL	425	14.9	96	6	7	12	18	26	32	79

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	4.3	6	2	2	4	6	7	9	14
20-34	89	5.0	11	1	2	5	6	9	12	18
35-49	65	5.3	10	2	2	5	7	9	10	20
50-64	92	4.7	9	1	2	4	6	10	11	14
65+	52	6.3	118	1	1	4	6	10	12	78
2. MULTIPLE DX										
0-19 YRS	28	5.9	31	2	2	5	7	11	15	30
20-34	56	8.1	98	1	2	5	9	16	32	54
35-49	50	6.5	30	2	2	5	7	14	22	99
50-64	89	6.8	41	2	2	5	8	13	17	39
65+	70	7.4	62	1	2	5	9	13	23	44
TOT. SINGLE DX	326	5.1	28	1	2	4	6	9	11	20
" MULTIPLE DX	293	7.1	54	2	2	5	8	13	22	43
TOTAL 0-19 YRS	56	5.1	19	2	2	4	6	8	12	29
20-34	145	6.2	47	1	2	5	7	11	16	42
35-49	115	5.9	19	2	2	5	7	11	14	55
50-64	181	5.7	26	2	2	4	7	11	13	31
65+	122	6.9	86	1	2	5	8	12	18	54
GRAND TOTAL	**619**	**6.0**	**41**	**1**	**2**	**5**	**7**	**11**	**14**	**41**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	9	12.7	25	7	7	11	16	20	22	22
35-49	45	14.4	57	7	8	13	17	22	23	53
50-64	192	14.6	40	7	8	13	17	22	29	34
65+	372	16.3	61	7	8	15	20	25	30	41
2. MULTIPLE DX										
0-19 YRS	2	37.5	1201	13	13	37	62	62	62	62
20-34	16	18.4	81	8	8	17	23	32	36	38
35-49	59	17.6	90	8	10	15	20	29	35	63
50-64	275	18.6	91	8	10	16	22	31	36	53
65+	664	20.8	153	7	9	18	25	39	47	99+
TOT. SINGLE DX	619	15.6	55	7	8	14	18	24	29	40
" MULTIPLE DX	1016	20.0	134	7	9	17	24	35	44	95
TOTAL 0-19 YRS	3	29.0	817	12	12	13	50	62	62	62
20-34	25	16.4	67	7	8	16	21	29	33	38
35-49	104	16.2	78	8	8	14	19	23	32	59
50-64	467	16.9	75	7	8	15	20	29	33	45
65+	1036	19.2	125	7	8	17	23	32	43	94
GRAND TOTAL	**1635**	**18.3**	**109**	**7**	**8**	**16**	**22**	**31**	**39**	**73**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	48.0		48	48	48	48	48	48	48
20-34	4	8.5	15	5	5	7	11	14	14	14
35-49	3	13.0	37	6	6	16	17	17	17	17
50-64	38	14.6	26	7	9	13	17	23	25	26
65+	163	17.1	77	6	8	15	22	28	32	48
2. MULTIPLE DX										
0-19 YRS	2	9.5	25	6	6	9	13	13	13	13
20-34	6	16.5	62	9	9	15	19	29	30	30
35-49	8	12.4	67	1	2	11	17	25	27	27
50-64	60	22.1	184	9	10	18	26	47	63	99+
65+	472	26.8	324	8	10	22	36	66	99	99+
TOT. SINGLE DX	209	16.6	73	6	8	15	21	28	31	48
" MULTIPLE DX	548	25.9	307	7	10	21	35	63	98	99+
TOTAL 0-19 YRS	3	22.3	506	6	6	13	39	48	48	48
20-34	10	13.3	57	5	6	11	19	25	30	30
35-49	11	12.5	55	1	4	12	17	22	27	27
50-64	98	19.2	136	8	9	16	22	39	50	99+
65+	635	24.3	279	7	9	20	31	55	84	99+
GRAND TOTAL	**757**	**23.3**	**260**	**7**	**9**	**19**	**30**	**52**	**76**	**99+**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	222	4.6	4	2	2	4	5	7	8	13
20-34	349	4.4	6	2	2	4	5	7	8	14
35-49	61	7.3	58	1	2	5	8	15	19	50
50-64	60	15.5	134	2	4	13	19	29	38	62
65+	129	18.6	82	2	7	18	24	29	34	49
2. MULTIPLE DX										
0-19 YRS	95	5.4	9	2	3	5	6	8	12	18
20-34	250	5.8	15	2	3	5	6	9	12	26
35-49	85	7.3	46	2	3	5	7	17	21	36
50-64	99	18.6	155	4	6	16	24	34	45	90
65+	178	24.6	251	6	8	21	32	45	56	99+
TOT. SINGLE DX	821	7.7	61	2	2	5	8	19	24	36
" MULTIPLE DX	707	12.5	165	3	3	7	17	30	40	77
TOTAL 0-19 YRS	317	4.8	6	2	3	5	6	7	9	15
20-34	599	5.0	11	2	2	4	6	8	10	21
35-49	146	7.3	51	2	2	5	8	16	21	37
50-64	159	17.4	149	4	5	15	22	33	44	78
65+	307	22.1	189	6	8	19	27	40	48	90
GRAND TOTAL	**1528**	**9.9**	**115**	**2**	**3**	**5**	**13**	**24**	**32**	**53**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	200	3.2	1	1	2	3	4	5	5	7
20-34	608	3.4	4	1	1	3	4	5	6	10
35-49	174	3.8	8	1	1	3	4	7	10	18
50-64	121	4.8	14	1	2	4	5	9	13	19
65+	60	6.4	62	1	2	4	6	15	20	48
2. MULTIPLE DX										
0-19 YRS	61	4.8	25	2	2	4	5	8	10	36
20-34	160	4.3	21	1	1	3	5	8	11	31
35-49	119	5.3	41	1	1	4	6	10	14	37
50-64	162	6.5	40	1	2	5	7	11	19	41
65+	103	10.1	119	2	3	7	12	22	37	59
TOT. SINGLE DX	1163	3.7	9	1	1	3	4	6	7	16
" MULTIPLE DX	605	6.1	51	1	2	4	7	12	19	40
TOTAL 0-19 YRS	261	3.6	8	1	2	3	4	5	7	11
20-34	768	3.6	8	1	1	3	4	5	7	13
35-49	293	4.4	23	1	1	3	5	8	11	20
50-64	283	5.8	30	1	2	4	6	11	16	29
65+	163	8.8	101	2	2	5	10	19	30	51
GRAND TOTAL	**1768**	**4.5**	**25**	**1**	**2**	**3**	**5**	**7**	**11**	**28**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	90	6.7	99	1	1	4	8	13	22	61
20-34	92	4.1	10	1	1	3	6	8	10	17
35-49	74	3.6	8	<1	1	3	4	7	9	16
50-64	68	3.6	19	<1	<1	2	4	8	11	27
65+	23	7.8	208	1	1	2	4	30	42	62
2. MULTIPLE DX										
0-19 YRS	82	6.6	35	1	2	5	9	12	16	35
20-34	56	10.2	145	1	1	5	12	24	38	61
35-49	47	6.5	45	<1	1	5	8	16	29	99+
50-64	31	12.1	339	1	2	6	13	33	51	88
65+	37	7.5	95	<1	1	5	10	27	78	99+
TOT. SINGLE DX	347	4.8	49	<1	1	3	6	9	14	34
" MULTIPLE DX	253	8.2	110	1	1	5	9	19	33	99
TOTAL 0-19 YRS	172	6.6	69	1	1	4	9	13	18	44
20-34	148	6.4	70	1	1	4	7	14	19	46
35-49	121	4.8	25	<1	1	3	6	10	15	52
50-64	99	6.3	133	<1	1	2	6	14	26	70
65+	60	7.6	136	1	1	4	8	31	56	99+
GRAND TOTAL	**600**	**6.2**	**77**	**<1**	**1**	**4**	**7**	**13**	**22**	**62**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	153	2.5	8	<1	<1	2	2	4	7	16
20-34	251	2.3	5	<1	<1	2	3	4	6	13
35-49	140	3.1	15	<1	<1	2	3	5	11	21
50-64	104	3.7	29	<1	<1	2	3	6	13	36
65+	33	4.3	21	<1	1	3	4	13	14	22
2. MULTIPLE DX										
0-19 YRS	36	3.8	22	<1	1	2	4	8	17	22
20-34	74	6.6	94	<1	<1	3	6	17	25	53
35-49	67	8.2	209	<1	1	3	8	25	38	76
50-64	105	9.3	159	1	1	4	12	26	30	64
65+	70	11.3	131	<1	2	6	19	28	31	49
TOT. SINGLE DX	681	2.8	13	<1	<1	2	3	5	8	20
" MULTIPLE DX	352	8.3	139	<1	1	3	9	23	30	63
TOTAL 0-19 YRS	189	2.8	11	<1	<1	2	3	5	8	21
20-34	325	3.3	29	<1	<1	2	3	6	9	28
35-49	207	4.7	84	<1	<1	2	4	10	19	52
50-64	209	6.5	102	<1	1	3	5	16	28	62
65+	103	9.0	107	<1	2	4	13	24	30	46
GRAND TOTAL	**1033**	**4.7**	**63**	**<1**	**<1**	**2**	**4**	**11**	**20**	**41**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	16	2.4		<1	<1	2	3	4	4	4
35-49	57	2.5	2	<1	<1	2	3	4	6	10
50-64	112	2.7	5	<1	<1	2	3	4	8	14
65+	97	2.7	1	<1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	3	5.0	19	2	2	3	8	10	10	10
20-34	10	6.3	32	<1	1	4	11	15	18	18
35-49	21	3.5	8	<1	1	2	5	8	10	11
50-64	69	4.1	14	1	1	3	5	8	14	18
65+	82	3.5	8	1	2	3	4	5	10	17
TOT. SINGLE DX	286	2.6	3	<1	1	2	3	4	5	12
" MULTIPLE DX	185	3.9	12	1	1	3	4	8	12	18
TOTAL 0-19 YRS	7	3.3	10	1	1	3	3	9	10	10
20-34	26	3.9	16	<1	<1	3	4	11	13	18
35-49	78	2.7	4	<1	1	2	3	6	8	11
50-64	181	3.2	9	<1	1	2	4	7	10	15
65+	179	3.1	5	1	1	3	3	5	7	13
GRAND TOTAL	**471**	**3.1**	**7**	**<1**	**1**	**2**	**3**	**5**	**9**	**15**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	2.4	2	<1	1	2	3	4	6	10
20-34	160	2.1	1	<1	1	2	3	3	4	8
35-49	77	2.2	1	<1	1	2	3	4	5	7
50-64	39	2.2	1	<1	1	2	3	4	4	4
65+	9	2.1		<1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	74	2.6	4	1	1	2	3	5	7	78
20-34	165	2.8	4	1	1	2	3	5	7	12
35-49	64	3.8	20	<1	1	2	5	7	11	26
50-64	42	2.9	7	<1	1	2	3	6	8	16
65+	16	3.5	31	<1	1	2	3	4	18	24
TOT. SINGLE DX	372	2.2	2	<1	1	2	3	4	5	8
" MULTIPLE DX	361	3.0	9	1	1	2	3	5	7	23
TOTAL 0-19 YRS	161	2.5	3	<1	1	2	3	5	6	13
20-34	325	2.5	3	<1	1	2	3	4	6	10
35-49	141	2.9	11	<1	1	2	3	5	7	24
50-64	81	2.6	4	<1	1	2	3	4	6	14
65+	25	3.0	20	<1	1	2	3	4	9	24
GRAND TOTAL	733	2.6	5	<1	1	2	3	5	6	13

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	3.2	10	<1	1	3	4	5	7	23
20-34	150	3.4	16	1	1	3	3	5	6	29
35-49	146	3.6	14	1	2	3	4	6	7	12
50-64	87	4.5	11	1	2	3	5	9	10	19
65+	34	5.4	23	1	2	4	6	13	17	21
2. MULTIPLE DX										
0-19 YRS	33	5.8	65	1	1	3	8	10	11	47
20-34	96	5.6	81	1	1	3	5	13	22	57
35-49	58	6.8	121	1	2	4	6	11	19	70
50-64	66	8.5	168	1	2	4	8	21	33	72
65+	52	11.5	237	1	2	6	11	31	51	77
TOT. SINGLE DX	479	3.8	15	1	1	3	4	6	9	23
" MULTIPLE DX	305	7.5	136	1	1	4	8	15	28	68
TOTAL 0-19 YRS	95	4.1	31	<1	1	3	4	8	10	37
20-34	246	4.3	43	1	1	3	4	7	13	34
35-49	204	4.5	47	1	2	3	5	7	10	45
50-64	153	6.2	82	1	2	4	6	11	20	59
65+	86	9.1	160	1	2	5	9	20	38	69
GRAND TOTAL	784	5.2	65	1	1	3	5	10	15	48

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	172	4.0	6	2	2	3	4	7	8	17
20-34	133	4.4	35	1	2	3	4	6	8	45
35-49	81	4.2	10	1	2	3	5	7	11	18
50-64	36	4.0	5	2	2	3	4	7	8	14
65+	20	7.6	109	1	2	5	8	12	31	50
2. MULTIPLE DX										
0-19 YRS	99	4.9	24	2	2	4	5	8	14	29
20-34	77	8.1	112	2	2	4	8	23	41	88
35-49	26	7.4	91	1	1	5	7	17	29	47
50-64	35	14.3	278	1	2	7	20	35	48	79
65+	15	9.9	131	<1	2	7	8	20	41	48
TOT. SINGLE DX	442	4.3	20	1	2	3	5	7	9	20
" MULTIPLE DX	252	7.7	107	2	2	4	7	18	31	56
TOTAL 0-19 YRS	271	4.3	13	2	2	3	5	7	9	20
20-34	210	5.7	66	1	2	4	5	9	25	50
35-49	107	5.0	31	1	2	4	6	8	15	34
50-64	71	9.1	165	1	2	4	9	25	35	73
65+	35	8.6	117	1	2	6	8	14	41	50
GRAND TOTAL	694	5.6	55	1	2	4	5	9	17	47

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	2.5	5	<1	1	2	3	7	8	9
20-34	45	2.6	6	<1	1	2	3	7	8	12
35-49	29	2.6	19	1	1	2	2	4	6	25
50-64	20	2.4	2	<1	1	2	3	5	6	6
65+	12	7.7	194	1	1	2	3	32	44	46
2. MULTIPLE DX										
0-19 YRS	14	6.7	68	1	2	4	9	13	29	33
20-34	36	4.3	35	1	1	2	4	9	17	32
35-49	17	5.1	26	<1	1	3	6	14	18	19
50-64	31	9.9	133	1	1	5	14	28	32	50
65+	25	13.8	310	1	2	6	21	47	78	99+
TOT. SINGLE DX	135	3.0	26	<1	1	2	3	6	8	29
" MULTIPLE DX	123	8.0	128	1	1	4	9	22	33	79
TOTAL 0-19 YRS	43	3.9	29	<1	1	2	5	9	10	33
20-34	81	3.4	20	<1	1	2	3	8	10	28
35-49	46	3.5	23	<1	1	2	3	7	17	25
50-64	51	6.9	94	1	1	3	6	19	29	50
65+	37	11.8	274	1	1	4	21	42	62	99+
GRAND TOTAL	258	5.4	80	1	1	2	5	13	27	50

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	9.0	72	3	3	9	15	15	15	15
20-34	8	6.3	32	1	1	4	10	15	16	16
35-49	5	8.0	36	2	2	5	14	15	15	15
50-64	4	17.3	465	1	1	9	30	49	49	49
65+	3	15.0	433	2	2	4	30	39	39	39
2. MULTIPLE DX										
0-19 YRS	2	17.0	162	8	8	17	26	26	26	26
20-34	5	34.4	627	1	1	46	53	59	59	59
35-49	2	11.0	8	9	9	11	13	13	13	13
50-64	2	14.5	365	1	1	14	28	28	28	28
65+	5	5.4	22	1	1	5	8	13	13	13
TOT. SINGLE DX	22	10.1	149	1	2	5	14	23	43	49
" MULTIPLE DX	16	17.8	360	1	1	11	27	50	57	59
TOTAL 0-19 YRS	4	13.0	99	3	3	11	20	26	26	26
20-34	13	17.1	431	1	1	6	23	53	58	59
35-49	7	8.9	28	2	2	9	14	15	15	15
50-64	6	16.3	354	1	1	9	28	47	49	49
65+	8	9.0	161	1	1	4	9	31	39	39
GRAND TOTAL	38	13.3	245	1	1	7	15	44	50	59

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	5.3	31	1	1	3	7	15	15	15
20-34	18	6.6	37	1	2	4	7	13	22	27
35-49	9	3.6	13	1	1	2	5	10	12	12
50-64	8	6.4	119	1	1	2	5	25	33	33
65+	19	9.7	108	<1	1	4	20	27	31	31
2. MULTIPLE DX										
0-19 YRS	5	11.0	56	3	3	7	19	19	19	19
20-34	26	22.6	631	2	3	13	30	57	91	97
35-49	34	23.0	451	1	2	20	34	61	74	99+
50-64	60	21.1	404	2	4	15	32	50	87	99+
65+	73	22.8	485	1	2	19	31	70	84	99+
TOT. SINGLE DX	63	6.9	66	1	1	3	7	21	28	33
" MULTIPLE DX	198	22.0	459	2	3	16	31	61	83	99+
TOTAL 0-19 YRS	14	7.4	45	1	1	4	15	19	19	19
20-34	44	16.0	445	2	3	9	16	37	68	97
35-49	43	19.0	422	1	1	12	27	58	72	99+
50-64	68	19.3	391	1	2	13	30	47	81	99+
65+	92	20.1	434	1	2	17	28	61	76	99+
GRAND TOTAL	261	18.4	406	1	2	12	27	50	76	99+

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	8.0	61	3	3	4	14	17	17	17
35-49	2	21.0	578	4	4	21	38	38	38	38
50-64	1	10.0		10	10	10	10	10	10	10
65+	9	31.7	364	6	9	25	49	59	61	61
2. MULTIPLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	7	28.9	212	12	14	26	39	52	54	54
35-49	7	37.3	600	9	11	39	68	93	99+	99+
50-64	37	38.3	444	14	19	37	63	99+	99+	99+
65+	100	36.8	565	9	13	37	70	99+	99+	99+
TOT. SINGLE DX	15	24.1	366	3	4	22	36	57	60	61
" MULTIPLE DX	152	36.7	518	9	13	36	66	99+	99+	99+
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	10	22.6	256	3	3	20	26	48	54	54
35-49	9	33.7	574	4	6	38	61	88	99+	99+
50-64	38	37.6	454	10	18	36	62	99+	99+	99+
65+	109	36.4	547	8	13	36	67	99+	99+	99+
GRAND TOTAL	167	35.5	515	8	11	35	63	99+	99+	99+

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	1	11.0		11	11	11	11	11	11	11
35-49	1	53.0		53	53	53	53	53	53	53
50-64	3	14.0	112	6	6	10	22	26	26	26
65+	9	30.6	407	4	7	28	49	59	59	59
2. MULTIPLE DX										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	2	21.5	221	11	11	32	83	99+	99+	99+
35-49	2	60.5	1985	29	29	60	92	92	92	92
50-64	20	27.6	379	12	13	22	34	72	98	99+
65+	103	29.2	440	7	9	27	46	99+	99+	99+
TOT. SINGLE DX	15	26.7	364	4	6	26	42	58	59	59
" MULTIPLE DX	128	29.2	445	7	10	26	44	99	99+	99+
TOTAL 0-19 YRS	2	19.5	1	19	19	19	20	20	20	20
20-34	3	18.0	147	11	11	22	66	99+	99+	99+
35-49	3	58.0	1011	29	29	53	82	92	92	92
50-64	23	25.8	359	9	12	22	32	60	97	99+
65+	112	29.3	434	6	9	27	46	99	99+	99+
GRAND TOTAL	143	29.0	435	7	9	26	44	96	99+	99+

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	4	28.3	1823	2	2	9	52	92	92	92
35-49	3	17.3	121	10	10	12	25	30	30	30
50-64	1	42.0		42	42	42	42	42	42	42
65+	2	17.0	50	12	12	17	22	22	22	22
2. MULTIPLE DX										
0-19 YRS	3	24.7	466	2	2	36	72	99+	99+	99+
20-34	3	40.3	1332	14	14	25	68	82	82	82
35-49	3	34.7	12	31	31	35	37	38	38	38
50-64	13	46.5	565	19	21	44	58	81	95	98
65+	12	42.6	480	15	25	49	99+	99+	99+	99+
TOT. SINGLE DX	11	23.2	648	2	5	12	28	62	89	92
" MULTIPLE DX	34	41.6	516	12	20	41	75	99+	99+	99+
TOTAL 0-19 YRS	4	22.0	339	2	2	27	59	99+	99+	99+
20-34	7	33.4	1397	2	3	14	68	90	92	92
35-49	6	26.0	144	10	10	30	35	38	38	38
50-64	14	46.1	524	19	22	43	53	79	94	98
65+	14	38.9	497	11	16	48	96	99+	99+	99+
GRAND TOTAL	**45**	**37.1**	**598**	**7**	**11**	**33**	**69**	**99+**	**99+**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	3.9	11	1	1	2	7	9	9	9
20-34	4	6.3	13	1	1	7	8	9	9	9
35-49	4	6.3	15	1	1	7	9	10	10	10
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	4	23.5	405	6	6	21	40	46	46	46
20-34	6	9.7	51	1	1	9	15	19	20	20
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	21.5	25	18	18	21	25	25	25	25
65+	1	37.0		37	37	37	37	37	37	37
TOT. SINGLE DX	17	4.6	13	1	1	4	8	9	10	10
" MULTIPLE DX	14	17.0	196	1	3	12	25	38	44	46
TOTAL 0-19 YRS	11	11.0	227	1	1	6	9	39	45	46
20-34	10	8.3	36	1	1	8	10	17	20	20
35-49	5	6.2	11	1	1	6	8	10	10	10
50-64	3	14.7	152	1	1	18	23	25	25	25
65+	2	19.0	648	1	1	19	37	37	37	37
GRAND TOTAL	**31**	**10.2**	**131**	**1**	**1**	**7**	**10**	**29**	**37**	**46**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	2.0	1	1	1	1	3	4	4	4
20-34	19	2.6	3	<1	1	2	3	5	7	9
35-49	8	4.9	9	1	1	4	8	9	9	9
50-64	8	3.9	4	<1	1	3	5	7	7	7
65+	8	10.0	82	1	1	7	16	24	26	26
2. MULTIPLE DX										
0-19 YRS	5	2.0		1	1	2	2	3	3	3
20-34	9	8.7	44	3	3	5	16	18	19	19
35-49	11	17.0	672	<1	1	5	23	52	87	90
50-64	13	10.5	85	1	2	6	17	26	28	29
65+	25	25.6	452	3	7	17	31	73	74	75
TOT. SINGLE DX	50	4.3	22	1	1	3	4	8	12	26
" MULTIPLE DX	63	16.7	373	1	2	11	21	39	73	88
TOTAL 0-19 YRS	12	2.0	1	1	1	2	3	4	4	4
20-34	28	4.6	24	1	1	3	5	14	17	19
35-49	19	11.9	415	<1	1	5	10	26	62	90
50-64	21	8.0	63	1	1	5	8	23	27	29
65+	33	21.8	403	2	3	16	26	50	74	75
GRAND TOTAL	**113**	**11.2**	**254**	**1**	**1**	**5**	**15**	**26**	**43**	**81**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	38.0	1568	10	10	38	66	66	66	66
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	1	31.0		31	31	31	31	31	31	31
50-64	1	26.0		26	26	26	26	26	26	26
65+										
TOT. SINGLE DX	5	16.8	767	2	2	3	24	66	66	66
" MULTIPLE DX	2	28.5	13	26	26	28	31	31	31	31
TOTAL 0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	17.0	392	3	3	17	31	31	31	31
50-64	3	34.0	832	10	10	26	56	66	66	66
65+										
GRAND TOTAL	**7**	**20.1**	**546**	**2**	**2**	**10**	**30**	**59**	**66**	**66**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	1.9		<1	<1	2	2	4	4	4
20-34	349	2.3	4	<1	<1	2	2	4	5	9
35-49	581	2.4	5	<1	<1	2	2	4	6	13
50-64	338	3.0	5	<1	1	2	3	7	9	12
65+	174	4.3	14	1	2	3	5	8	13	21
2. MULTIPLE DX										
0-19 YRS	14	3.4	11	<1	1	2	3	8	12	13
20-34	153	2.8	9	<1	<1	2	3	5	8	15
35-49	362	3.7	25	<1	<1	2	4	8	10	23
50-64	367	4.8	27	<1	1	3	6	11	16	26
65+	318	7.0	55	1	2	5	9	14	18	55
TOT. SINGLE DX	1497	2.7	6	<1	<1	2	3	5	7	15
" MULTIPLE DX	1214	4.8	34	<1	1	3	6	10	15	28
TOTAL 0-19 YRS	69	2.2	3	<1	<1	2	2	4	4	12
20-34	502	2.4	6	<1	<1	2	3	4	6	15
35-49	943	2.9	14	<1	<1	2	3	6	8	21
50-64	705	4.0	18	<1	1	2	4	9	11	23
65+	492	6.0	43	1	2	4	7	12	17	36
GRAND TOTAL	**2711**	**3.6**	**20**	**<1**	**<1**	**2**	**4**	**8**	**11**	**22**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	3.5	9	<1	1	3	4	6	10	15
20-34	22	2.8	2	<1	1	3	4	5	6	7
35-49	26	4.1	7	<1	2	3	5	9	10	11
50-64	35	6.3	14	2	3	6	8	10	13	20
65+	50	8.4	26	2	2	8	11	15	18	25
2. MULTIPLE DX										
0-19 YRS	6	2.7		2	2	3	3	4	4	4
20-34	12	4.7	8	<1	1	4	6	10	11	11
35-49	25	6.3	11	1	3	6	7	12	13	14
50-64	50	7.7	18	3	4	7	10	13	14	24
65+	73	15.7	227	3	5	10	18	33	49	84
TOT. SINGLE DX	159	5.7	19	1	2	4	8	11	14	20
" MULTIPLE DX	166	10.6	129	2	3	7	12	19	28	56
TOTAL 0-19 YRS	32	3.3	8	<1	1	3	4	6	9	15
20-34	34	3.5	5	<1	1	3	4	6	9	11
35-49	51	5.2	10	<1	2	4	7	10	12	14
50-64	85	7.1	17	2	3	6	9	13	14	23
65+	123	12.8	158	2	3	9	15	25	41	66
GRAND TOTAL	**325**	**8.2**	**81**	**1**	**2**	**6**	**10**	**15**	**22**	**50**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	20	6.8	5	3	3	7	9	10	11	11
35-49	87	8.7	7	5	6	8	10	12	14	17
50-64	143	9.2	8	5	6	9	10	13	16	18
65+	113	10.2	15	6	6	9	12	16	18	24
2. MULTIPLE DX										
0-19 YRS										
20-34	17	9.5	23	2	3	9	13	16	18	18
35-49	144	8.9	10	5	5	9	10	12	14	22
50-64	272	10.7	43	5	6	9	12	16	19	46
65+	283	12.4	65	6	7	10	14	21	25	48
TOT. SINGLE DX	364	9.2	11	5	6	9	10	14	16	22
" MULTIPLE DX	716	11.0	46	5	6	9	12	17	22	41
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	37	8.0	15	3	3	7	10	14	16	18
35-49	231	8.8	9	5	6	9	10	12	14	19
50-64	415	10.2	32	5	6	9	11	15	18	41
65+	396	11.8	52	6	7	10	13	19	24	37
GRAND TOTAL	**1080**	**10.4**	**35**	**5**	**6**	**9**	**12**	**16**	**20**	**36**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	136	3.3	2	1	2	3	4	5	6	9
20-34	542	3.4	3	<1	1	3	4	6	7	9
35-49	205	3.8	5	<1	1	3	5	7	8	11
50-64	92	4.2	4	1	2	4	5	7	8	13
65+	20	4.1	6	1	2	3	5	8	10	11
2. MULTIPLE DX										
0-19 YRS	60	4.0	3	<1	2	4	4	6	8	11
20-34	364	3.7	4	1	1	4	4	6	8	11
35-49	255	4.5	21	<1	1	4	5	8	10	16
50-64	155	4.4	7	1	2	4	5	9	11	13
65+	40	5.7	24	1	2	4	6	12	18	24
TOT. SINGLE DX	995	3.6	4	<1	1	3	4	6	7	11
" MULTIPLE DX	874	4.2	11	1	1	4	5	7	9	15
TOTAL 0-19 YRS	196	3.5	3	1	2	3	4	5	7	10
20-34	906	3.5	4	1	1	3	4	6	7	10
35-49	460	4.2	14	<1	1	4	5	7	9	15
50-64	247	4.3	6	1	2	4	5	7	10	13
65+	60	5.1	19	1	2	4	5	11	15	23
GRAND TOTAL	**1869**	**3.8**	**7**	**<1**	**1**	**3**	**5**	**7**	**8**	**13**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	294	4.3	8	1	2	4	5	8	10	17
20-34	565	4.0	5	1	2	3	5	7	9	12
35-49	88	3.9	6	<1	2	3	5	7	8	15
50-64	17	3.4	5	<1	<1	3	5	7	8	8
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	34	6.3	56	1	2	4	6	14	18	43
20-34	112	5.3	27	<1	2	4	6	11	14	33
35-49	27	7.0	50	1	2	6	7	16	21	34
50-64	5	12.8	39	7	7	13	17	22	22	22
65+	6	9.2	79	1	1	5	16	23	24	24
TOT. SINGLE DX	966	4.1	7	1	2	4	5	7	9	13
" MULTIPLE DX	184	6.0	39	1	2	4	6	13	17	39
TOTAL 0-19 YRS	328	4.5	13	1	2	4	5	8	10	17
20-34	677	4.2	10	1	2	4	5	7	9	15
35-49	115	4.6	18	1	2	4	6	8	12	24
50-64	22	5.5	28	<1	1	4	7	14	18	22
65+	8	7.9	64	1	1	5	11	22	24	24
GRAND TOTAL	**1150**	**4.4**	**12**	**1**	**2**	**4**	**5**	**8**	**10**	**17**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	295	2.9	20	<1	<1	1	3	6	9	26
20-34	343	3.4	19	<1	<1	2	4	8	11	23
35-49	202	3.9	25	<1	<1	2	4	9	15	25
50-64	168	5.3	60	<1	<1	3	5	11	19	39
65+	126	6.1	67	<1	1	3	8	14	20	78
2. MULTIPLE DX										
0-19 YRS	111	6.8	103	<1	1	4	7	15	29	83
20-34	202	10.2	218	<1	<1	4	12	29	43	73
35-49	208	9.1	98	1	1	6	12	21	26	66
50-64	275	11.8	156	1	2	8	16	29	39	81
65+	442	13.9	208	1	2	9	20	38	66	99+
TOT. SINGLE DX	1134	3.9	33	<1	<1	2	4	9	14	30
" MULTIPLE DX	1238	11.4	176	1	1	7	15	30	47	99+
TOTAL 0-19 YRS	406	4.0	46	<1	<1	2	4	9	14	41
20-34	545	6.0	104	<1	<1	2	5	14	26	53
35-49	410	6.5	69	<1	<1	3	8	17	22	46
50-64	443	9.3	130	<1	1	5	11	24	36	59
65+	568	12.2	188	1	2	8	17	33	58	99+
GRAND TOTAL	**2372**	**7.8**	**121**	**<1**	**<1**	**3**	**9**	**21**	**33**	**84**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	435	4.1	21	<1	1	2	5	9	14	23
20-34	437	4.8	31	<1	1	3	6	10	13	32
35-49	206	5.6	47	<1	1	3	7	14	20	40
50-64	136	7.0	52	1	1	4	9	18	22	37
65+	112	9.2	98	1	1	5	13	23	32	68
2. MULTIPLE DX										
0-19 YRS	617	6.4	94	<1	1	3	7	14	23	59
20-34	904	6.9	110	<1	1	3	8	18	32	69
35-49	454	9.0	127	1	1	5	12	23	32	98
50-64	459	12.4	201	1	1	8	17	35	48	97
65+	527	15.2	331	1	1	9	21	51	75	99+
TOT. SINGLE DX	1326	5.3	41	<1	1	3	6	12	18	34
" MULTIPLE DX	2961	9.5	174	1	1	5	11	25	42	99+
TOTAL 0-19 YRS	1052	5.4	65	<1	1	3	6	12	19	42
20-34	1341	6.2	86	<1	1	3	7	14	24	60
35-49	660	7.9	105	1	1	4	9	20	30	77
50-64	595	11.2	173	1	1	7	15	29	44	79
65+	639	14.2	296	1	1	8	20	46	72	99+
GRAND TOTAL	**4287**	**8.2**	**137**	**1**	**1**	**4**	**9**	**21**	**35**	**77**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	10.9	114	1	2	8	15	28	35	43
20-34	63	10.0	97	1	2	6	15	22	34	42
35-49	31	10.7	96	1	1	7	21	25	27	34
50-64	38	15.0	224	1	2	12	19	34	56	58
65+	36	19.7	201	1	3	15	32	41	42	48
2. MULTIPLE DX										
0-19 YRS	58	19.4	234	2	3	15	28	38	46	78
20-34	97	22.7	378	2	4	18	30	52	68	79
35-49	56	18.0	122	3	3	16	24	35	38	49
50-64	89	27.3	407	4	5	26	40	56	74	96
65+	116	30.1	438	5	10	25	44	79	99+	99+
TOT. SINGLE DX	237	12.6	148	1	2	9	19	33	37	56
" MULTIPLE DX	416	24.7	364	3	4	20	34	56	75	99+
TOTAL 0-19 YRS	127	14.8	186	1	2	10	21	34	40	63
20-34	160	17.7	306	1	2	12	23	43	58	78
35-49	87	15.4	124	2	2	15	23	32	37	47
50-64	127	23.7	383	2	3	19	35	55	68	91
65+	152	27.6	400	3	7	25	39	69	96	99+
GRAND TOTAL	653	20.3	319	2	2	16	29	45	65	99+

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	5.4	50	1	1	3	4	20	22	23
20-34	17	11.6	251	1	2	4	16	30	52	63
35-49	13	12.0	151	1	2	7	19	31	38	40
50-64	7	13.9	247	<1	<1	3	30	36	36	36
65+	3	9.3	121	2	2	4	17	22	22	22
2. MULTIPLE DX										
0-19 YRS	3	11.0	127	4	4	14	62	99+	99+	99+
20-34	32	21.4	739	<1	<1	11	44	68	98	99+
35-49	12	35.0	668	1	3	33	57	86	97	99+
50-64	23	24.2	582	1	2	15	37	53	79	95
65+	11	25.6	434	4	5	18	34	53	76	78
TOT. SINGLE DX	54	10.3	165	1	1	4	17	29	36	62
" MULTIPLE DX	81	24.4	624	1	2	16	41	78	97	99+
TOTAL 0-19 YRS	17	6.4	61	1	1	3	8	24	70	99+
20-34	49	18.0	584	<1	1	8	25	60	96	99+
35-49	25	23.0	520	1	2	18	38	75	86	99+
50-64	30	21.8	513	1	2	14	36	47	70	95
65+	14	22.1	401	2	4	17	34	40	70	78
GRAND TOTAL	135	18.7	485	1	1	11	31	50	80	99+

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	144	3.0	11	<1	<1	2	3	7	11	18
20-34	234	3.5	7	<1	<1	3	5	7	8	13
35-49	171	3.7	4	<1	1	3	5	7	8	10
50-64	121	3.9	6	1	1	3	4	7	10	13
65+	51	4.7	14	<1	1	3	7	10	13	15
2. MULTIPLE DX										
0-19 YRS	75	6.1	78	<1	1	3	6	15	21	54
20-34	216	6.0	45	<1	2	4	6	10	20	46
35-49	237	5.3	32	<1	1	4	6	9	11	28
50-64	164	6.4	57	<1	2	4	7	14	23	51
65+	126	10.8	109	2	2	7	13	23	32	56
TOT. SINGLE DX	721	3.6	8	<1	<1	3	5	7	9	14
" MULTIPLE DX	818	6.6	60	<1	1	4	7	14	21	49
TOTAL 0-19 YRS	219	4.1	36	<1	<1	2	4	9	15	23
20-34	450	4.7	27	<1	<1	4	5	8	10	36
35-49	408	4.6	22	<1	1	4	6	8	10	16
50-64	285	5.3	37	1	1	4	6	10	15	42
65+	177	9.1	90	1	2	6	12	19	28	52
GRAND TOTAL	1539	5.2	38	<1	1	4	6	10	15	33

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	7.0	32	3	3	7	11	11	11	11
50-64	2	6.5	5	5	5	6	8	8	8	8
65+	3	6.3	34	2	2	4	11	13	13	13
2. MULTIPLE DX										
0-19 YRS	6	16.8	353	4	4	10	16	50	54	54
20-34	2	7.0	18	4	4	10	77	99+	99+	99+
35-49	1	9.0		9	9	9	9	9	9	9
50-64	2	6.0	8	4	4	6	8	8	8	8
65+	3	14.7	64	7	7	18	61	99+	99+	99+
TOT. SINGLE DX	9	6.3	19	1	1	5	10	12	13	13
" MULTIPLE DX	14	12.9	170	4	4	9	19	95	99+	99+
TOTAL 0-19 YRS	7	15.9	301	4	4	10	15	46	54	54
20-34	3	5.0	21	1	1	7	55	99+	99+	99+
35-49	3	7.7	17	3	3	9	10	11	11	11
50-64	4	6.3	4	4	4	6	8	8	8	8
65+	6	10.5	60	2	2	13	21	85	99+	99+
GRAND TOTAL	**23**	**10.3**	**118**	**2**	**3**	**8**	**14**	**54**	**99+**	**99+**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	4.3	20	1	1	3	5	10	15	22
20-34	597	4.1	16	1	1	3	5	9	12	22
35-49	773	4.5	22	1	1	3	6	10	13	24
50-64	422	4.5	25	1	1	3	6	10	15	24
65+	109	6.0	63	1	1	3	7	17	24	38
2. MULTIPLE DX										
0-19 YRS	25	6.0	34	1	2	4	7	15	19	24
20-34	340	6.5	53	1	1	5	8	12	19	30
35-49	523	6.9	69	1	1	4	8	14	22	41
50-64	460	7.1	48	1	1	5	10	16	20	35
65+	212	11.0	167	1	1	7	15	23	32	77
TOT. SINGLE DX	1949	4.5	24	1	1	3	6	10	14	24
" MULTIPLE DX	1560	7.4	74	1	1	5	9	16	22	45
TOTAL 0-19 YRS	73	4.8	26	1	1	3	6	14	16	24
20-34	937	5.0	31	1	1	3	6	11	15	25
35-49	1296	5.5	43	1	1	3	7	12	16	30
50-64	882	5.9	39	1	1	4	8	14	18	32
65+	321	9.3	138	1	1	5	13	21	28	63
GRAND TOTAL	**3509**	**5.8**	**48**	**1**	**1**	**3**	**7**	**13**	**18**	**32**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	4.3	13	1	1	3	7	10	12	12
20-34	64	6.5	57	1	1	4	7	14	23	42
35-49	105	6.4	46	1	2	4	8	12	17	42
50-64	127	6.5	92	1	1	4	7	12	17	47
65+	112	4.9	23	1	1	3	6	12	16	24
2. MULTIPLE DX										
0-19 YRS	10	13.5	127	2	2	11	20	30	37	37
20-34	61	8.4	59	1	2	5	12	18	26	35
35-49	144	8.2	40	2	2	7	10	18	21	33
50-64	393	8.3	68	1	2	6	11	16	22	76
65+	338	10.5	148	1	1	7	14	22	31	99+
TOT. SINGLE DX	418	6.0	55	1	1	4	7	12	17	35
" MULTIPLE DX	946	9.1	94	1	2	7	12	19	26	88
TOTAL 0-19 YRS	20	8.9	89	1	1	5	13	21	30	37
20-34	125	7.4	59	1	2	5	9	15	24	37
35-49	249	7.4	44	2	2	5	9	15	21	35
50-64	520	7.8	75	1	1	6	10	15	20	72
65+	450	9.1	123	1	1	6	12	20	27	97
GRAND TOTAL	**1364**	**8.1**	**84**	**1**	**1**	**6**	**10**	**17**	**23**	**65**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	8	5.3	28	1	1	4	7	14	17	17
50-64	26	5.6	30	1	1	3	10	15	17	17
65+	12	6.4	26	1	1	4	11	13	14	14
2. MULTIPLE DX										
0-19 YRS										
20-34	1	18.0		18	18	18	18	18	18	18
35-49	19	11.4	55	3	3	10	14	25	27	28
50-64	43	10.6	79	2	3	8	14	23	30	41
65+	25	13.8	148	1	4	13	17	25	42	56
TOT. SINGLE DX	46	5.8	28	1	1	3	11	14	17	17
" MULTIPLE DX	88	11.8	93	2	3	9	15	24	29	50
TOTAL 0-19 YRS										
20-34	1	18.0		18	18	18	18	18	18	18
35-49	27	9.6	54	1	2	8	12	23	25	28
50-64	69	8.7	66	1	1	6	13	17	24	40
65+	37	11.4	119	1	1	11	15	21	33	56
GRAND TOTAL	**134**	**9.7**	**79**	**1**	**1**	**8**	**14**	**19**	**25**	**43**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	6.2	26	1	1	4	10	14	16	18
20-34	143	7.1	49	<1	1	5	9	15	20	35
35-49	153	5.5	24	<1	1	4	7	14	16	21
50-64	310	5.5	39	<1	1	3	8	12	16	37
65+	304	5.2	34	<1	1	3	7	14	16	25
2. MULTIPLE DX										
0-19 YRS	32	10.1	161	1	1	6	13	20	27	69
20-34	169	8.5	71	1	1	7	12	17	23	99+
35-49	249	9.1	97	1	1	7	12	18	22	46
50-64	771	7.9	69	1	1	5	11	18	23	40
65+	985	10.2	140	1	1	7	14	24	36	75
TOT. SINGLE DX	941	5.7	37	<1	1	3	8	14	16	26
" MULTIPLE DX	2206	9.2	107	1	1	6	12	20	29	61
TOTAL 0-19 YRS	63	8.2	98	1	1	5	12	17	20	63
20-34	312	7.8	62	1	1	6	11	17	21	81
35-49	402	7.7	73	1	1	5	11	16	20	45
50-64	1081	7.2	62	1	1	5	10	16	22	40
65+	1289	9.1	120	1	1	5	13	21	32	65
GRAND TOTAL	**3147**	**8.1**	**88**	**1**	**1**	**5**	**11**	**18**	**25**	**55**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6034	4.0	18	1	1	3	5	8	10	21
20-34	6032	4.3	23	1	1	3	5	8	11	23
35-49	3282	5.0	24	1	1	4	6	10	13	26
50-64	2904	6.6	45	1	1	5	8	13	19	36
65+	3344	8.5	70	1	2	6	11	17	24	48
2. MULTIPLE DX										
0-19 YRS	6069	6.0	54	1	1	4	7	12	18	40
20-34	5362	6.2	64	1	1	4	7	12	18	45
35-49	4354	7.8	73	1	2	5	10	16	22	51
50-64	6864	9.6	94	2	2	7	12	19	27	61
65+	15744	12.6	155	2	3	9	16	27	41	99+
TOT. SINGLE DX	21596	5.3	35	1	1	4	7	11	15	31
" MULTIPLE DX	38393	9.6	114	1	2	7	12	21	30	76
TOTAL 0-19 YRS	12103	5.0	37	1	1	3	6	10	14	32
20-34	11394	5.2	44	1	1	3	6	10	14	35
35-49	7636	6.6	55	1	1	5	8	13	18	40
50-64	9768	8.7	82	1	2	6	11	18	24	53
65+	19088	11.9	143	2	3	8	15	25	38	99+
GRAND TOTAL	**59989**	**8.0**	**90**	**1**	**1**	**5**	**10**	**17**	**25**	**61**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1942	4.8	31	1	1	3	6	9	13	33
20-34	968	7.0	78	1	1	4	8	14	20	54
35-49	732	7.4	48	1	2	6	9	15	21	39
50-64	730	7.9	50	1	2	6	10	16	22	39
65+	814	10.8	117	2	3	8	13	21	34	82
2. MULTIPLE DX										
0-19 YRS	2045	7.5	116	1	2	5	7	15	26	84
20-34	981	10.0	177	1	2	6	11	21	34	85
35-49	980	10.6	127	2	2	7	13	25	34	92
50-64	1576	11.6	128	2	3	8	14	24	34	87
65+	3545	14.8	200	3	4	10	18	34	50	99+
TOT. SINGLE DX	5186	7.0	63	1	1	5	8	14	21	47
" MULTIPLE DX	9127	11.7	167	2	2	7	14	27	40	97
TOTAL 0-19 YRS	3987	6.2	77	1	1	4	7	11	19	52
20-34	1949	8.5	131	1	1	5	10	18	29	71
35-49	1712	9.3	96	1	2	6	11	20	30	73
50-64	2306	10.4	107	2	3	8	13	22	30	78
65+	4359	14.1	188	3	3	10	17	32	47	99+
GRAND TOTAL	**14313**	**10.0**	**134**	**1**	**2**	**6**	**12**	**22**	**34**	**84**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7035	4.2	15	1	1	3	5	8	11	19
20-34	2884	3.9	22	<1	1	3	5	7	11	25
35-49	1388	5.2	30	1	1	4	6	11	14	29
50-64	1505	6.7	46	1	1	5	8	14	18	34
65+	2159	8.5	74	1	2	6	11	17	24	53
2. MULTIPLE DX										
0-19 YRS	9102	6.1	36	1	2	5	7	11	16	33
20-34	2926	5.4	47	1	1	3	6	11	16	41
35-49	2318	6.7	57	1	1	4	8	14	20	43
50-64	4044	8.5	80	1	2	6	11	17	23	52
65+	9470	11.2	137	2	3	8	14	24	36	99+
TOT. SINGLE DX	14971	5.1	32	1	1	4	6	10	14	29
" MULTIPLE DX	27860	8.1	86	1	2	5	10	17	25	60
TOTAL 0-19 YRS	16137	5.3	28	1	1	4	6	10	14	29
20-34	5810	4.7	36	1	1	3	5	9	13	34
35-49	3706	6.2	48	1	1	4	8	13	18	40
50-64	5549	8.0	72	1	2	6	10	16	21	48
65+	11629	10.7	127	2	2	7	13	23	34	93
GRAND TOTAL	**42831**	**7.1**	**69**	**1**	**1**	**5**	**8**	**15**	**21**	**51**

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number **Title**

- Incision (and drainage) (continued)
  - 626 Retroperitoneal abscess
  - 651 Scrotum
  - Sinus (nasal) – *see Sinusotomy*
  - 748 Skin, except pilonidal cyst or sinus
    - 746 Pilonidal cyst or sinus
  - 506 Spinal meninges
  - 726 Tendon
  - 569 Thorax
  - 633 Ureter
  - 682 Vagina
  - 683 Vulva
- 690 Induction of labor (medical or surgical) for delivery
- Injection
  - 694 Intra-amniotic, for termination of pregnancy
  - 763 Therapeutic agent (drugs)
    - 745 Breast
    - 741 Bursa
    - 741 Joint
    - 741 Tendon
- 686 Insemination, artificial
- Insertion
  - 574 Cardiac pacemaker
  - 686 Intrauterine contraceptive device
  - 679 Laminaria, uterus
- 666 Insufflation, fallopian tubes
- 694 Intra-amniotic injection for termination of pregnancy
- 758 Intravenous pyelogram (IVP)
- 764 Intubation, nonoperative
- 764 Irrigation, nonoperative
- 758 IVP (intravenous pyelogram)

- Laceration repair (suture) – *see Repair, by site*
- 506 Laminectomy, except for excision of intervertebral disc
  - 717 Excision of intervertebral disc
- 628 Laparoscopy, except for tubal ligation
  - 664 Tubal ligation
- 627 Laparotomy, exploratory
- 560 Laryngectomy, except partial
  - 559 Partial
- 576 Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number **Title**

- 759 Radiation therapy
- Radiography
  - 757 Arteries, except cerebral and coronary
    - 755 Cerebral
    - 756 Coronary
  - 758 Breast
  - 755 Cerebral
    - 755 Arteries
    - 753 Ventricles
  - 758 Chest
  - 758 Gallbladder
  - 758 Kidney
  - 758 Skeletal
  - 758 Spine, except myelogram
    - 754 Myelogram
  - 757 Veins
- Reattachment
  - 738 Extremity
  - 528 Retina
  - 731 Tendon, except of hand
    - 729 Hand
- 530 Recession, ocular muscle
- Reconstruction
  - 535 Ear ossicles
  - 699 Mandible
  - 729 Thumb
- 680 Rectocele repair
- Reduction
  - Dislocation, except temporomandibular
    - 714 Closed
    - 715 Open
    - 702 Temporomandibular (joint)
  - Fracture, except facial bone, femur, and nose
    - 713 Closed, except with internal fixation
      - 711 With internal fixation
    - 713 Open, except with internal fixation
      - 712 With internal fixation
    - 701 Facial bone, except closed reduction
      - 700 Closed reduction

OPERATION INDEX (continued)

Group Number **Title**

- Reduction (continued)
    - Femur
        - 710 Closed, except with internal fixation
            - 708 With internal fixation
        - 710 Open, except with internal fixation
            - 709 With internal fixation
    - 701 Mandible, except closed reduction
        - 700 Closed reduction
    - 701 Maxillofacial, except closed reduction
        - 700 Closed reduction
    - 544 Nose
    - 619 Hemorrhoids
    - Hernia – *see also Herniorrhaphy*
        - 764 Manual
    - 601 Intestinal torsion
    - 601 Intussusception, intestine
    - 745 Mammoplasty
    - 601 Volvulus, intestine
- Release
    - Adhesions – *see Lysis, adhesions*
    - 728 Dupuytren's contracture
    - 749 Scar contracture, skin
    - 642 Urethral stricture
- Removal
    - Calculus
        - 617 Biliary tract
        - 638 Bladder
        - 632 Kidney, except transurethral approach
            - 635 Transurethral approach
        - 519 Lacrimal tract (by incision)
            - 533 Without incision
        - 633 Ureter, except transurethral approach
            - 635 Transurethral approach
    - 764 Catheter, nonoperatively
    - 764 Cholecystotomy tube
    - 693 Ectopic fetus
    - 707 Fixation device, internal
    - Foreign body
        - 762 Bronchus, except with incision
            - 563 With incision
        - 532 Eye, except as below
            - 524 Anterior chamber
            - 520 Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number **Title**

- Repair (continued)
  - Hernia – *see Herniorrhaphy*
  - 723 Hip, except total replacement
    - 722 Total replacement
  - Hydrocephalus, by ventricular shunt
    - 504 Extracranial
    - 505 Intracranial (ventriculostomy)
  - 601 Intestine
  - 725 Joint, except hip and knee
    - 723 Hip, except total replacement
      - 722 Total replacement
    - 724 Knee
  - 724 Knee (joint)
  - Laceration – *see also Repair, by site*
    - 697 Obstetric
  - 562 Larynx
  - 552 Lip
  - 615 Liver
  - 568 Lung
  - 731 Muscle, except extraocular and of hand
    - 531 Extraocular
    - 729 Hand
  - 556 Nasopharyngeal atresia
  - 542 Nose
  - 663 Ovary
  - 551 Palate
  - 658 Penis
  - 685 Perineum, female, except obstetric laceration
    - 697 Obstetric laceration
  - 509 Peripheral nerve
  - 596 Pylorus, stomach
  - 680 Rectocele, vagina
  - 609 Rectum
  - 528 Retinal detachment or tear
  - 730 Rotator-cuff (shoulder)
  - 503 Skull
  - 507 Spina bifida
  - 507 Spinal meningocele
  - 596 Stomach
  - 644 Stress incontinence, except urethral suspension
    - 643 Urethral suspension
  - 731 Tendon, except of hand
    - 729 Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture — *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown — *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin